

A modern office interior with large windows and a long conference table. The room is brightly lit, and the view outside the windows shows a cityscape. The text "Stored Procedures with an Output Parameter" is overlaid on the image in a large, white, sans-serif font.

# Stored Procedures with an Output Parameter

# Stored Procedures with an Output Parameter



SQL

```
DELIMITER $$
```

```
CREATE PROCEDURE procedure_name(in parameter, out parameter)
```

```
BEGIN
```

```
    SELECT * FROM employees
```

```
    LIMIT 1000;
```

```
END$$
```

```
DELIMITER ;
```

# Stored Procedures with an Output Parameter



SQL

```
DELIMITER $$
```

```
CREATE PROCEDURE procedure_name(in parameter, out parameter)
```

```
BEGIN
```

```
    SELECT * FROM employees
```

```
    LIMIT 1000;
```

```
END$$
```

```
DELIMITER ;
```

# Stored Procedures with an Output Parameter



SQL

```
DELIMITER $$
```

```
CREATE PROCEDURE procedure_name(in parameter, out parameter)
```

```
BEGIN
```

```
    SELECT * FROM employees
```

```
    LIMIT 1000;
```

```
END$$
```

```
DELIMITER ;
```



# Stored Procedures with an Output Parameter



SQL

```
DELIMITER $$
```

```
CREATE PROCEDURE procedure_name(in parameter, out parameter)
```

```
BEGIN
```

```
    SELECT * FROM employees
```

```
    LIMIT 1000;
```

```
END$$
```

```
DELIMITER ;
```



*it will represent the variable containing the output value of the operation executed by the query of the stored procedure*

# Stored Procedures with an Output Parameter

- every time you create a procedure containing both an IN and an OUT parameter, remember that you must use the SELECT-INTO structure in the query of this object's body!