

E-Lab: Web based platform for solving and automatic assessment of programming problems

Tomche Delev

July 29, 2012

Abstract

E-Lab is a platform developed at Faculty of Computer Science and Engineering for solving and auto-grading programming problems from introduction programming courses. The main goal is to simplify, organize and improve the process of solving programming problems from large group of students in dedicated computer labs using centralized server for compiling and saving their work. All the work from the students can be done in a web browser using the web-based code editor and everything is stored on the server file system. All the problems and solutions are under version control system (Git). The platform supports different types of problems in several programming languages (C, C++, Java) and it's designed in a manner so it can be easily extended. [Here we add some text.](#)

1 Introduction

Programming is one of the essential practical skills taught at introduction level courses in computer science curriculums. Mastering this skill can gain the students good chances of finding good job and developing successfull career. The rewarding career and the constant rising of the market for programmers ~~makes~~ [defines](#) the computer science programs very popular among high school students. The results are large introduction classes with several hundred students enrolled.

Programming is not an easy skill to develop. By some studies [1] mastering this skill requires up to ten years. As easy as it seems teaching basic programming rises challenges to the academic stuff and good organisation with the right tools is required to tackle these challenges. ~~Similary to other practical skills, good~~ [Good](#) strategy for learning programming involves great amount of time actually doing it. In introduction level courses involinvg some kind of programming, this translates to solving a lot of basic algorithmic examples. One third of the time teaching these courses is dedicated to solving this kind of programming problems organized in problem sets by the topic and executed in dedicated computer labs.

Several hundred students working on problems every week produces thousands solutions in form of source code that should be examined and graded. In the current environment students work on PC workstations using simple text editor or some kind of IDE for the programming language they use. They save, compile and execute the solutions on their local machines. After they finish, no records of their work is stored on server repository, so there is no possibility for the instructors to examine and grade their solutions afterwards. The time limit for each group of students is in the range of 90 to 120 minutes, and the instructors usually have only up to 30 minutes to examine, test and grade 20 students, each with several solutions. These settings makes almost impossible for the instructors to quality assess the students work.

The nature of the programming problems in great part of the introduction programming courses is algorithmic. This makes it possible to develop a fairly simple platform for creating problems, test cases and system for automatic assessment and grading of the solutions. Most algorithmic problems can be designed to take some input from the standard input in some prescribed format, apply some simple algorithm in memory on this input, and finally produce an output in some prescribed format and print it on the standard output. Having this kind of problems we can take the executable of the program, feed the test input and then compare and verify for correctness on the test output. This process which is widely used in many competitive programming systems, should emphasize the importance in programming to have a working solutions, instead of only writing a code that some times even doesn't compile.

The E-Lab system is developed with many goals. If the first goal was to better handle the organization and implementation of the programming exercises, other important goals are the motivation of the students and the continuous feedback they will have using this platform. With E-Lab we want to shift the role of the instructors from teachers and graders to motivators, which is shown to give better effects in teaching programming [2].

2 Related work

Systems that automatically assess programming assignments have been designed and used for more than forty years. In [3] authors review a number of the influential systems for automatic test-based assessment of programming assignments. These systems are broadly categorized according to age in three generations.

The first generation or early assessment systems were those originate from the time when programming was done using punch cards and the evaluation was done by executing this problems and manually evaluating the output. Some of these early systems had specially designed programmes to compare the output of the program to some predefined output.

The second generation or the tool oriented assessment systems are developed using pre-existing tool sets and utilities supplied with the operating system or programming environment. One notable example of these systems is the BOSS system originated at the University of Warwick in the UK [4] which in his

last development cycles has become an assessment management system. Other example is the Scheme-Robo project [5] which has been supplemented by a graphical user interface and an algorithm-animation component.

The third-generation assesment system are characterized by using the latest developments in web technology and adopt advanced testing approaches. Previously mentioned system BOSS has evolved in this generation. CourseMarker, developed at Nottingham University [6] and RoboProf deployed at Dublin City University [7] are examples of this last generation of automatic assessment systems.

3 The E-Lab philosophy

We developed E-Lab with the idea that we should build using the latest web technologies and state of the art tools that have been proven to work over the years. The result is a forth generation system, where we integrate latest technologies to produce modern, extendable, scalable and easy to use platform. We achieve this using the experince over the years observing students working on programming problems in introduction level courses.

3.1 Integrated problem view

Most of the time available to students trying to solve the problems in the dedicated computer labs is or should be spent in three equally important phases. In the first phase students should carefully read and understand the problems, the second phase should be the coding part in which they can refere to the related course material, and in the third and final phase they should get the feedback for the corectness of their solution.

According to this observation, the platform was designed so that on single screen students can work and acomplish all the phases involved in solving the problems. As can be seen on figure 1, on a single screen we have the problem text to be read, the web-based code editor to write the solution and the actions pane, so they can run their solution and get instant feedback in the ouptut area. With this design we try to implement the extreme apprenticeship method [8] which is based on a set of values and practices that emphasize learning by doing together with continuous feedback as the most efficient means for learning programming.

3.2 Authentication

All users of the system are authenticated using the Central Authentication System (CAS) which is used by all services at the faculty. With this mechanism we can identify students and their solutions, and later use this identity to check for plagiarism, malicious code or other abusive usages.




Figure 1: The student screen trying to solve a problem.

3.3 Problems design

The central entity in the programming exercises are the programming problems. Each problem is designed in two phases. In the first phase we define the problem text, name and in some problems provide starter code. This information define only the basis of the problem, so in the second phase we need to provide sample input and output for the problem as an example, and at least one test case also in form of input and output data so the solutions of the problem can be tested. For each problem we can also add contextual help or hints that can be helpful for students to solve the problem.

3.4 Problems and solutions repository

Almost all of the problems information and solutions are in form of simple text or source code files. Very practical way of storing this kind of data is using some kind of version control system. With this system we get features such as management of the changes of the documents and full revision tracking capabilities. The choice of Git, which is very fast distributed revision control system, gives the system the reliability of the distributed repositories that doesn't depend on single server.

3.5 Sandboxed execution

The system allows students to write, run and execute any kind of program code that will be executed on a remote server. This can harm the server in many

undesirable ways. The malicious code can contain unprivileged read and write access, can create process bombs, allocate all the available memory or simply consume all the processing power available to the server. To control or prevent these security issues all the execution is done in sandbox environment. In this sandbox each execution is limited by processing time and memory, and also constrained in the number of processes it can fork.

`chroot ulimit`

3.6 Automatic assesment

Having limited resources in time and the actual inability to assess all of the student solutions to the provided problems makes the automatic assessment top priority in the platform. Since the platform covers only introduction level courses in programming and algorithms, most of the problems can be designed so they can be assessed by simple black-box testing methodology. For each problem the author provides a reference solution, and using this solution the system generates test cases. Each test case consists of simple input and output text files. So when tested the compiled program fed the input file to be correct should output the same output as the contents in the generated output file. One of the test cases is the sample test case which is visible for the students so they can better understand the problem. Each problem should have at least one test case and up to ten test cases. We limit the number of test cases, to be able to provide instant feedback

4 Architecture

The overview of the platform architecture can be seen on figure 2, showing it's primary components. The data repository is the most interesting component of the system. We propose a specific way of storing the problems and all the work from the students by using a combination of database and file system. All the relational data and metadata of the problems such as the name, the problem set it belongs, the text is stored in relational database. The other part containing a the starter code, reference solution, help contents in markup language and all the test cases in form of input and output text files are stored on the file system. Also, all of the students solutions are stored solely on the file system in organized directory structure.

4.1 The client-server

The system is a form of a standard client-server web architecture. This architecture allows the client, which is standard web browser available on all platforms, to run on virtually every PC in our computer lab environment. This lowers the costs of maintenance of the computer labs, because no specific software such as separate client software, compilers, IDEs or text editors should be installed and maintained.




Figure 2: The E-Lab architecture.

The web server is composed of two separate servers. The front-end web server is a fast web server that serves as a fast proxy and load balancer to the application server. The application server is Java server that uses a scalable RESTfull architecture. The web applications on this server follows the MVC architectural pattern applied to the web architecture. The authentication of the users is done on a central authentication server using HTTPS.

5 Detecting plagiarism

6 Conclusion

References

- [1] L. Winslow, “Programming pedagogy—a psychological overview,” *ACM SIGCSE Bulletin*, vol. 28, no. 3, pp. 17–22, 1996.
- [2] T. Jenkins, “Teaching programming—a journey from teacher to motivator,” 2001.
- [3] C. Douce, D. Livingstone, and J. Orwell, “Automatic test-based assessment of programming: A review,” *Journal on Educational Resources in Computing (JERIC)*, vol. 5, no. 3, p. 4, 2005.
- [4] M. Joy, N. Griffiths, and R. Boyatt, “The boss online submission and assessment system,” *Journal on Educational Resources in Computing (JERIC)*, vol. 5, no. 3, p. 2, 2005.
- [5] R. Saikkonen, L. Malmi, and A. Korhonen, “Fully automatic assessment of programming exercises,” in *ACM SIGCSE Bulletin*, vol. 33, pp. 133–136, ACM, 2001.
- [6] C. Higgins, T. Hegazy, P. Symeonidis, and A. Tsintsifas, “The coursemarker cba system: Improvements over ceilidh,” *Education and Information Technologies*, vol. 8, no. 3, pp. 287–304, 2003.
- [7] C. Daly and J. Horgan, “An automated learning system for java programming,” *Education, IEEE Transactions on*, vol. 47, no. 1, pp. 10–17, 2004.
- [8] A. Vihavainen, M. Paksula, and M. Luukkainen, “Extreme apprenticeship method in teaching programming for beginners,” in *Proceedings of the 42nd ACM technical symposium on Computer science education*, pp. 93–98, ACM, 2011.