Introduction to integration

Tom Coleman

Summary

The idea of integration...

Before reading this guide, it is recommended that you read [Guide: Properties of functions], Guide: Laws of indices, Guide: Logarithms, and [Guide: Tangents].

What is integration

This guide will look at the idea of differentiation; where it comes from, how it can be used, and how you can apply its techniques to functions that you may be familiar with.

Flowchart test

i Example 4

Determine the behaviour of the function $f(x)=2\ln(3x)-x$ when x=1. Here, you will first need to differentiate the function f(x) to find f'(x). Then, you will need to evaluate the derivative f'(x) when x=1 to see how the function behaves. Using your rules of differentiation as you found above, you can say that the derivative of $2\ln(3x)$ is 2/x, and the derivative of x is 1. Therefore, the derivative of the function $f(x)=2\ln(3x)-x$ is

$$f'(x) = \frac{2}{x} - 1.$$

You can evaluate the derivative f'(x) at x=1 to get

$$f'(1) = \frac{2}{1} - 1 = 2 - 1 = 1$$

and so the derivative is positive at x=1. This implies that the function $f(x)=2\ln(3x)-x$ is increasing at the point x=1.

It also means that the gradient of the tangent to the function f(x) at the point $(1,2\ln(3)-1)$ is 1. You can see this in the figure below.




Figure 1: The graph of $f(x)=2\ln(3x)-x$, with the tangent to the graph at $(1,2\ln(3)-1)$ illustrated, demonstrating that the function is increasing at x=1.

Summary

Here's a table of derivatives that you should remember going into any further reading on differentiation. Here, a,b,c,n are any real numbers.

Function $f(x)$	Derivative $f'(x)$	Notes
f(x) = c	f'(x) = 0	
f(x) = ax + b	f'(x) = a	
$f(x) = ax^n$	$f'(x) = anx^{n-1}$	$n \neq 0$
$f(x) = ae^{bx}$	$f'(x) = abe^{bx}$	
$f(x) = a\sin(bx)$	$f'(x) = ab\cos(bx)$	
$f(x) = a\cos(bx)$	$f'(x) = -ab\sin(bx)$	
$f(x) = a\ln(bx)$	$f'(x) = \frac{a}{x}$	

Quick check problems

- 1. Answer the following questions true or false:
- (a) The derivative of a function at x=a is equal to the gradient of the tangent to f(x) at x=a.
- (b) If f'(a) < 0, then the function is increasing at x = a.
- (c) If f(x) = c, then the derivative f'(x) = c 1.
- (d) The derivative of $f(x) = \cos(x)$ is $f'(x) = -\sin(x)$.
- (e) The derivative of $f(x) = \frac{1}{x}$ is $f'(x) = \ln(x)$.
- (f) The power of x in the derivative of $f(x) = \frac{1}{\sqrt{x}}$ is -3/2.
- 2. Differentiate the following functions with respect to x.
- (a) $f(x) = 3x^7 14x$
- (b) $f(x) = -4\cos(3x)$
- (c) $f(x) = -15\sin(x) + e^{8x}$

Further reading

For more questions on the subject, please go to Questions: Introduction to differentiation and the derivative.

For more about techniques of differentiation, please see [Guide: The product rule], [Guide: The quotient rule], and [Guide: The chain rule].

For more about where the derivatives in the above table come from, please see Proof sheet: Derivatives of functions from first principles and [Proof sheet: Derivatives of other common functions]. For more about why the rules of differentiation are true, please see [Proof sheet: Rules of differentiation].

Version history

v1.0: initial version created 03/25 by tdhc.

This work is licensed under CC BY-NC-SA 4.0.