Answers: Trigonometry (radians)

Dzhemma Ruseva, Ellie Gurini, Ciara Cormican

Summary

Answers to the questions on trigonometry, using radians to measure angles.

These are the answers to Questions: Trigonometry (radians).

Please attempt the questions before reading these answers!

Q1

You are given the triangle below.




Figure 1: Q1. Triangle

1

Here,

$$\bullet \ \cos(a) = \frac{4}{5}$$

$$\bullet \ \sin(a) = \frac{3}{5}$$

•
$$\tan(a) = \frac{3}{4}$$

$$\bullet \ \cos(b) = \frac{3}{5}$$

$$\bullet \ \sin(b) = \frac{4}{5}$$

Q2

Using the triangle below, solve the following equations.




Figure 2: Q2. Triangle

2.1.
$$C = 12$$

2.2.
$$A = 2$$

2.3.
$$A=1.812$$
 (to three decimal places)

2.4.
$$A = \sqrt{6}$$

2.5.
$$A = 8$$

2.6.
$$B = \frac{8}{\sqrt{3}}$$
.

Q3

3.1.
$$\cos(\pi/6) = \frac{\sqrt{3}}{2}$$

3.2.
$$\tan(\pi/6) = \frac{1}{\sqrt{3}} = \frac{\sqrt{3}}{3}$$

3.3.
$$\csc(\pi/4) = 1$$

3.4.
$$\cot(\pi/6) - \sin(\pi/3) = \sqrt{3} - \frac{\sqrt{3}}{2} = \frac{\sqrt{3}}{2}$$

3.5.
$$\sin(\pi/2) + \cos(\pi) = 1 + (-1) = 0$$

3.6.
$$\tan(\pi/6) - \cot(\pi/6) = \frac{1}{\sqrt{3}} - \sqrt{3}$$

3.7.
$$\cos(0)\sin(\pi/2) = 1 \cdot 1 = 1$$

3.8.
$$\cos(\pi/6)\sec(\pi/6) - \sin(\pi/4)\csc(\pi/4) = 1 - 1 = 0$$

3.9.
$$\cot(\pi/2) = 0$$

Version history and licensing

v1.0: initial version created 08/23 by Dzhemma Ruseva, Ellie Gurini, Ciara Cormican as part of a University of St Andrews STEP project.

• v1.1: edited 05/24 by tdhc, and split into versions for both degrees and radians.

This work is licensed under CC BY-NC-SA 4.0.