OHD General Programming Standards and Guidelines Peer Review Checklist

Reviewer's Name:		Taylor Dudunake			Peer Review Date:		v	03/12/18
Project Name:		Jupyter Note Assignmer			Project ID: Enter if applicable		able	
Developer's Name:	Cameron Carsle		∋y	Project Lead:	-			
Review Files & Source code								
Code Approved			•					

This checklist is to be used to assess source code during a peer review. Items which represent the code being reviewed should be checked off.

Refer to the *OHD General Programming Standards and Guidelines* document for more complete descriptions and examples of the items listed below.

1. Internal Documentation


	Comment block exists at the beginning of the source file containing at least the following information: original author's name, file creation date, development
	and a brief statement of the purpose of the software in the file.
√	Each subroutine or function in the file is preceded by a comment block which
	es the following information: routine name, original author's name,
routine	e's creation date, purpose of the routine, a list of the calling arguments

(their types and what they do), a list of required files and/or database tables, the routine's return value, error codes and exceptions processed by the routine, and a modification history indicating when and by whom changes were made.

2. Programming Standards

N/A	Consistent indentation of at least 3 spaces is used to distinguish conditional or control blocks of code. TABS NOT USED FOR INDENTATION.
<u>√</u>	Inline comments are frequently used and adequately describe the code.
<u>√</u>	Structured programming techniques are adhered to.
<u>√</u>	Subroutines, functions, and methods are reasonably sized.
<u>√</u>	The routines in each source file shall have a common purpose or have interrelated functionality. Methods in a class support its functionality.
<u>√</u>	The name of the file, script or class represents its function.
<u>√</u>	Function and method names contain a verb, that is, they indicate an action.
	Meaningful variable names are used.
<u>√</u>	Variables are initialized prior to use.
<u>N/A</u>	Braces are used consistently
<u>√</u>	There are no compiler warnings

3. Programming Guidelines



<u>√</u>	Parentheses are used to remove operator precedence ambiguity and to improve code readability.
<u>√</u>	Inline comments constitute approximately 20% of the total lines of code in the program, excluding the file and routine documentation blocks.
<u>√</u>	The software reflects a balance of coding for efficiency and coding for readability.
N/A	Meaningful error messages are used.
N/A	System calls which acquire system resources are tested for error returns.
√	Routines and methods are contain no more than 200 executable lines.
<u>√</u>	The number of routines in a source file is kept to a minimum for procedural languages.

Reviewer's Comments:

Your code is very well written and sufficiently performs the tasks necessary to complete this assignment. Each task is clearly portrayed in a logical manner. You do an excellent job commenting each line and block of code. I did notice in task 3c that the comments wrapped to the next line for some reason, but it's not a huge deal. The comments provided great detail

and explanatory information needed to fully understand your code and the function that each line or block of code was performing. As usual, great job@