SME M2 Training Problems

Ted Szylowiec

tedszy@gmail.com

Some problems may be harder than usual (or more advanced.) They are marked with a dot •. Problems that are possibly even harder (and even more advanced) are marked with two dots ••. All problems are worth doing! Try to do all of them. Most don't take very long.

Always square

- **1.** Translate this into an algebraic expression: *the sum of the cubes of six consecutive integers.*
- **2.** Even integers have the form 2*n*. Translate this into an algebraic expression: *the sum of the squares of five consecutive even integers*.
- **3.** Odd integers have the form 2n + 1. Translate this into an algebraic expression: *the sum of the fourth powers of three consecutive odd integers.*
- **4.** Show that $n^4 + 10n^3 + 27n^2 + 10n + 1$ is a perfect square for all n. Do it by writing it in the form $(an^2 + bn + c)^2$ and finding the coefficients a, b, c.
- **5.** Show that $n^4 14n^3 + 51n^2 14n + 1$ is a perfect square.
- **6.** Show that $n^4 + 14n^3 + 51n^2 + 14n + 1$ is a perfect square.
- 7. Show that $n^6 + 2n^5 + 5n^4 + 6n^3 + 6n^2 + 4n + 1$ is a perfect square.
- 8. Show that $n^6 + 10n^5 + 27n^4 + 12n^3 + 11n^2 + 2n + 1$ is a perfect square.
- **9.** Show that $n^6 + 4n^5 + 10n^4 + 14n^3 + 13n^2 + 6n + 1$ is a perfect square.
- **10.** Consider positive integers in steps of five: n, n + 5, etc. Let ϕ be the product of four such consecutive numbers. Prove that $\phi + 625$ is always a perfect square.
- **11.** Consider positive integers in steps of 10: n, n + 10, etc. Let ϕ be the product of four such consecutive numbers. Prove that $\phi + 10000$ is always a perfect square.
- **12.** Even numbers have the form 2n. Let ϕ be the product of four consecutive even numbers. Show that $\phi + 16$ is always a perfect square.
- **13.** Odd numbers have the form 2n + 1. Let ϕ be the product of four consecutive odd numbers. Prove that $\phi + 16$ is always a perfect square.
- **14.** Examine the patterns in problems **10**, **11**, **12** and **13**. Can you combine all these results into one mathematical statement?
- **15.** Prove the answer you gave to problem **14**.

Never square

- **16.** Draw 17 mod 4 using a dot drawing.
- **17.** If $x \equiv 2 \mod 5$ and $y \equiv 3 \mod 5$ then show that 5 divides x + y by using dot drawings.
- **18.** Find the last digit of 3^{20} . Use modular arithmetic. Don't use a calculator.
- **19.** What is the last digit of 7^{101} ? Use modular arithmetic.
- **20.** Use negative residues to find $36^5 6^{50} + 48^{100} \mod 7$. Hint: use $48 = 6 \times 8$.
- **21.** Use modular arithmetic to show that 33 divides $2^{50} 1$. Use negative residues.
- **22.** Use negative residues to prove that 10 divides $3^{20} 1$.
- **23.** Prove that 15 divides $2^{100} 1$.
- **24.** Prove that 6 divides the product of three consecutive integers.
- **25.** Prove that 10 divides the product of five consecutive integers.
- **26.** Prove that 35 divides the product of seven consecutive integers.
- **27.** Prove that 7 always divides $n^7 n$ for any integer n.
- **28.** Prove that it is not true that 9 always divides $n^9 n$. Use modular arithmetic to find an n such that $9 \nmid n^9 n$.
- **29.** Use modular arithmetic to prove that $11 \mid n^{11} n$ for all integers n.
- **30.** Show that 10 does not always divide $n^{10} n$ and give an example of a number n such that $10 \nmid n^{10} n$.
- **31.** Is it true that 12 always divides $n^{12} n$? Use modular arithmetic to find a counterexample.
- **32.** Show that 7 does not divide $7n^3 + 3n^2 + 3n + 5$. Use modular arithmetic.
- **33.** Prove that for all values of n, $121n^3 + 77n^2 + 66n + 11$ is never square.
- **34.** Prove that the sum of four consecutive fourth powers can never be square.
- **35.** Prove that the sum of the squares of five consecutive odd numbers is never square.
- **36.** •• Prove that the sum of the fourth powers of four consecutive odd numbers is never square.
- **37.** • Open question. Consider every kth integer. Let ϕ be the sum of the squares of five such consecutive integers. Investigate different values of k. Can you prove that it is never square for all k?
- **38.** • Open question. Consider again every kth integer. Let ϕ be the sum of the fourth powers of four such consecutive integers. Is ϕ ever square? Can you prove that it can or cannot be square?

Sums of integers

- **39.** Use the reverse method to sum all the integers from 1 to n^2 .
- **40.** Sum the first *n* odd integers beginning with 1. Use Euler's reverse method.
- **41.** Sum the first *n* even integers beginning with 2. Use Euler's reverse method.
- **42.** Use dot diagrams mod 2 to show how the odd numbers fit together to form a square having n^2 dots. Use this to prove that the sum of the first n odd numbers beginning with 1 is n^2 .
- **43.** Use dot diagrams mod 2 to show how the even numbers fit together to form a square without a diagonal, having $n^2 n$ dots. Use this to prove that the sum of the first n 1 even numbers beginning with 2 is $n^2 n$.
- **44.** Sum *n* consecutive integers congruent to 2 mod 3. Begin with 2.
- **45.** Starting with 1, sum *n* consecutive integers congruent to 1 mod 5.
- **46.** Starting with 4, sum *n* consecutive integers congruent to 4 mod 5.
- 47. Starting with b, sum n consecutive integers congruent to b mod 7.
- **48.** Starting with b, sum n consecutive integers congruent to $b \mod a$.
- **49.** Starting with a + b, sum n consecutive integers congruent to $b \mod a$.
- **50.** •• In problem **42** you determined the sum of consecutive integers congruent to 1 mod 2 by creating lego-like dot drawing and fitting them together. Can you do this for the sum of n consecutive integers (beginning with 1) congruent to 1 mod 3? You will have to design new kinds of dot drawing legos and fit them together in some way. This is an open question, I myself don't have an answer yet. Some students in other sections claim to have done it.

Sum of Powers

- **51.** Construct Pascal's Triangle from row n = 0 to row n = 10.
- **52.** Use the n = 7 row of Pascal's triangle to expand $(x + y)^7$.
- **53.** Use Pascal's triangle to expand $(1 + y)^5$.
- **54.** Expand by Pascal's triangle: $(x + 1)^8$.
- **55.** Expand using Pascal's triangle: $(3+2)^6$.
- **56.** Expand by Pascal's triangle: $(0+1)^3$.
- 57. Expand by Pascal's triangle: $(1+1)^4$.
- **58.** Expand by Pascal's triangle: $(5+1)^4$.
- **59.** Use the n = 2 row of Pascal's triangle to find $S = 1 + 2 + 3 + \cdots + n$.

60. Use the result from **59** and the n = 3 row of Pascal's Triangle to find

$$S = 1^2 + 2^2 + 3^2 + \dots + n^2.$$

61. Label the circled elements in Pascal's triangle with binomial symbols.

62. Draw Pascal's triangle and verify that this is true.

$$\binom{5}{0} + \binom{5}{1} + \binom{5}{2} + \binom{5}{3} + \binom{5}{4} + \binom{5}{5} = 2^5.$$

63. Verify that this is true.

$$\binom{8}{0} + \binom{8}{1} + \binom{8}{2} + \binom{8}{3} + \binom{8}{4} + \binom{8}{5} + \binom{8}{6} + \binom{8}{7} + \binom{8}{8} = 2^8$$

64. Draw Pascal's triangle and verify that this is true.

$$\binom{3}{0}^2 + \binom{3}{1}^2 + \binom{3}{2}^2 + \binom{3}{3}^2 = \binom{6}{3}.$$

65. Verify that this is true.

$$\binom{4}{0}^2 + \binom{4}{1}^2 + \binom{4}{2}^2 + \binom{4}{3}^2 + \binom{4}{4}^2 = \binom{8}{4}.$$

66. Verify that this is true.

$$\binom{2}{2} + \binom{3}{2} + \binom{4}{2} + \binom{5}{2} + \binom{6}{2} + \binom{7}{2} = \binom{8}{3}.$$

67. Verify this.

$$\binom{3}{0} + \binom{4}{1} + \binom{5}{2} + \binom{6}{3} + \binom{7}{4} = \binom{8}{4}.$$

68. Use row 4 of Pascal's triangle to find S_3 . Show that

$$S_3 = (S_1)^2$$

by factoring the expression for S_3 .

- **69.** Find a formula for building S_4 in terms of S_0 , S_1 , S_2 , S_3 and binomial symbols. Do a complete proof using the algebraic method that we learned in class. Use this building formula to get an answer for S_4 .
- **70.** Guess a fromula for building S_8 in terms of $S_0, \ldots S_7$ and binomial symbols. You don't have to prove it by the algebraic method. Just guess based on patterns.
- **71.** Guess a formula for building S_k in terms of all previous $S_{k-1}, \ldots S_0$ and binomial symbols. You don't have to prove it, just guess it.
- **72.** •• Open question. Use the building formulas to get answers for S_K . What is the highest k that you can do? Take your time. If you can get to S_{10} then your skill in algebra has progressed greatly. It may take a long time, but see how high you can go. Compare your work with these answers:

$$\begin{split} S_5 &= \frac{n^2(n+1)^2(2n^2+2n-1)}{12} \\ S_6 &= \frac{n(n+1)(2n+1)(3n^4+6n^3-3n+1)}{42} \\ S_7 &= \frac{n^2(n+1)^2(3n^4+6n^3-n^2-4n+2)}{24} \\ S_8 &= \frac{n(n+1)(2n+1)(5n^6+15n^5+5n^4-15n^3-n^2+9n-3)}{90}. \end{split}$$

Matrix sums