


Amazing Tree

Tree is an amazing data structure in computer science and many data can be represented as tree. For example, a black-white image can be represented as a quad tree and the arithmetic expression can be represented as a binary tree, a file system is also a tree, etc. Today, we introduce a method that can represent a general tree by using a string.



The tree in figure 1 can be represented as a file system in figure 2, and if we replace each file in figure 2 as a bracket pair () and maintain the relationship of the file folders, we would get the corresponding string in figure 3.

In summary, a tree can be represented as a string of bracket pairs and also a string of bracket pairs represents a tree.

Now, here comes the task.

You are given a tree, for each node i in the tree, the weight of node i is defined by the number of nodes in the sub-tree rooted at node i . The task is to calculate the XOR value of the weight of all nodes in the tree.

Input

The input contains multiple test cases. Each test case contains a string S in one line which only consists of brackets (). It is guaranteed that the string S forms a tree and the length of S is in the range from 2 to 1000.

Output

For each test case, print the result in a separate line.

Sample Input	Sample Output
((()((()())())) (()((()))))	0 4

Hints: Recursion

Explanation:

In the first test case, it represents the tree in figure 1 and the weight of the nodes is as follows

Node	1	2	3	4	5	6	7
Weight	7	1	5	2	1	1	1

(Node 3 has weight 5 because there are 5 nodes in the subtree rooted at node 3)

Hence, the XOR value of the weight of all nodes is

$$7 \oplus 1 \oplus 5 \oplus 2 \oplus 1 \oplus 1 \oplus 1 = 0$$

C++ XOR operator: `c = a ^ b;`