

<b>Status</b>	Finished
<b>Started</b>	Saturday, 22 November 2025, 10:54 AM
<b>Completed</b>	Saturday, 22 November 2025, 11:10 AM
<b>Duration</b>	15 mins 54 secs

**Question 1**

Correct

Given a string, **s**, consisting of alphabets and digits, find the frequency of each digit in the given string.

**Input Format**

The first line contains a string, **num** which is the given number.

**Constraints**

**1 ≤ len(num) ≤ 1000**

All the elements of num are made of English alphabets and digits.

**Output Format**

Print ten space-separated integers in a single line denoting the frequency of each digit from **0** to **9**.

**Sample Input 0**

a11472o5t6

**Sample Output 0**

0 2 1 0 1 1 1 1 0 0

**Explanation 0**

In the given string:

- **1** occurs two times.
- **2, 4, 5, 6** and **7** occur one time each.

The remaining digits **0, 3, 8** and **9** don't occur at all.

**Answer:** (penalty regime: 0 %)

```

1 #include<stdio.h>
2 #include<string.h>
3 int main(){
4     char s[1001];
5     int freq[10]={0};
6     scanf("%s",s);
7     for(int i=0;i<strlen(s);i++){
8         if (s[i]>='0'&&s[i]<='9'){
9             freq[s[i]-'0']++;
10        }
11    }
12    for(int i=0;i<10;i++){
13        printf("%d ",freq[i]);
14    }
15    return 0;
16 }
```



	Input	Expected	Got	
✓	a11472o5t6	0 2 1 0 1 1 1 1 0 0	0 2 1 0 1 1 1 1 0 0	✓
✓	lw4n88j12n1	0 2 1 0 1 0 0 0 2 0	0 2 1 0 1 0 0 0 2 0	✓
✓	1v88886l256338ar0ekk	1 1 1 2 0 1 2 0 5 0	1 1 1 2 0 1 2 0 5 0	✓

Passed all tests! ✓

**Question 2**

Correct

Given a sentence,  $s$ , print each word of the sentence in a new line.

**Input Format**

The first and only line contains a sentence,  $s$ .

**Constraints**

$1 \leq \text{len}(s) \leq 1000$

**Output Format**

Print each word of the sentence in a new line.

**Sample Input 0**

This is C

**Sample Output 0**

This  
is  
C

**Explanation 0**

In the given string, there are three words ["This", "is", "C"]. We have to print each of these words in a new line.

**Answer:** (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     char s[1001];
4     fgets(s,sizeof(s),stdin);
5     for(int i=0;s[i]!='\0';i++){
6         if(s[i]==' ')
7             printf("\n");
8         else{
9             printf("%c",s[i]);
10        }
11    }
12    return 0;
13 }
```

	<b>Input</b>	<b>Expected</b>	<b>Got</b>	
✓	This is C	This is C	This is C	✓
✓	Learning C is fun	Learning C is fun	Learning C is fun	✓

Passed all tests! ✓

**Question 3**

Correct

**Input Format**

You are given two strings, **a** and **b**, separated by a new line. Each string will consist of lower case Latin characters ('a'-'z').

**Output Format**

In the first line print two space-separated integers, representing the length of **a** and **b** respectively.

In the second line print the string produced by concatenating **a** and **b** (**a + b**).

In the third line print two strings separated by a space, **a'** and **b'**. **a'** and **b'** are the same as **a** and **b**, respectively, except that their first characters are swapped.

**Sample Input**

abcd

ef

**Sample Output**

4 2

abcdef

ebcd af

**Explanation**

a = "abcd"

b = "ef"

|a| = 4

|b| = 2

a + b = "abcdef"

a' = "ebcd"

b' = "af"

**Answer:** (penalty regime: 0 %)

```

1 #include<stdio.h>
2 #include<string.h>
3 int main(){
4     char a[1001],b[1001];
5     scanf("%s",a);
6     scanf("%s",b);
7     printf("%ld %ld\n",strlen(a),strlen(b));
8     printf("%s%s\n",a,b);
9     char temp=a[0];
10    a[0]=b[0];
11    b[0]=temp;
12    printf("%s %s\n",a,b);
13    return 0;
14 }
```



	Input	Expected	Got	
✓	abcd ef	4 2 abcdef ebcd af	4 2 abcdef ebcd af	✓

Passed all tests! ✓