

CAREERS360

NEET 2019
QUESTION PAPER
WITH
ANSWER KEY
(CODE Q1 & Q2)

Q1

This Booklet contains 24 pages.

Do not open this Test Booklet until you are asked to do so.

Important Instructions :

1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on **side-1** and **side-2** carefully with **blue/black ball point pen** only.
2. The test is of **3 hours** duration and Test Booklet contains **180** questions. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one** mark will be deducted from the total scores. The maximum marks are **720**.
3. Use **Blue/Black Ball Point Pen** only for writing particulars on this page/mark responses.
4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
5. On completion of the test, the candidate must hand over the Answer Sheet to the invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
6. The CODE for this Booklet is **Q1**. Make sure that the CODE printed on Side-2 of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
8. Use of white fluid for correction is **NOT** permissible on the Answer Sheet.
9. Each candidate must show on demand his/her Admit Card to the Invigilator.
10. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
11. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. Cases where a candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
12. Use of Electronic/Manual Calculator is prohibited.
13. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
14. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
15. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

Name of the Candidate (in Capitals): RANMA NABIB KHAN

Roll Number : in figures 230202518

: in words Two three two two two two five one eight

Centre of Examination (in Capitals): DELHI PUBLIC SCHOOL, SUSAN, LOK, GUANO

Candidate's Signature: [Signature] Invigilator's Signature: [Signature]

Facsimile signature stamp of Centre Superintendent: [Stamp]

$$\begin{array}{l}
 25 \times 10^{-6} \times 8 \times 10^2 = 2 \times 10^{-4} \times 10^2 \\
 2 \times 10^{-4} \times 10^2 = 2 \times 10^{-2} = 0.02 \\
 25 \times 10^{-5} \times 5 \times 10^{-2} = 10^{-1} = 0.1 \\
 25 \times 10^{-5} \times 10^{-1} = 25 \times 10^{-6} = 2.5 \times 10^{-5}
 \end{array}$$

Q1

1. For the chemical reaction $N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$ the correct option is:

(1) $-\frac{d[N_2]}{dt} = 2 \frac{d[NH_3]}{dt}$

(2) $-\frac{d[N_2]}{dt} = \frac{1}{2} \frac{d[NH_3]}{dt}$

(3) $3 \frac{d[H_2]}{dt} = 2 \frac{d[NH_3]}{dt}$

(4) $-\frac{1}{3} \frac{d[H_2]}{dt} = -\frac{1}{2} \frac{d[NH_3]}{dt}$

2. The non-essential amino acid among the following is:

(1) leucine

(2) alanine

(3) lysine

(4) valine

3. For an ideal solution, the correct option is:

(1) $\Delta_{mix} V \neq 0$ at constant T and P

(2) $\Delta_{mix} H = 0$ at constant T and P

(3) $\Delta_{mix} G = 0$ at constant T and P

(4) $\Delta_{mix} S = 0$ at constant T and P

4. The manganate and permanganate ions are tetrahedral, due to:

(1) There is no π -bonding

(2) The π -bonding involves overlap of p-orbitals of oxygen with p-orbitals of manganese

(3) The π -bonding involves overlap of d-orbitals of oxygen with d-orbitals of manganese

(4) The π -bonding involves overlap of p-orbitals of oxygen with d-orbitals of manganese

5. Which will make basic buffer? *Weak base + salt of weak base*

(1) 100 mL of 0.1 M CH_3COOH + 100 mL of 0.1 M NaOH

(2) 100 mL of 0.1 M HCl + 200 mL of 0.1 M NH_4OH

(3) 100 mL of 0.1 M HCl + 100 mL of 0.1 M NaOH

(4) 50 mL of 0.1 M NaOH + 25 mL of 0.1 M CH_3COOH


The number of moles of hydrogen molecules required to produce 20 moles of ammonia through Haber's process is:

(1) 20

(2) 30

(3) 40

(4) 10



7. Which of the following diatomic molecular species has only π bonds according to Molecular Orbital Theory?

(1) N_2

(2) C_2

(3) Be_2

(4) O_2

8. The biodegradable polymer is:

(1) nylon 2-nylon 6





(2) nylon-6

(3) Buna-S

(4) nylon-6, 6

1 higher
1 lower

9. Which of the following reaction disproportionation reaction?



Select the correct option from the following:





(1) (a), (b) and (c)

(2) (a), (c) and (d)

(3) (a) and (d) only

(4) (a) and (b) only





10. The compound that is most difficult to is:



11. Which of the following species is **not** stable?

- (1) $[\text{GeCl}_6]^{2-}$
 (2) $[\text{Sn}(\text{OH})_6]^{2-}$
 (3) $[\text{SiCl}_6]^{2-}$
 (4) $[\text{SiF}_6]^{2-}$

12. An alkene "A" on reaction with O_3 and $\text{Zn-H}_2\text{O}$ gives propanone and ethanal in equimolar ratio. Addition of HCl to alkene "A" gives "B" as the major product. The structure of product "B" is:



13. Match the following:


- | | |
|----------------------|-----------------------------------|
| (a) Pure nitrogen | (i) Chlorine |
| (b) Haber process | (ii) Sulphuric acid |
| (c) Contact process | (iii) Ammonia |
| (d) Deacon's process | (iv) Sodium azide or Barium azide |

Which of the following is the correct option?

- | | | | |
|-------|-------|------|-------|
| (a) | (b) | (c) | (d) |
| (i) | (ii) | (iv) | (i) |
| (ii) | (iii) | (iv) | (ii) |
| (iii) | (i) | (ii) | (iii) |
| (iv) | (iii) | (i) | (iv) |

3

G4. The most suitable reagent for the following conversion, is:



- (1) $\text{H}_2, \text{Pd/C}, \text{quinoline}$
 (2) Zn/HCl
 (3) $\text{Hg}^{2+}/\text{H}^+, \text{H}_2\text{O}$
 (4) Na/liquid NH_3

15. The correct order of the basic strength of methyl substituted amines in aqueous solution is:

- (1) $(\text{CH}_3)_3\text{N} > \text{CH}_3\text{NH}_2 > (\text{CH}_3)_2\text{NH}$
 (2) $(\text{CH}_3)_3\text{N} > (\text{CH}_3)_2\text{NH} > \text{CH}_3\text{NH}_2$
 (3) $\text{CH}_3\text{NH}_2 > (\text{CH}_3)_2\text{NH} > (\text{CH}_3)_3\text{N}$
 (4) $(\text{CH}_3)_2\text{NH} > \text{CH}_3\text{NH}_2 > (\text{CH}_3)_3\text{N}$

16. A gas at 350 K and 15 bar has molar volume 20 percent smaller than that for an ideal gas under the same conditions. The correct option about the gas and its compressibility factor (Z) is:

- (1) $Z > 1$ and repulsive forces are dominant
 (2) $Z < 1$ and attractive forces are dominant
 (3) $Z < 1$ and repulsive forces are dominant
 (4) $Z > 1$ and attractive forces are dominant

17. The number of sigma (σ) and pi (π) bonds in pent-2-en-4-yne is:

- (1) 8 σ bonds and 5 π bonds
 (2) 11 σ bonds and 2 π bonds
 (3) 13 σ bonds and no π bond
 (4) 10 σ bonds and 3 π bonds


18. For the second period elements the increasing order of first ionisation enthalpy is:

- (1) $\text{Li} < \text{B} < \text{Be} < \text{C} < \text{O} < \text{N} < \text{F} < \text{Ne}$
 (2) $\text{Li} < \text{B} < \text{Be} < \text{C} < \text{N} < \text{O} < \text{F} < \text{Ne}$
 (3) $\text{Li} < \text{Be} < \text{B} < \text{C} < \text{O} < \text{N} < \text{F} < \text{Ne}$
 (4) $\text{Li} < \text{Be} < \text{B} < \text{C} < \text{N} < \text{O} < \text{F} < \text{Ne}$

40

(3K)

$Z < 1$



Q1
19.

Among the following, the narrow spectrum antibiotic is:

- (1) ☒ ampicillin
- (2) amoxycillin
- (3) chloramphenicol Broad.
- (4) penicillin G

20. The method used to remove temporary hardness of water is:

- (1) ☒ Clark's method
- (2) Ion-exchange method
- (3) Synthetic resins method
- (4) Calgon's method

21. Which of the following series of transitions in the spectrum of hydrogen atom falls in visible region?

- (1) ☒ Balmer series
- (2) Paschen series
- (3) Brackett series
- (4) Lyman series

22. Match the Xenon compounds in Column - I with its structure in Column - II and assign the correct code:

Column - I	Column - II
(a) XeF_4	(i) pyramidal
(b) XeF_6	(ii) square planar -
(c) XeOF_4	(iii) distorted octahedral
(d) XeO_3	(iv) square pyramidal


Code:

- | | | | |
|-----------|-------|-------|------|
| (a) | (b) | (c) | (d) |
| (1) (i) | (ii) | (iv) | (i) |
| (2) (ii) | (iii) | (i) | (iv) |
| (3) (iii) | (iv) | (i) | (ii) |
| (4) (i) | (ii) | (iii) | (iv) |

$$\frac{1}{2} [8+4]$$

$$\frac{12}{2} \text{ (1)}$$

$$sp^3 d^2$$







$$\frac{1}{2} [8+4]$$





$$= \frac{12}{2} \text{ (1)}$$

4

23. The structure of intermediate reaction, is:



24. The correct structure of tribromooctaoxide is:



25. Which is the correct thermal stability order for H_2E ($E = O, S, Se, Te$ and Po)?

- (1) $H_2O < H_2S < H_2Se < H_2Te < H_2Po$
 (2) $H_2Po < H_2Te < H_2Se < H_2S < H_2O$
 (3) $H_2Se < H_2Te < H_2Po < H_2O < H_2S$
 (4) $H_2S < H_2O < H_2Se < H_2Te < H_2Po$

26. In which case change in entropy is negative?

- (1) Expansion of a gas at constant temperature
 (2) Sublimation of solid to gas
 (3) $2H(g) \rightarrow H_2(g)$
 (4) Evaporation of water

27. A compound is formed by cation C and anion A. The anions form hexagonal close packed (hcp) lattice and the cations occupy 75% of octahedral voids. The formula of the compound is:

- (1) C_3A_2
 (2) C_3A_4
 (3) C_4A_3
 (4) C_2A_3

28. Among the following, the one that is not a green house gas is:

- (1) methane
 (2) ozone
 (3) sulphur dioxide
 (4) nitrous oxide

29. Identify the incorrect statement related to PCl_5 from the following:

- (1) Two axial P-Cl bonds make an angle of 180° with each other
 (2) Axial P-Cl bonds are longer than equatorial P-Cl bonds
 (3) PCl_5 molecule is non-reactive
 (4) Three equatorial P-Cl bonds make an angle of 120° with each other


30. Which of the following is an amphoteric hydroxide?

- (1) $Ca(OH)_2$
 (2) $Mg(OH)_2$
 (3) $Be(OH)_2$
 (4) $Sr(OH)_2$

31. 4d, 5p, 5f and 6p orbitals are arranged in the order of decreasing energy. The correct option is:

- (1) $6p > 5f > 5p > 4d$
 (2) $6p > 5f > 4d > 5p$
 (3) $5f > 6p > 4d > 5p$
 (4) $5f > 6p > 5p > 4d$

32. For the cell reaction



$E_{cell}^\ominus = 0.24$ V at 298 K. The standard Gibbs energy ($\Delta_r G^\ominus$) of the cell reaction is:

- [Given that Faraday constant $F = 96500$ C mol $^{-1}$]
 (1) -23.16 kJ mol $^{-1}$
 (2) 46.32 kJ mol $^{-1}$
 (3) 23.16 kJ mol $^{-1}$
 (4) -46.32 kJ mol $^{-1}$

33. Conjugate base for Brønsted acids H_2O and HF are:

- (1) H_3O^+ and F^- , respectively
 (2) OH^- and F^- , respectively
 (3) H_3O^+ and H_2F^+ , respectively
 (4) OH^- and H_2F^+ , respectively



34. Which one is malachite from the following?

- (1) $Cu(OH)_2$
 (2) Fe_3O_4
 (3) $CuCO_3 \cdot Cu(OH)_2$
 (4) $CuFeS_2$

Q1

35. pH of a saturated solution of Ca(OH)_2 is 9. The solubility product (K_{sp}) of Ca(OH)_2 is:

- (1) 0.25×10^{-10}
 (2) 0.125×10^{-15}
 (3) 0.5×10^{-10}
 (4) 0.5×10^{-15}



$\text{pH} = 9$
 $\text{pOH} = 5$
 $[\text{OH}^-] = 10^{-5}$

$K_{sp} =$

36. Which of the following is incorrect statement?

- (1) SiCl_4 is easily hydrolysed
 (2) GeX_4 (X = F, Cl, Br, I) is more stable than GeX_2
 (3) SnF_4 is ionic in nature
 (4) PbF_4 is covalent in nature

37. Which mixture of the solutions will lead to the formation of negatively charged colloidal $[\text{AgI}]\text{I}^-$ sol?

- (1) 50 mL of 1 M AgNO_3 + 50 mL of 2 M KI
 (2) 50 mL of 2 M AgNO_3 + 50 mL of 1.5 M KI
 (3) 50 mL of 0.1 M AgNO_3 + 50 mL of 0.1 M KI
 (4) 50 mL of 1 M AgNO_3 + 50 mL of 1.5 M KI

38. The mixture that forms maximum boiling azeotrope is:

- (1) Ethanol + Water
 (2) Acetone + Carbon disulphide
 (3) Heptane + Octane (ideal)
 (4) Water + Nitric acid





39. For a cell involving one electron $E_{\text{cell}}^\ominus = 0.59 \text{ V}$ at 298 K, the equilibrium constant for the cell reaction is:

Given that $\frac{2.303 RT}{F} = 0.059 \text{ V at } T = 298 \text{ K}$






- (1) 1.0×10^5
 (2) 1.0×10^{10}
 (3) 1.0×10^{30}
 (4) 1.0×10^2

6

40. Among the following, the reaction that proceeds through an electrophilic substitution, is:



41. The major product of the following reaction is:



Q1


35. pH of a saturated solution of Ca(OH)_2 is 9. The solubility product (K_{sp}) of Ca(OH)_2 is:

(1) 0.25×10^{-16}

(2) 0.125×10^{-15}

(3) 0.5×10^{-16}

(4) 0.5×10^{-15}



$K_{sp} =$

$\text{pH} = 9$
 $\text{pOH} = 5$
 $[\text{OH}^-] = 10^{-5}$

36. Which of the following is incorrect statement?

(1) SiCl_4 is easily hydrolysed

(2) GeX_3 ($\text{X} = \text{F}, \text{Cl}, \text{Br}, \text{I}$) is more stable than GeX_2

(3) SnF_4 is ionic in nature

(4) PbF_4 is covalent in nature

37. Which mixture of the solutions will lead to the formation of negatively charged colloidal $[\text{AgI}]^-$ sol?

(1) 50 mL of 1 M AgNO_3 + 50 mL of 2 M KI

(2) 50 mL of 2 M AgNO_3 + 50 mL of 1.5 M KI

(3) 50 mL of 0.1 M AgNO_3 + 50 mL of 0.1 M KI

(4) 50 mL of 1 M AgNO_3 + 50 mL of 1.5 M KI

38. The mixture that forms maximum boiling azeotrope is:

(1) Ethanol + Water

(2) Acetone + Carbon disulphide

(3) Heptane + Octane

(4) Water + Nitric acid

39. For a cell involving one electron $E_{\text{cell}}^{\circ} = 0.59 \text{ V}$ at 298 K, the equilibrium constant for the cell reaction is:

Given that $\frac{2.303 RT}{F} = 0.059 \text{ V at } T = 298 \text{ K}$

(1) 1.0×10^5





(2) 1.0×10^{10}

(3) 1.0×10^{30}






(4) 1.0×10^2

6


40. Among the following, the reaction that proceeds through an electrophilic substitution, is:





41. The major product of the following reaction is




0.5×10^{-15}



42. What is the correct electronic configuration of the central atom in $K_4[Fe(CN)_6]$ based on crystal field theory?



$x - 6 = -4$
 $x = +2$



43. If the rate constant for a first order reaction is k , the time (t) required for the completion of 99% of the reaction is given by:

(1) $t = 6.909/k$

(2) $t = 4.606/k$

(3) $t = 2.303/k$

(4) $t = 0.693/k$

$2.693 \times \frac{1}{2} = 1.3465$
 $2.693 \times \frac{1}{2} = 1.3465$
 $3 \times 0.693 = 2.079$

44. Under isothermal condition, a gas at 300 K expands from 0.1 L to 0.25 L against a constant external pressure of 2 bar. The work done by the gas is:

[Given that 1 L bar = 100 J]

(1) 5 kJ

(2) 25 J

(3) 30 J

(4) -30 J

$\Delta U = q + w$
 $q = -w$
 $w = -q$

45. Enzymes that utilize ATP in phosphate transfer require an alkaline earth metal (M) as the cofactor. M is:



$2 [0.25 - 0.10]$

2×0.15

0.30

$0.30 \times 100 = 30$

Cells in G_0 phase:

enter the cell cycle

suspend the cell cycle

3000

3000

47. Phloem in gymnosperms lacks:

(1) Sieve tubes only

(2) Companion cells only

(3) Both sieve tubes and companion cells

(4) Albuminous cells and sieve cells

48. Which of the following factors is responsible for the formation of concentrated urine?

(1) Maintaining hyperosmolarity towards medullary interstitium in the kidney

(2) Secretion of erythropoietin by Juxtaglomerular complex

(3) Hydrostatic pressure during glomerular filtration

(4) Low levels of antidiuretic hormone

49. Match the hominids with their correct brain size:

(a) <i>Homo habilis</i>	(i) 900 cc
(b) <i>Homo neanderthalensis</i>	(ii) 1350 cc
(c) <i>Homo erectus</i>	(iii) 650 - 800 cc
(d) <i>Homo sapiens</i>	(iv) 1400 cc

Select the correct option.

(a)	(b)	(c)	(d)
(i)	(ii)	(i)	(iv)
(ii)	(iii)	(iv)	(i)
(iii)	(iv)	(i)	(ii)
(iv)	(iii)	(i)	(ii)

50. Match the following genes of the Lac operon with their respective products:

(a) i gene	(i) β -galactosidase
(b) z gene	(ii) Permease
(c) a gene	(iii) Repressor
(d) y gene	(iv) Transacetylase

Select the correct option.

(a)	(b)	(c)	(d)
(i)	(iii)	(i)	(ii)
(ii)	(iv)	(ii)	(iii)

Q1

51. In some plants, the female gamete develops into embryo without fertilization. This phenomenon is known as:

- (1) Parthenocarpy
- (2) Syngamy
- (3) Parthenogenesis
- (4) Autogamy

52. Under which of the following conditions will there be no change in the reading frame of following mRNA?

5' AACAGCGGUGCUAUU 3'

- (1) Deletion of G from 5th position
- (2) Insertion of A and G at 4th and 5th positions respectively
- (3) Deletion of GGU from 7th, 8th and 9th positions
- (4) Insertion of G at 5th position

53. Which of the following muscular disorders is inherited?

- (1) Muscular dystrophy
- (2) Myasthenia gravis
- (3) Botulism
- (4) Tetany

54. Select the correct option.

- (1) 11th and 12th pairs of ribs are connected to the sternum with the help of hyaline cartilage.
- (2) Each rib is a flat thin bone and all the ribs are connected dorsally to the thoracic vertebrae and ventrally to the sternum.
- (3) There are seven pairs of vertebrosteral, three pairs of vertebrochondral and two pairs of vertebral ribs.
- (4) 8th, 9th and 10th pairs of ribs articulate directly with the sternum.

55. Grass leaves curl inwards during very dry weather. Select the most appropriate reason from the following:

- (1) Flaccidity of bulliform cells
- (2) Shrinkage of air spaces in spongy mesophyll
- (3) Tyloses in vessels
- (4) Closure of stomata

8

56. In *Antirrhinum* (Snapdragon), a red flower was crossed with a white flower and in F_1 generation, pink flowers were obtained. When pink flowers were selfed, the F_2 generation showed white, red and pink flowers. Choose the **incorrect** statement from the following:

- (1) Pink colour in F_1 is due to incomplete dominance.
- (2) Ratio of F_2 is $\frac{1}{4}$ (Red) : $\frac{2}{4}$ (Pink) : $\frac{1}{4}$ (White)
- (3) Law of Segregation does not apply in this experiment.
- (4) This experiment does not follow the Principle of Dominance.

57. Xylem translocates:

- (1) Water and mineral salts only
- (2) Water, mineral salts and some organic nitrogen only
- (3) Water, mineral salts, some organic nitrogen and hormones
- (4) Water only

58. Placentation, in which ovules develop on the inner wall of the ovary or in peripheral part, is:

- (1) Axile
- (2) Parietal
- (3) Free central
- (4) Basal

59. Which of the following glucose transporters is insulin-dependent?

- (1) GLUT II
- (2) GLUT III
- (3) GLUT IV
- (4) GLUT I

60. Select the **incorrect** statement.

- (1) Inbreeding is essential to evolve pure in any animal.
- (2) Inbreeding selects harmful recessive that reduce fertility and productivity
- (3) Inbreeding helps in accumulation of useful genes and elimination of undesirable
- (4) Inbreeding increases homozygosity.

61. Select the **incorrect** statement.

- (1) In male grasshoppers, 50% of sperms have no sex-chromosome.
- ☒ (2) In domesticated fowls, sex of progeny depends on the type of sperm rather than egg.
- (3) Human males have one of their sex-chromosome much shorter than the other.
- (4) Male fruit fly is heterogametic.

62. Colostrum, the yellowish fluid, secreted by mother during the initial days of lactation is very essential to impart immunity to the newborn infants because it contains:

- (1) Monocytes
- (2) Macrophages
- ☒ (3) Immunoglobulin A
- (4) Natural killer cells

63. A gene locus has two alleles A, a. If the frequency of dominant allele A is 0.4, then what will be the frequency of homozygous dominant, heterozygous and homozygous recessive individuals in the population?

- (1) 0.16 (AA); 0.24 (Aa); 0.36 (aa)
- ☒ (2) 0.16 (AA); 0.48 (Aa); 0.36 (aa)
- (3) 0.16 (AA); 0.36 (Aa); 0.48 (aa)
- (4) 0.36 (AA); 0.48 (Aa); 0.16 (aa)

64. Which of the following statements regarding mitochondria is **incorrect**?

- ☒ (1) Enzymes of electron transport are embedded in outer membrane.
- (2) Inner membrane is convoluted with infoldings.
- (3) Mitochondrial matrix contains single circular DNA molecule and ribosomes.
- (4) Outer membrane is permeable to monomers of carbohydrates, fats and proteins.

65. What triggers activation of protoxin to active Bt toxin of *Bacillus thuringiensis* in boll worm?

- (1) Moist surface of midgut
- ☒ (2) Alkaline pH of gut
- (3) Acidic pH of stomach
- (4) Body temperature

9

66. It takes very long time for pineapple plants to produce flowers. Which combination of hormones can be applied to artificially induce flowering in pineapple plants throughout the year to increase yield?

- (1) Gibberellin and Cytokinin
- (2) Gibberellin and Abscissic acid
- ☒ (3) Cytokinin and Abscissic acid
- (4) Auxin and Ethylene

67. In a species, the weight of newborn ranges from 2 to 5 kg. 97% of the newborn with an average weight between 3 to 3.3 kg survive whereas 99% of the infants born with weights from 2 to 2.5 kg or 4.5 to 5 kg die. Which type of selection process is taking place?

- (1) Stabilizing Selection
- (2) Disruptive Selection
- (3) Cyclical Selection
- (4) Directional Selection

68. Which of the following can be used as a biocontrol agent in the treatment of plant disease?

- (1) *Chlorella*
- (2) *Anabaena*
- (3) *Lactobacillus*
- ☒ (4) *Trichoderma*

69. Concanavalin A is:

- (1) an essential oil
- ☒ (2) a lectin
- (3) a pigment
- (4) an alkaloid

70. Match the following hormones with the respective disease:

- | | |
|--------------------|-------------------------|
| (a) Insulin | (i) Addison's disease |
| (b) Thyroxine | (ii) Diabetes insipidus |
| (c) Corticoids | (iii) Acromegaly |
| (d) Growth Hormone | (iv) Goitre |
| | (v) Diabetes mellitus |

Select the correct option.

- | | (a) | (b) | (c) | (d) |
|---|------|------|-------|-------|
| (1) | (ii) | (iv) | (iii) | (i) |
| ☒ (2) | (v) | (iv) | (i) | (iii) |
| (3) | (ii) | (iv) | (i) | (iii) |
| ☒ (4) | (v) | (i) | (ii) | (iii) |

Q1

$$\begin{array}{r} 1.0 \\ -0.4 \\ \hline 0.6 \end{array}$$

$$\begin{array}{l} A \rightarrow 0.4 \\ AA \rightarrow 0.16 \\ p+q=1 \end{array}$$

$$\begin{array}{l} (p^2+q)^2=1 \\ p^2+q^2+2pq=1 \\ 2pq=0.48 \end{array}$$

$$\begin{array}{r} 0.4 \\ -0.08 \\ \hline 0.32 \end{array}$$

a - (v)

Q1

10

71. What is the fate of the male gametes discharged in the synergid?

- (1) All fuse with the egg.
- (2) One fuses with the egg, other(s) fuse(s) with synergid nucleus.
- (3) One fuses with the egg and other fuses with central cell nuclei.
- (4) One fuses with the egg, other(s) degenerate(s) in the synergid.

72. Match the following structures with their respective location in organs:

- | | |
|--------------------------|-----------------------|
| (a) Crypts of Lieberkühn | (i) Pancreas |
| (b) Glisson's Capsule | (ii) Duodenum |
| (c) Islets of Langerhans | (iii) Small intestine |
| (d) Brunner's Glands | (iv) Liver |

Select the correct option from the following:

- | | (a) | (b) | (c) | (d) |
|-----|-------|------|------|-------|
| (1) | (ii) | (iv) | (i) | (iii) |
| (2) | (iii) | (iv) | (i) | (ii) |
| (3) | (iii) | (ii) | (i) | (iv) |
| (4) | (iii) | (i) | (ii) | (iv) |

a-iii
b-iv
c-i
d-ii

73. Which one of the following is not a method of *in situ* conservation of biodiversity?

- (1) Wildlife Sanctuary
- (2) Botanical Garden
- (3) Sacred Grove
- (4) Biosphere Reserve

74. Expressed Sequence Tags (ESTs) refers to:

- (1) Polypeptide expression
- (2) DNA polymorphism
- (3) Novel DNA sequences
- (4) Genes expressed as RNA

75. Which of the following ecological pyramids is generally inverted?

- (1) Pyramid of energy X
- (2) Pyramid of biomass in a forest X
- (3) Pyramid of biomass in a sea
- (4) Pyramid of numbers in grassland

76. Which of the following pairs of gases is mainly responsible for green house effect?

- (1) Oxygen and Nitrogen
- (2) Nitrogen and Sulphur dioxide
- (3) Carbon dioxide and Methane
- (4) Ozone and Ammonia

77. Which of the following immune responses is responsible for rejection of kidney graft?

- (1) Humoral immune response
- (2) Inflammatory immune response
- (3) Cell-mediated immune response
- (4) Auto-immune response

78. Pinus seed cannot germinate and establish without fungal association. This is because:

- (1) it has obligate association with mycorrhiza
- (2) it has very hard seed coat.
- (3) its seeds contain inhibitors that prevent germination.
- (4) its embryo is immature.

79. Which of the statements given below is not true about formation of Annual Rings in trees?

- (1) Differential activity of cambium causes light and dark bands of tissue - early and late wood respectively.
- (2) Activity of cambium depends upon variation in climate.
- (3) Annual rings are not prominent in trees of temperate region.
- (4) Annual ring is a combination of spring wood and autumn wood produced in a year.

80. Purines found both in DNA and RNA are:

- (1) Adenine and guanine
- (2) Guanine and cytosine
- (3) Cytosine and thymine
- (4) Adenine and thymine

81. Variations caused by mutation, as proposed by Hugo de Vries, are :

- ☒ (1) random and directionless
- (2) small and directional
- (3) small and directionless
- (4) random and directional

82. Which of the following statements is **not** correct ?

- (1) The hydrolytic enzymes of lysosomes are active under acidic pH.
- (2) Lysosomes are membrane bound structures.
- ☒ (3) Lysosomes are formed by the process of packaging in the endoplasmic reticulum.
- (4) Lysosomes have numerous hydrolytic enzymes.

83. The shorter and longer arms of a submetacentric chromosome are referred to as :

- (1) p-arm and q-arm respectively
- (2) q-arm and p-arm respectively
- (3) m-arm and n-arm respectively
- (4) s-arm and l-arm respectively

84. The ciliated epithelial cells are required to move particles or mucus in a specific direction. In humans, these cells are mainly present in :

- (1) Fallopian tubes and Pancreatic duct
- (2) Eustachian tube and Salivary duct
- ☒ (3) Bronchioles and Fallopian tubes
- (4) Bile duct and Bronchioles

85. Which of the following statements is **incorrect** ?

- (1) *Claviceps* is a source of many alkaloids and LSD.
- (2) Conidia are produced exogenously and ascospores endogenously.
- ☒ (3) Yeasts have filamentous bodies with long thread-like hyphae.
- (4) Morels and truffles are edible delicacies.

86. Match Column - I with Column - II.

Column - I	Column - II
(a) Saprophyte	(i) Symbiotic association of fungi with plant roots
(b) Parasite	(ii) Decomposition of dead organic materials
(c) Lichens	(iii) Living on living plants or animals
(d) Mycorrhiza	(iv) Symbiotic association of algae and fungi

Choose the correct answer from the options given below :

- | | | | | |
|---|-------|-------|-------|------|
| | (a) | (b) | (c) | (d) |
| (1) | (iii) | (ii) | (i) | (iv) |
| (2) | (ii) | (i) | (iii) | (iv) |
| ☒ (3) | (ii) | (iii) | (iv) | (i) |
| (4) | (i) | (ii) | (iii) | (iv) |

87. Which of the following is a commercial blood cholesterol lowering agent ?

- ☒ (1) Statin
- (2) Streptokinase
- (3) Lipase
- (4) Cyclosporin A

88. *Thiobacillus* is a group of bacteria helpful in carrying out :

- (1) Chemoautotrophic fixation
- (2) Nitrification
- ☒ (3) Denitrification
- (4) Nitrogen fixation

89. Polyblend, a fine powder of recycled modified plastic, has proved to be a good material for :

- (1) use as a fertilizer
- ☒ (2) construction of roads
- (3) making tubes and pipes
- (4) making plastic sacks

90. Select the correct sequence of organs in the alimentary canal of cockroach starting from mouth :

- (1) Pharynx → Oesophagus → Gizzard → Crop → Ileum → Colon → Rectum
- (2) Pharynx → Oesophagus → Gizzard → Ileum → Crop → Colon → Rectum
- (3) Pharynx → Oesophagus → Ileum → Crop → Gizzard → Colon → Rectum
- ☒ (4) Pharynx → Oesophagus → Crop → Gizzard → Ileum → Colon → Rectum

Q1

12

91. Identify the correct pair representing the causative agent of typhoid fever and the confirmatory test for typhoid.

(1) *Streptococcus pneumoniae* / Widal test
 (2) *Salmonella typhi* / Anthrone test
 (3) *Salmonella typhi* / Widal test
 (4) *Plasmodium vivax* / UTI test

92. What would be the heart rate of a person if the cardiac output is 5 L, blood volume in the ventricles at the end of diastole is 100 mL and at the end of ventricular systole is 50 mL?

(1) 75 beats per minute
 (2) 100 beats per minute
 (3) 125 beats per minute
 (4) 50 beats per minute

Cardiac output = 5L
 $5000 \text{ mL} = 100 \text{ mL} \times \text{HR}$
 $5000 = 100 \times \text{HR}$
 $\text{HR} = \frac{5000}{100} = 50$

93. Which of the following statements is incorrect?

(1) Viruses are obligate parasites.
 (2) Infective constituent in viruses is the protein coat.
 (3) Prions consist of abnormally folded proteins.
 (4) Viroids lack a protein coat.

94. Consider the following statements:

(A) Coenzyme or metal ion that is tightly bound to enzyme protein is called prosthetic group.
 (B) A complete catalytic active enzyme with its bound prosthetic group is called apoenzyme.

Select the correct option.

(1) (A) is true but (B) is false.
 (2) Both (A) and (B) are false.
 (3) (A) is false but (B) is true.
 (4) Both (A) and (B) are true.

95. What map unit (Centimorgan) is adopted in the construction of genetic maps?

(1) A unit of distance between two expressed genes, representing 100% cross over.
 (2) A unit of distance between genes on chromosomes, representing 1% cross over.
 (3) A unit of distance between genes on chromosomes, representing 50% cross over.
 (4) A unit of distance between two expressed genes, representing 10% cross over.

96. Extrusion of second polar body from egg nucleus occurs:

(1) after fertilization
 (2) before entry of sperm into ovum
 (3) simultaneously with first cleavage
 (4) after entry of sperm but before fertilization

97. What is the site of perception of photoperiod necessary for induction of flowering in plants?

(1) Pulvinus
 (2) Shoot apex
 (3) Leaves
 (4) Lateral buds

98. Match the following organisms with their respective characteristics:

(a) <i>Pila</i>	(i) Flame cells
(b) <i>Bombyx</i>	(ii) Comb plates
(c) <i>Pleurobrachia</i>	(iii) Radula
(d) <i>Taenia</i>	(iv) Malpighian tubules

Select the correct option from the following:

	(a)	(b)	(c)	(d)
(1)	(iii)	(iv)	(ii)	(i)
(2)	(ii)	(iv)	(iii)	(i)
(3)	(iii)	(ii)	(iv)	(i)
(4)	(iii)	(ii)	(i)	(iv)

99. The correct sequence of phases of cell cycle is:

(1) $G_1 \rightarrow G_2 \rightarrow S \rightarrow M$
 (2) $S \rightarrow G_1 \rightarrow G_2 \rightarrow M$
 (3) $G_1 \rightarrow S \rightarrow G_2 \rightarrow M$
 (4) $M \rightarrow G_1 \rightarrow G_2 \rightarrow S$

100. Which of the following protocols did aim for reducing emission of chlorofluorocarbons into the atmosphere?

(1) Kyoto Protocol
 (2) Gothenburg Protocol
 (3) Geneva Protocol
 (4) Montreal Protocol

101. Match the following organisms with the products they produce :

(a) <i>Lactobacillus</i>	(i) Cheese
(b) <i>Saccharomyces cerevisiae</i>	(ii) Curd
(c) <i>Aspergillus niger</i>	(iii) Citric Acid
(d) <i>Acetobacter aceti</i>	(iv) Bread
	(v) Acetic Acid

Select the correct option.

- ☒ (a) (b) (c) (d)
☐ (i) (iv) (iii) (v)
☐ (ii) (iv) (v) (i)
☐ (iii) (i) (iii) (v)
☐ (iv) (ii) (iv) (v) (iii)

a-2
 b-iv
 c-iii
 d-v

102. Which of the following contraceptive methods do involve a role of hormone ?

- (1) Barrier method, Lactational amenorrhea, Pills
 (2) CuT, Pills, Emergency contraceptives
 (3) Pills, Emergency contraceptives, Barrier methods
☒ (4) Lactational amenorrhea, Pills, Emergency contraceptives

103. Which of the following sexually transmitted diseases is not completely curable ?

- ☐ (1) Genital warts
☒ (2) Genital herpes
☐ (3) Chlamydiae
☐ (4) Gonorrhoea

104. The frequency of recombination between gene pairs on the same chromosome as a measure of the distance between genes was explained by :

- ☐ (1) Gregor J. Mendel
☒ (2) Alfred Sturtevant
☐ (3) Sutton Boveri
☐ (4) T.H. Morgan

105. From evolutionary point of view, retention of the female gametophyte with developing young embryo on the parent sporophyte for some time, is first observed in :

- ☐ (1) Mosses
☒ (2) Pteridophytes
☐ (3) Gymnosperms
☐ (4) Liverworts

106. What is the direction of movement of sugars in phloem ?

- ☐ (1) Upward
☐ (2) Downward
☒ (3) Bi-directional
☐ (4) Non-multidirectional

107. The Earth Summit held in Rio de Janeiro in 1992 was called :

- ☒ (1) for conservation of biodiversity and sustainable utilization of its benefits.
 (2) to assess threat posed to native species by invasive weed species.
 (3) for immediate steps to discontinue use of CFCs that were damaging the ozone layer.
 (4) to reduce CO₂ emissions and global warming.

108. Use of an artificial kidney during hemodialysis may result in :

- (a) Nitrogenous waste build-up in the body
 (b) Non-elimination of excess potassium ions
 (c) Reduced absorption of calcium ions from gastro-intestinal tract
☒ (d) Reduced RBC production

Which of the following options is the most appropriate ?

- ☐ (1) (b) and (c) are correct
☐ (2) (c) and (d) are correct*
☒ (3) (a) and (d) are correct*
☐ (4) (a) and (b) are correct

109. Conversion of glucose to glucose-6-phosphate, the first irreversible reaction of glycolysis, is catalyzed by :

- ☒ (1) Hexokinase
☐ (2) Enolase
☐ (3) Phosphofructokinase
☐ (4) Aldolase

110. Which one of the following statements regarding post-fertilization development in flowering plants is incorrect ?

- ☐ (1) Zygote develops into embryo
☒ (2) Central cell develops into endosperm
☒ (3) Ovules develop into embryo sac
☐ (4) Ovary develops into fruit

Q1

111. Consider following features :
- Organ system level of organisation
 - Bilateral symmetry
 - True coelomates with segmentation of body

Select the correct option of animal groups which possess all the above characteristics.

- Annelida, Arthropoda and Mollusca
- Arthropoda, Mollusca and Chordata
- Annelida, Mollusca and Chordata
- Annelida, Arthropoda and Chordata

112. Select the correct group of biocontrol agents.

- Trichoderma*, *Baculovirus*, *Bacillus thuringiensis*
- Oscillatoria*, *Rhizobium*, *Trichoderma*
- Nostoc*, *Azospirillum*, *Nucleopolyhedrovirus*
- Bacillus thuringiensis*, Tobacco mosaic virus, Aphids

113. Identify the cells whose secretion protects the lining of gastro-intestinal tract from various enzymes.

- Goblet Cells
- Oxyntic Cells
- Duodenal Cells
- Chief Cells

114. Which one of the following equipments is essentially required for growing microbes on a large scale, for industrial production of enzymes?

- Sludge digester
- Industrial oven
- Bioreactor
- BOD incubator

115. Which of the following is true for Golden rice?

- It is pest resistant, with a gene from *Bacillus thuringiensis*.
- It is drought tolerant, developed using *Agrobacterium* vector.
- It has yellow grains, because of a gene introduced from a primitive variety of rice.
- It is Vitamin A enriched, with a gene from daffodil.

14

116. Which of the following statements is correct?

- Cornea consists of dense connective tissue of elastin and can repair itself.
- Cornea is convex, transparent layer which is highly vascularised.
- Cornea consists of dense matrix of collagen and is the most sensitive portion of the eye.
- Cornea is an external, transparent and protective proteinaceous covering of the eye-ball.

117. Respiratory Quotient (RQ) value of tripalmitin is

- 0.7
- 0.07
- 0.09
- 0.9

118. Which of these following methods is the most suitable for disposal of nuclear waste?

- Bury the waste under Antarctic ice-cover
- Dump the waste within rocks under deep ocean
- Bury the waste within rocks deep below the Earth's surface
- Shoot the waste into space

119. Match the Column - I with Column - II :

Column - I	Column - II
(a) P - wave	(i) Depolarisation of ventricles
(b) QRS complex	(ii) Repolarisation of ventricles
(c) T - wave	(iii) Coronary ischemia
(d) Reduction in the size of T - wave	(iv) Depolarisation of atria
	(v) Repolarisation of atria

Select the correct option.

- | | (a) | (b) | (c) | (d) |
|-----|------|-------|------|-------|
| (1) | (iv) | (i) | (ii) | (v) |
| (2) | (ii) | (i) | (v) | (iii) |
| (3) | (ii) | (iii) | (v) | (iv) |
| (4) | (iv) | (i) | (ii) | (iii) |

120. Tidal Volume and Expiratory Reserve Volume of an athlete is 500 mL and 1000 mL respectively. What will be his Expiratory Capacity if the Residual Volume is 1200 mL?

(1) 1700 mL
☒ (2) 2200 mL
 (3) 2700 mL
 (4) 1500 mL

$$\begin{array}{r} \text{ERV} + \text{RV} \\ 1000 + 1200 \\ \hline 2200 \end{array}$$

121. Which of the following is the most important cause for animals and plants being driven to extinction?

(1) Drought and floods
 (2) Economic exploitation
 (3) Alien species invasion
☒ (4) Habitat loss and fragmentation

122. Select the correctly written scientific name of Mango which was first described by Carolus Linnaeus:

☒ (1) *Mangifera indica* Linn.
 (2) *Mangifera indica*
 (3) *Mangifera Indica*
 (4) *Mangifera indica* Car. Linn.

123. Following statements describe the characteristics of the enzyme Restriction Endonuclease. Identify the incorrect statement.

☒ (1) The enzyme binds DNA at specific sites and cuts only one of the two strands.
 (2) The enzyme cuts the sugar-phosphate backbone at specific sites on each strand.
 (3) The enzyme recognizes a specific palindromic nucleotide sequence in the DNA.
 (4) The enzyme cuts DNA molecule at identified position within the DNA.

124. What is the genetic disorder in which an individual has an overall masculine development, gynaecomastia, and is sterile?

☒ (1) Klinefelter's syndrome
 (2) Edward syndrome
 (3) Down's syndrome
 (4) Turner's syndrome

125. Which of the following pair of organelles does not contain DNA?

(1) Chloroplast and Vacuoles
☒ (2) Lysosomes and Vacuoles
 (3) Nuclear envelope and Mitochondria
 (4) Mitochondria and Lysosomes

126. How does steroid hormone influence the cellular activities?

☒ (1) Binding to DNA and forming a gene-hormone complex.
 (2) Activating cyclic AMP located on the cell membrane.
 (3) Using aquaporin channels as second messenger.
 (4) Changing the permeability of the cell membrane.

127. Select the correct sequence for transport of sperm cells in male reproductive system.

☒ (1) Seminiferous tubules → Rete testis → Vasa efferentia → Epididymis → Vas deferens → Ejaculatory duct → Urethra → Urethral meatus
 (2) Seminiferous tubules → Vasa efferentia → Epididymis → Inguinal canal → Urethra
 (3) Testis → Epididymis → Vasa efferentia → Vas deferens → Ejaculatory duct → Inguinal canal → Urethra → Urethral meatus
 (4) Testis → Epididymis → Vasa efferentia → Rete testis → Inguinal canal → Urethra

128. The concept of "Omnis cellula-e cellula" regarding cell division was first proposed by:

(1) Theodore Schwann
 (2) Schleiden
 (3) Aristotle
☒ (4) Rudolf Virchow

129. Drug called 'Heroin' is synthesized by:

☒ (1) acetylation of morphine
 (2) glycosylation of morphine
 (3) nitration of morphine
 (4) methylation of morphine

130. Persistent nucellus in the seed is known as:

☒ (1) Perisperm
 (2) Hilum
 (3) Tegmen
 (4) Chalaza

Q1
(13)

$$mg = 200$$

$$\frac{mg}{2} = \frac{200}{2}$$

$$\frac{100}{2}$$

16

Due to increasing air-borne allergens and pollutants, many people in urban areas are suffering from respiratory disorder causing wheezing due to:

- (1) inflammation of bronchi and bronchioles.
- (2) proliferation of fibrous tissues and damage of the alveolar walls.
- (3) reduction in the secretion of surfactants by pneumocytes.
- (4) benign growth on mucous lining of nasal cavity.

132. DNA precipitation out of a mixture of biomolecules can be achieved by treatment with:

- (1) Chilled ethanol
- (2) Methanol at room temperature
- (3) Chilled chloroform
- (4) Isopropanol

133. Select the hormone-releasing Intra-Uterine Devices.

- (1) Multiload 375, Progestasert
- (2) Progestasert, LNG-20
- (3) Lippes Loop, Multiload 375
- (4) Vaults, LNG-20

134. Which of the following features of genetic code does allow bacteria to produce human insulin by recombinant DNA technology?

- (1) Genetic code is redundant
- (2) Genetic code is nearly universal
- (3) Genetic code is specific
- (4) Genetic code is not ambiguous

135. Which part of the brain is responsible for thermoregulation?

- (1) Hypothalamus
- (2) Corpus callosum
- (3) Medulla oblongata
- (4) Cerebrum

136. For a p-type semiconductor, which of the following statements is true?

- (1) Holes are the majority carriers and trivalent atoms are the dopants.
- (2) Holes are the majority carriers and pentavalent atoms are the dopants.
- (3) Electrons are the majority carriers and pentavalent atoms are the dopants.
- (4) Electrons are the majority carriers and trivalent atoms are the dopants.

$$\frac{R}{2} \div R$$

$$\frac{R}{2} \times \frac{1}{R}$$

$$d = \frac{R}{2}$$

$$\frac{1 - \frac{1}{2}}{2}$$

$$\frac{g}{2}$$

137. A body weighs 200 N on the surface of the earth. How much will it weigh half way down to the centre of the earth?

- (1) 200 N
- (2) 250 N
- (3) 100 N
- (4) 150 N


$$g' = g \left(1 - \frac{d}{R}\right)$$

$$g' = \frac{g}{2}$$

138. In which of the following processes, heat is neither absorbed nor released by a system?

- (1) adiabatic
- (2) isobaric
- (3) isochoric
- (4) isothermal

139. Six similar bulbs are connected as shown in the figure with a DC source of emf E , and zero internal resistance.



- (1) 9 : 4
- (2) 1 : 2
- (3) 2 : 1
- (4) 4 : 9

$$P = \text{less max}$$

$$\frac{1}{P_1}, \frac{1}{P_2}$$

$$\frac{3 \cdot 2}{\times 3 \cdot 2}$$

$$\frac{1 \cdot 6 \cdot 4}{1 \cdot 9 \cdot 6 \cdot 0}$$

$$\frac{10 \cdot 2 \cdot 4}{10 \cdot 2 \cdot 4}$$



140. A small hole of area of cross-section 2 mm^2 is present near the bottom of a fully filled open tank of height 2 m. Taking $g = 10 \text{ m/s}^2$, the rate of flow of water through the open hole would be nearly:

- (1) $8.9 \times 10^{-6} \text{ m}^3/\text{s}$
- (2) $2.23 \times 10^{-6} \text{ m}^3/\text{s}$
- (3) $6.4 \times 10^{-6} \text{ m}^3/\text{s}$
- (4) $12.6 \times 10^{-6} \text{ m}^3/\text{s}$

$$AV$$

$$2 \times 10^{-6} \times \sqrt{2g}$$

$$4 \times 10^{-6} \times \sqrt{10}$$

141. A force $F = 20 + 10y$ acts on a particle in y -direction where F is in newton and y in meter. Work done by this force to move the particle from $y = 0$ to $y = 1$ m is:

- (1) 5 J
 ✓ (2) 25 J
 (3) 20 J
 (4) 30 J

$$W = \int_0^1 F dy = \int_0^1 (20 + 10y) dy$$

142. Two point charges A and B, having charges $+Q$ and $-Q$ respectively, are placed at certain distance apart and force acting between them is F . If 25% charge of A is transferred to B, then force between the charges becomes:

✓ (1) $\frac{9F}{16}$

(2) $\frac{16F}{9}$

(3) $\frac{4F}{3}$

(4) F

$$\int 20 dy + \int 10y dy$$

$$20[y]_0^1 + 5[y^2]_0^1 = 20 + 5 = 25$$

143. When an object is shot from the bottom of a long smooth inclined plane kept at an angle 60° with horizontal, it can travel a distance x_1 along the plane. But when the inclination is decreased to 30° and the same object is shot with the same velocity, it can travel x_2 distance. Then $x_1 : x_2$ will be:

(1) $\sqrt{2} : 1$

(2) $1 : \sqrt{3}$

(3) $1 : 2\sqrt{3}$

(4) $1 : \sqrt{2}$



144. Pick the **wrong** answer in the context with rainbow.

- (1) The order of colours is reversed in the secondary rainbow.
 ✓ (2) An observer can see a rainbow when his front is towards the sun.
 (3) Rainbow is a combined effect of dispersion, refraction and reflection of sunlight.
 (4) When the light rays undergo two internal reflections in a water drop, a secondary rainbow is formed.

$$\frac{V_A \times r_B}{r_A \times V_B}$$

17

145. Average velocity of a particle executing SHM in one complete vibration is:

(1) $A\omega$

(2) $\frac{A\omega^2}{2}$

✓ (3) zero

(4) $\frac{A\omega}{2}$

$A\omega \max$
 $2TE = PE$
 $TE = -\frac{GM}{2R}$

146. The total energy of an electron in an atom in an orbit is -3.4 eV. Its kinetic and potential energies are, respectively:

(1) -3.4 eV, -6.8 eV

✓ (2) 3.4 eV, -6.8 eV

(3) 3.4 eV, 3.4 eV

(4) -3.4 eV, -3.4 eV

$TE = -3.4$

$KE = 3.4$

$PE = -\frac{GMm}{R}$

147. At a point A on the earth's surface the angle of dip, $\delta = +25^\circ$. At a point B on the earth's surface the angle of dip, $\delta = -25^\circ$. We can interpret that:

- (1) A is located in the southern hemisphere and B is located in the northern hemisphere.
 (2) A is located in the northern hemisphere and B is located in the southern hemisphere.
 (3) A and B are both located in the southern hemisphere.
 (4) A and B are both located in the northern hemisphere.

148. In which of the following devices, the eddy current effect is **not** used?

(1) magnetic braking in train

✓ (2) electromagnet

(3) electric heater

(4) induction furnace

$\frac{2\pi r a}{V_A}$

V_A

$v = r\omega$ $\omega =$

149. Two particles A and B are moving in uniform circular motion in concentric circles of radii r_A and r_B with speed v_A and v_B respectively. Their time period of rotation is the same. The ratio of angular speed of A to that of B will be:

$\frac{V_A}{r_A} : \frac{V_B}{r_B}$
 (1) $v_A : v_B$

(2) $r_B : r_A$

✓ (3) $1 : 1$

(4) $r_A : r_B$

$\frac{r_A}{r_B} = \frac{V_A}{V_B}$

$\frac{2\pi r_A}{V_A} = \frac{2\pi r_B}{V_B}$

Q1


150. Two similar thin equi-convex lenses, of focal length f each, are kept coaxially in contact with each other such that the focal length of the combination is F_1 . When the space between the two lenses is filled with glycerin (which has the same refractive index $(\mu = 1.5)$ as that of glass) then the equivalent focal length is F_2 . The ratio $F_1 : F_2$ will be :

- (1) 1 : 2
(2) 2 : 3
(3) 3 : 4
(4) 2 : 1

151. An electron is accelerated through a potential difference of 10,000 V. Its de Broglie wavelength is, (nearly) : ($m_e = 9 \times 10^{-31}$ kg)

- (1) 12.2×10^{-12} m
(2) 12.2×10^{-14} m
(3) 12.2 nm
(4) 12.2×10^{-13} m

152.



The correct Boolean operation represented by the circuit diagram drawn is :

- (1) OR
(2) NAND
(3) NOR
(4) AND

153. A soap bubble, having radius of 1 mm, is blown from a detergent solution having a surface tension of 2.5×10^{-2} N/m. The pressure inside the bubble equals at a point Z_0 below the free surface of water in a container. Taking $g = 10$ m/s², density of water = 10^3 kg/m³, the value of Z_0 is :

- (1) 10 cm
(2) 1 cm
(3) 0.5 cm
(4) 100 cm

$$\cos 60^\circ = \frac{1}{2}$$

$$\cos 120^\circ = -\frac{1}{2}$$

18



$$\frac{12.0}{-9.0} = \frac{3.0}{3.0}$$

154. The displacement of a particle executing simple harmonic motion is given by $y = A_0 + A \sin \omega t + B \cos \omega t$. Then the amplitude of its oscillation is given by :

- (1) $\sqrt{A^2 + B^2}$
(2) $\sqrt{A_0^2 + (A + B)^2}$
(3) $A + B$
(4) $A_0 + \sqrt{A^2 + B^2}$

155. The work done to raise a mass m from the surface of the earth to a height h , which is equal to the radius of the earth, is :

- (1) $2 mgR$
(2) $\frac{1}{2} mgR$
(3) $\frac{3}{2} mgR$
(4) mgR

$$W = \frac{mgh}{\left(1 + \frac{h}{R}\right)}$$

$$1 + \frac{R}{R} = \frac{mgh}{2}$$

156. The speed of a swimmer in still water is 20 m/s. The speed of river water is 10 m/s and is flowing due east. If he is standing on the south bank and wishes to cross the river along the shortest path, the angle at which he should make his stroke w.r.t. north is given by :

- (1) 0°
(2) 60° west
(3) 45° west
(4) 30° west

$$V_{BR} = 20 \text{ m/s}$$

$$V_{Rq} = 10 \text{ m/s}$$

$$\text{drift} = 0$$

157. Two parallel infinite line charges with line charge densities $+\lambda$ C/m and $-\lambda$ C/m are placed at a distance of $2R$ in free space. What is the electric field mid-way between the two line charges?

- (1) $\frac{2\lambda}{\pi \epsilon_0 R}$ N/C
(2) $\frac{\lambda}{\pi \epsilon_0 R}$ N/C
(3) $\frac{\lambda}{2\pi \epsilon_0 R}$ N/C
(4) zero

$$\text{drift} = V_{BR} \cos \theta$$

$$(V_{BR} \cos \theta + V_{Rq}) t$$

$$20 \cos \theta + 10 = 0$$

$$20 \cos \theta = -10$$

$$\cos \theta = -\left(\frac{10}{20}\right)$$

$$60^\circ$$

$$\frac{4T}{r} = P_{ex}$$

$$P_0 + \rho g Z_0 = \frac{4T}{r}$$

$$W m^{-1} K^{-1}$$

19

$$\frac{Q}{t} = \frac{kA}{l} (T_H - T_C)$$

Q1

158. Which of the following acts as a circuit protection device?

- (1) inductor
(2) switch
(3) fuse
(4) conductor

$$\frac{Q}{A \Delta T} = k$$

$$\frac{W \times m}{m^2 \times K}$$

159. A parallel plate capacitor of capacitance $20 \mu F$ is being charged by a voltage source whose potential is changing at the rate of $3 V/s$. The conduction current through the connecting wires, and the displacement current through the plates of the capacitor, would be, respectively:

- (1) $60 \mu A, 60 \mu A$
(2) $60 \mu A, \text{zero}$
(3) zero, zero
(4) $\text{zero}, 60 \mu A$

$$C = 20 \mu F$$

$$\frac{dV}{dt} = 3$$

$$I_c = \frac{I}{C}$$

160. When a block of mass M is suspended by a long wire of length L , the length of the wire becomes $(L + l)$. The elastic potential energy stored in the extended wire is:

- (1) Mgl
(2) $\frac{1}{2} Mgl$
(3) $\frac{1}{2} Mgl$
(4) Mgl

$$3 \times 20 \times \mu F$$

$$60 \mu F$$

$$\Delta l = l$$

$$L = L + \frac{1}{2} k x^2$$

161. A hollow metal sphere of radius R is uniformly charged. The electric field due to the sphere at a distance r from the centre:

- (1) zero as r increases for $r < R$, decreases as r increases for $r > R$
(2) zero as r increases for $r < R$, increases as r increases for $r > R$
(3) decreases as r increases for $r < R$ and for $r > R$
(4) increases as r increases for $r < R$ and for $r > R$

162. A mass m is attached to a thin wire and whirled in a vertical circle. The wire is most likely to break when:

- (1) the wire is horizontal
(2) the mass is at the lowest point
(3) inclined at an angle of 60° from vertical
(4) the mass is at the highest point

$$\cos \theta = -\frac{1}{2}$$


163. Which colour of the light has the longest wavelength?

- (1) blue
(2) green
(3) violet
(4) red

$$700 \text{ nm}$$

$$400$$

164. A particle moving with velocity $\vec{v}$ is acted by three forces shown by the vector triangle PQR. The velocity of the particle will:



- (1) decrease
(2) remain constant
(3) change according to the smallest force QR
(4) increase

$$F = kx$$

$$Mg = k \frac{Mg}{l}$$

165. Ionized hydrogen atoms and α -particles with same momenta enters perpendicular to a constant magnetic field, B . The ratio of their radii of their paths $r_H : r_\alpha$ will be:

- (1) 1:2
(2) 4:1
(3) 1:4
(4) 2:1

$$\frac{1}{2} \times \frac{Mg}{l} \times l^2$$

$$\frac{kA}{B r}$$

166. The unit of thermal conductivity is:

- (1) $J m^{-1} K^{-1}$
(2) $W m K^{-1}$
(3) $W m^{-1} K^{-1}$
(4) $J m K^{-1}$

$$\frac{kQ}{r}$$

$$r_H = \frac{mv}{qB}$$

167. A 800 turn coil of effective area $0.05 m^2$ is kept perpendicular to a magnetic field $5 \times 10^{-5} T$. When the plane of the coil is rotated by 90° around any of its coplanar axis in $0.1 s$, the emf induced in the coil will be:

- (1) $0.2 V$
(2) $2 \times 10^{-3} V$
(3) $0.02 V$
(4) $2 V$

$$N = 800$$

$$A = 5 \times 10^{-2}$$

$$B = 5 \times 10^{-5}$$

$$t = 0.1$$

$$\epsilon = \frac{d\phi}{dt}$$

$$\frac{1}{qB} \div \frac{1}{2qB} \frac{d}{dt}$$

Q1

20

168. A disc of radius 2 m and mass 100 kg rolls on a horizontal floor. Its centre of mass has speed of 20 cm/s. How much work is needed to stop it?

(1) 30 kJ

(2) 2 J

(3) 1 J

(4) 3 J

$$\frac{1}{2}mv^2 + \frac{1}{2}I\omega^2$$

$$\frac{1}{2} \times 100 \times \frac{20}{100}^2 + \frac{1}{2} \times 100 \times \frac{20}{100}^2$$

$$100 \times 4 = 400$$

$$800 + 400 = 1200 \text{ J}$$

169. In an experiment, the percentage of error occurred in the measurement of physical quantities A, B, C and D are 1%, 2%, 3% and 4% respectively. Then the maximum percentage of error in the measurement X, where $X = \frac{A^2 B^{1/2}}{C^{1/3} D^3}$, will be:

(1) 16%

(2) -10%

(3) 10%

(4) $\left(\frac{3}{13}\right)\%$

$$\frac{\Delta X}{X} = \frac{2\Delta A}{A} + \frac{1}{2} \frac{\Delta B}{B} + \frac{1}{3} \frac{\Delta C}{C} + 3 \frac{\Delta D}{D}$$

$$2\% + 1\% + 1\% + 12\%$$

170. Body A of mass 4m moving with speed u collides with another body B of mass 2m, at rest. The collision is head on and elastic in nature. After the collision the fraction of energy lost by the colliding body A is:

(1) $\frac{8}{9}$ (2) $\frac{4}{9}$ (3) $\frac{5}{9}$ (4) $\frac{1}{9}$

$$4mu + 0 =$$


$$2 = 4v \sin \theta$$

$$v = \frac{1}{2} \alpha$$

$$v = r\omega$$

$$\frac{4}{2} \text{ (D)}$$

171. The radius of circle, the period of revolution, its position and sense of revolution are indicated in the fig.



$$y = 38 \sin \left(\frac{3\pi t}{2} \right)$$

$$c = 3 \text{ m/s}$$

$$2\pi t = \omega$$

y-projection of the radius vector of rotating part P is:

$$\frac{2\pi}{T} = \omega$$

- (1) $y(t) = 4 \sin \left(\frac{\pi t}{2} \right)$, where y in m

- (2) $y(t) = 3 \cos \left(\frac{3\pi t}{2} \right)$, where y in m

- (3) $y(t) = 3 \cos \left(\frac{\pi t}{2} \right)$, where y in m

- (4) $y(t) = -3 \cos 2\pi t$, where y in m

172. In total internal reflection when the angle of incidence is equal to the critical angle for the media in contact, what will be angle of refraction?

(1) 0°

(2) equal to angle of incidence

(3) 90° (4) 180°

$$\sin \theta_c = \sin i$$

$$\omega = 3$$

$$\theta =$$

173. A solid cylinder of mass 2 kg and radius 4 cm rotating about its axis at the rate of 3 rpm. torque required to stop after 2π revolutions is

(1) $2 \times 10^{-3} \text{ N m}$ (2) $12 \times 10^{-4} \text{ N m}$ (3) $2 \times 10^6 \text{ N m}$ (4) $2 \times 10^{-6} \text{ N m}$

$$\theta = 2\pi$$

$$\omega =$$

174. A block of mass 10 kg is in contact against the inner wall of a hollow cylindrical drum of radius 1 m. The coefficient of friction between the block and the inner wall of the cylinder is 0.1. The minimum angular velocity needed for the cylinder to keep the block stationary when the cylinder is vertical and rotating about its axis, will be : ($g = 10 \text{ m/s}^2$)

- (1) $\frac{10}{2\pi} \text{ rad/s}$
 (2) 10 rad/s
 (3) $10\pi \text{ rad/s}$
 (4) $\sqrt{10} \text{ rad/s}$





$$V_1 = IR$$

$$10 = I \times 10$$


$$V = IR$$

$$\frac{10}{10} = \frac{10}{10}$$

175. A cylindrical conductor of radius R is carrying a constant current. The plot of the magnitude of the magnetic field, B with the distance, d , from the centre of the conductor, is correctly represented by the figure:



176. In the circuits shown below, the readings of the voltmeters and the ammeters will be:



Circuit 1

- (1) $V_1 = V_2$ and $i_1 > i_2$
 (2) $V_1 = V_2$ and $i_1 = i_2$
 (3) $V_2 > V_1$ and $i_1 > i_2$
 (4) $V_2 > V_1$ and $i_1 = i_2$

Circuit 2

$$R_{eq} = 5$$

$$\frac{1}{10} + \frac{1}{10} = \frac{2}{10} = \frac{1}{5}$$

177. Increase in temperature of a gas filled in a container would lead to:


- (1) increase in its kinetic energy
 (2) decrease in its pressure
 (3) decrease in intermolecular distance
 (4) increase in its mass

$$10 = i_2 \times 5$$

$$i_2 = 2$$

178. A copper rod of 88 cm and an aluminium rod of unknown length have their increase in length independent of increase in temperature. The length of aluminium rod is : ($\alpha_{Cu} = 1.7 \times 10^{-5} \text{ K}^{-1}$ and $\alpha_{Al} = 2.2 \times 10^{-5} \text{ K}^{-1}$)

- (1) 113.9 cm
 (2) 88 cm
 (3) 68 cm
 (4) 6.8 cm



179. α -particle consists of:

- (1) 2 electrons, 2 protons and 2 neutrons
 (2) 2 electrons and 4 protons only
 (3) 2 protons only
 (4) 2 protons and 2 neutrons only

180. In a double slit experiment, when light of wavelength 400 nm was used, the angular width of the first minima formed on a screen placed 1 m away, was found to be 0.2° . What will be the angular width of the first minima, if the entire experimental apparatus is immersed in water ? ($\mu_{\text{water}} = 4/3$)

- (1) 0.15°
 (2) 0.05°
 (3) 0.1°
 (4) 0.266°

$$0.2 \div \frac{4}{3}$$

$$0.1 \times \frac{3}{4} = 0.075$$

$$\frac{0.3}{2}$$

$$\frac{0.2}{2} = 0.1$$

NATIONAL TESTING AGENCY
NEET (UG) - 2019
FINAL ANSWER KEYS

Book Code : Q1

Exam Date : 05.05.2019

Q.No	Key	Q.No	Key	Q.No	Key	Q.No	Key
1	2	46	2	91	3	136	1
2	2	47	3	92	2	137	3
3	2	48	1	93	2	138	1
4	4	49	2	94	1	139	1
5	2	50	2	95	2	140	4
6	2	51	3	96	4	141	2
7	2	52	3	97	3	142	1
8	1	53	1	98	1	143	2
9	4	54	3	99	3	144	2
10	3	55	1	100	4	145	3
11	3	56	3	101	1	146	2
12	2	57	3	102	4	147	2
13	3	58	2	103	2	148	D
14	1	59	3	104	2	149	3
15	4	60	2	105	2	150	1
16	2	61	2	106	3	151	1
17	4	62	3	107	1	152	2
18	1	63	2	108	2	153	2
19	4	64	1	109	1	154	1
20	1	65	2	110	3	155	2
21	1	66	4	111	4	156	4
22	1	67	1	112	1	157	2
23	1	68	4	113	1	158	3
24	4	69	2	114	3	159	1
25	2	70	2	115	4	160	2
26	3	71	3	116	3	161	1
27	2	72	2	117	1	162	2
28	3	73	2	118	3	163	4
29	3	74	4	119	4	164	2
30	3	75	3	120	4	165	4
31	4	76	3	121	4	166	3
32	4	77	3	122	1	167	3
33	2	78	1	123	1	168	4
34	3	79	3	124	1	169	1
35	4	80	1	125	2	170	1
36	4	81	1	126	1	171	3
37	C	82	3	127	1	172	3
38	4	83	1	128	4	173	4
39	2	84	3	129	1	174	2
40	1	85	3	130	1	175	2
41	1	86	3	131	1	176	2
42	1	87	1	132	1	177	1
43	2	88	3	133	2	178	3
44	3	89	2	134	2	179	4
45	1	90	4	135	1	180	1

A in key denotes 1,2 ; C in key denotes 1,4 ; D in key denotes 2,3 ; F in key denotes 3,4 are the correct answers

Test Booklet Code

Q2

ESURYA

No. : **5667702**

This Booklet contains 24 pages.

Do not open this Test Booklet until you are asked to do so.

Important Instructions :

1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on side-1 and side-2 carefully with **blue/black** ball point pen only.
2. The test is of **3 hours** duration and Test Booklet contains **180** questions. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one** mark will be deducted from the total scores. The maximum marks are **720**.
3. Use **Blue/Black Ball Point Pen** only for writing particulars on this page/markings responses.
4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
5. **On completion of the test, the candidate must hand over the Answer Sheet to the invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.**
6. The CODE for this Booklet is **Q2**. Make sure that the CODE printed on **Side-2** of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/ Answer Sheet.
8. Use of white fluid for correction is **NOT** permissible on the Answer Sheet.
9. Each candidate must show on demand his/her Admit Card to the Invigilator.
10. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
11. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. **Cases where a candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.**
12. Use of Electronic/Manual Calculator is prohibited.
13. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
14. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
15. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.


Name of the Candidate (in Capitals) : _____

Roll Number : in figures _____

: in words _____

Centre of Examination (in Capitals) : _____

Candidate's Signature : _____ Invigilator's Signature : _____

Fascimile signature stamp of  _____

Centre Superintendent : _____

Q2

1. What map unit (Centimorgan) is adopted in the construction of genetic maps ?
 - (X) A unit of distance between two expressed genes, representing 100% cross over.
 - (2) A unit of distance between genes on chromosomes, representing 1% cross over.
 - (3) A unit of distance between genes on chromosomes, representing 50% cross over.
 - (4) A unit of distance between two expressed genes, representing 10% cross over.
2. Select the correct group of biocontrol agents.
 - (1) *Trichoderma*, *Baculovirus*, *Bacillus thuringiensis*
 - (X) *Oscillatoria*, *Rhizobium*, *Trichoderma*
 - (3) *Nostoc*, *Azospirillum*, *Nucleopolyhedrovirus*
 - (4) *Bacillus thuringiensis*, Tobacco mosaic virus, Aphids
3. The ciliated epithelial cells are required to move particles or mucus in a specific direction. In humans, these cells are mainly present in :
 - (1) Fallopian tubes and Pancreatic duct
 - (X) Eustachian tube and Salivary duct
 - (3) Bronchioles and Fallopian tubes
 - (4) Bile duct and Bronchioles
4. A gene locus has two alleles A, a. If the frequency of dominant allele A is 0.4, then what will be the frequency of homozygous dominant, heterozygous and homozygous recessive individuals in the population ?
 - (1) 0.16 (AA); 0.24 (Aa); 0.36 (aa)
 - (2) 0.16 (AA); 0.48 (Aa); 0.36 (aa)
 - (3) 0.16 (AA); 0.36 (Aa); 0.48 (aa)
 - (X) 0.36 (AA); 0.48 (Aa); 0.16 (aa)
5. Select the incorrect statement.
 - (X) Inbreeding is essential to evolve purelines in any animal.
 - (2) Inbreeding selects harmful recessive genes that reduce fertility and productivity.
 - (3) Inbreeding helps in accumulation of superior genes and elimination of undesirable genes.
 - (4) Inbreeding increases homozygosity.

1. Select the incorrect statement.

- (1) In male grasshoppers, 50% of sperms have no sex-chromosome.
- (2) In domesticated fowls, sex of progeny depends on the type of sperm rather than egg. ✗
- (3) Human males have one of their sex-chromosome much shorter than the other.
- (4) Male fruit fly is heterogametic.

Which one of the following is **not** a method of *in situ* conservation of biodiversity?

- (1) Wildlife Sanctuary
- (2) Botanical Garden
- (3) Sacred Grove ✗
- (4) Biosphere Reserve

Which of the following statements is **incorrect**?

- (1) *Claviceps* is a source of many alkaloids and LSD.
- (2) Conidia are produced exogenously and ascospores endogenously.
- (3) Yeasts have filamentous bodies with long thread-like hyphae.
- (4) Morels and truffles are edible delicacies.

Which of the following contraceptive methods do involve a role of hormone?

- (1) Barrier method, Lactational amenorrhea, Pills
- (2) CuT, Pills, Emergency contraceptives ✗
- (3) Pills, Emergency contraceptives, Barrier methods
- (4) Lactational amenorrhea, Pills, Emergency contraceptives

Match the following organisms with their respective characteristics:

- | | |
|--------------------------|-------------------------|
| (a) <i>Pila</i> | (i) Flame cells |
| (b) <i>Bombyx</i> | (ii) Comb plates |
| (c) <i>Pleurobrachia</i> | (iii) Radula |
| (d) <i>Taenia</i> | (iv) Malpighian tubules |

Select the correct option from the following:

- | | (a) | (b) | (c) | (d) |
|-------|-------|------|-------|------|
| (1) ✗ | (iii) | (iv) | (ii) | (i) |
| (2) | (ii) | (iv) | (iii) | (i) |
| (3) | (iii) | (ii) | (iv) | (i) |
| (4) | (iii) | (ii) | (i) | (iv) |

16. Drug called 'Heroin' is synthesized by:

- (1) ✗ acetylation of morphine
- (2) glycosylation of morphine
- (3) nitration of morphine
- (4) methylation of morphine

17. Match the following organisms with the products they produce:

- | | |
|-------------------------------------|-------------------|
| (a) <i>Lactobacillus</i> | (i) Cheese |
| (b) <i>Saccharomyces cerevisiae</i> | (ii) Curd |
| (c) <i>Aspergillus niger</i> | (iii) Citric Acid |
| (d) <i>Acetobacter aceti</i> | (iv) Bread |
| | (v) Acetic Acid |

Select the correct option.

- | | (a) | (b) | (c) | (d) |
|-------|-------|------|-------|-------|
| (1) | (ii) | (iv) | (iii) | (v) |
| (2) | (iii) | (iv) | (v) | (i) |
| (3) ✗ | (ii) | (i) | (iii) | (v) |
| (4) | (ii) | (iv) | (v) | (iii) |

18. What is the site of perception of photoperiod necessary for induction of flowering in plants?

- (1) Pulvinus
- (2) Shoot apex
- (3) Leaves
- (4) ✗ Lateral buds

19. Tidal Volume and Expiratory Reserve Volume of an athlete is 500 mL and 1000 mL respectively. What will be his Expiratory Capacity if the Residual Volume is 1200 mL?

- (1) 1700 mL
- (2) 2200 mL
- (3) ✗ 2700 mL
- (4) 1500 mL

20. *Thiobacillus* is a group of bacteria helpful in carrying out:

- (1) Chemoautotrophic fixation
- (2) Nitrification
- (3) ✗ Denitrification
- (4) Nitrogen fixation

26. Match the hominids with their correct brain size :

- | | |
|----------------------------------|--------------------|
| (a) <i>Homo habilis</i> | (i) 900 cc |
| (b) <i>Homo neanderthalensis</i> | (ii) 1350 cc |
| (c) <i>Homo erectus</i> | (iii) 650 - 800 cc |
| (d) <i>Homo sapiens</i> | (iv) 1400 cc |

Select the correct option.

- | | (a) | (b) | (c) | (d) |
|-----|-------|-------|------|------|
| (1) | (iii) | (ii) | (i) | (iv) |
| (2) | (iii) | (iv) | (i) | (ii) |
| (3) | (iv) | (iii) | (i) | (ii) |
| (4) | (iii) | (i) | (iv) | (ii) |

27. Which of the following statements is **not** correct ?

- (1) The hydrolytic enzymes of lysosomes are active under acidic pH.
- (2) Lysosomes are membrane bound structures.
- (3) Lysosomes are formed by the process of packaging in the endoplasmic reticulum.
- (4) Lysosomes have numerous hydrolytic enzymes.

28. Select the hormone-releasing Intra-Uterine Devices.

- (1) Multiload 375, Progestasert
- (2) Progestasert, LNG-20
- (3) Lippes Loop, Multiload 375
- (4) Vaults, LNG-20

29. Respiratory Quotient (RQ) value of tripalmitin is

- (1) 0.7
- (2) 0.07
- (3) 0.09
- (4) 0.9

30. Pinus seed **cannot** germinate and establish without fungal association. This is because :

- (1) it has obligate association with mycorrhizae
- (2) it has very hard seed coat.
- (3) its seeds contain inhibitors that prevent germination.
- (4) its embryo is immature.

31. Select the correct sequence of organs in the alimentary canal of cockroach starting from mouth :

- (1) Pharynx → Oesophagus → Gizzard → Crop → Ileum → Colon → Rectum
- (2) Pharynx → Oesophagus → Gizzard → Ileum → Crop → Colon → Rectum
- (3) Pharynx → Oesophagus → Ileum → Crop → Gizzard → Colon → Rectum
- (4) Pharynx → Oesophagus → Crop → Gizzard → Ileum → Colon → Rectum

32. Under which of the following conditions will there be no change in the reading frame of following mRNA ?

5' AACAGCGGUGCUAUU 3'

- (1) Deletion of G from 5th position
- (2) Insertion of A and G at 4th and 5th positions respectively
- (3) Deletion of GGU from 7th, 8th and 9th positions
- (4) Insertion of G at 5th position

33. From evolutionary point of view, retention of the female gametophyte with developing young embryo on the parent sporophyte for some time, is first observed in :

- (1) Mosses
- (2) Pteridophytes
- (3) Gymnosperms
- (4) Liverworts

34. Match the following hormones with the respective disease :

- | | |
|--------------------|-------------------------|
| (a) Insulin | (i) Addison's disease |
| (b) Thyroxin | (ii) Diabetes insipidus |
| (c) Corticoids | (iii) Acromegaly |
| (d) Growth Hormone | (iv) Goitre |
| | (v) Diabetes mellitus |

Select the correct option.

- | | (a) | (b) | (c) | (d) |
|-----|------|------|-------|-------|
| (1) | (ii) | (iv) | (iii) | (i) |
| (2) | (v) | (iv) | (i) | (iii) |
| (3) | (ii) | (iv) | (i) | (iii) |
| (4) | (v) | (i) | (ii) | (iii) |

5

Q2

35. The concept of "Omnis cellula-e cellula" regarding cell division was first proposed by :

- (1) Theodore Schwann
- (2) Schleiden
- (3) Aristotle
- (4) Rudolf Virchow

36. Colostrum, the yellowish fluid, secreted by mother during the initial days of lactation is very essential to impart immunity to the newborn infants because it contains :

- (1) Monocytes
- (2) Macrophages
- (3) Immunoglobulin A
- (4) Natural killer cells

37. Polyblend, a fine powder of recycled modified plastic, has proved to be a good material for :

- (1) use as a fertilizer
- (2) construction of roads
- (3) making tubes and pipes
- (4) making plastic sacks

38. It takes very long time for pineapple plants to produce flowers. Which combination of hormones can be applied to artificially induce flowering in pineapple plants throughout the year to increase yield ?

- (1) Gibberellin and Cytokinin
- (2) Gibberellin and Absciscic acid
- (3) Cytokinin and Absciscic acid
- (4) Auxin and Ethylene

39. Which part of the brain is responsible for thermoregulation ?

- (1) Hypothalamus
- (2) Corpus callosum
- (3) Medulla oblongata
- (4) Cerebrum

40. Which of the following pairs of gases is mainly responsible for green house effect ?

- (1) Oxygen and Nitrogen
- (2) Nitrogen and Sulphur dioxide
- (3) Carbon dioxide and Methane
- (4) Ozone and Ammonia

Q2

6

41. Match the following genes of the Lac operon with their respective products :

- | | |
|------------|--------------------------------|
| (a) i gene | (i) β -galactosidase (b) |
| (b) z gene | (ii) Permease (d) |
| (c) a gene | (iii) Repressor (c) |
| (d) y gene | (iv) Transacetylase (a) |

Select the correct option.

- | | (a) | (b) | (c) | (d) |
|-----|-------|-------|------|------|
| (1) | (iii) | (i) | (ii) | (iv) |
| (2) | (iii) | (i) | (iv) | (ii) |
| (3) | (iii) | (iv) | (i) | (ii) |
| (4) | (i) | (iii) | (ii) | (iv) |

42. DNA precipitation out of a mixture of biomolecules can be achieved by treatment with :

- (1) Chilled ethanol
- (2) Methanol at room temperature
- (3) Chilled chloroform
- (4) Isopropanol

43. The correct sequence of phases of cell cycle is :

- (1) $G_1 \rightarrow G_2 \rightarrow S \rightarrow M$
- (2) $S \rightarrow G_1 \rightarrow G_2 \rightarrow M$
- (3) $G_1 \rightarrow S \rightarrow G_2 \rightarrow M$
- (4) $M \rightarrow G_1 \rightarrow G_2 \rightarrow S$

44. Which of the following statements regarding mitochondria is incorrect ?

- (1) Enzymes of electron transport are embedded in outer membrane. (a)
- (2) Inner membrane is convoluted with infoldings.
- (3) Mitochondrial matrix contains single circular DNA molecule and ribosomes.
- (4) Outer membrane is permeable to monomers of carbohydrates, fats and proteins.

46. Identify the correct pair representing the causative agent of typhoid fever and the confirmatory test for typhoid.

- (1) *Streptococcus pneumoniae* / Widal test
- (2) *Salmonella typhi* / Anthrone test
- (3) *Salmonella typhi* / Widal test
- (4) *Plasmodium vivax* / UTI test

47. The Earth Summit held in Rio de Janeiro in 1992 was called :

- (1) for conservation of biodiversity and sustainable utilization of its benefits.
- (2) to assess threat posed to native species by invasive weed species.
- (3) for immediate steps to discontinue use of CFCs that were damaging the ozone layer.
- (4) to reduce CO_2 emissions and global warming.

48. Variations caused by mutation, as proposed by Hugo de Vries, are :

- (1) random and directionless
- (2) small and directional
- (3) small and directionless
- (4) random and directional

49. Which of the following can be used as a biocontrol agent in the treatment of plant disease ?

- (1) *Chlorella*
- (2) *Anabaena*
- (3) *Lactobacillus*
- (4) *Trichoderma*

50. Which of the following immune responses is responsible for rejection of kidney graft ?

- (1) Humoral immune response
- (2) Inflammatory immune response

57. Phloem in gymnosperms lacks :
(1) Sieve tubes only
(2) Companion cells only
(3) Both sieve tubes and companion cells
(4) Albuminous cells and sieve cells
58. Use of an artificial kidney during hemodialysis may result in :
(a) Nitrogenous waste build-up in the body
(b) Non-elimination of excess potassium ions ✓
(c) Reduced absorption of calcium ions from gastro-intestinal tract ✓
(d) Reduced RBC production
Which of the following options is the most appropriate ?
(1) (b) and (c) are correct
(2) (c) and (d) are correct
(3) (a) and (d) are correct
(4) (a) and (b) are correct
59. Which of the following statements is **incorrect** ?
(1) Viruses are obligate parasites.
(2) Infective constituent in viruses is the protein coat.
(3) Prions consist of abnormally folded proteins ✓
(4) Viroids lack a protein coat.
60. Due to increasing air-borne allergens and pollutants, many people in urban areas are suffering from respiratory disorder causing wheezing due to :
(1) inflammation of bronchi and bronchioles.
(2) proliferation of fibrous tissues and damage of the alveolar walls. ✓
(3) reduction in the secretion of surfactants by pneumocytes.
(4) benign growth on mucous lining of nasal cavity.
61. Which of the following sexually transmitted diseases is **not** completely curable ?
(1) Genital warts
(2) Genital herpes ✓
(3) Chlamydia
(4) Gonorrhoea
62. How does steroid hormone influence the cellular activities ?
(1) Binding to DNA and forming a gene-hormone complex.
(2) Activating cyclic AMP located on the cell membrane.
(3) Using aquaporin channels as second messenger.
(4) Changing the permeability of the cell membrane. ✓

Q2

63. Which of the statements given below is **not** true about formation of Annual Rings in trees?

- (1) Differential activity of cambium causes light and dark bands of tissue - early and late wood respectively.
- (2) Activity of cambium depends upon variation in climate.
- (3) Annual rings are not prominent in trees of temperate region. ☒
- (4) Annual ring is a combination of spring wood and autumn wood produced in a year.

64. What is the direction of movement of sugars in phloem?

- (1) Upward
- (2) Downward
- (3) Bi-directional ☒
- (4) Non-multidirectional

65. The shorter and longer arms of a submetacentric chromosome are referred to as:

- (1) p-arm and q-arm respectively
- (2) q-arm and p-arm respectively
- (3) m-arm and n-arm respectively
- (4) s-arm and l-arm respectively

66. Which of these following methods is the most suitable for disposal of nuclear waste?

- (1) Bury the waste under Antarctic ice-cover
- (2) Dump the waste within rocks under deep ocean
- (3) Bury the waste within rocks deep below the Earth's surface ☒
- (4) Shoot the waste into space

8

67. Match the Column - I with Column - II :

Column - I	Column - II
(a) P - wave	(i) Depolarisation of ventricles
(b) QRS complex	(ii) Repolarisation of ventricles
(c) T - wave	(iii) Coronary ischemia
(d) Reduction in the size of T - wave	(iv) Depolarisation of atria
	(v) Repolarisation of atria

Select the correct option.

- | | (a) | (b) | (c) | (d) |
|---|------|-------|------|-------|
| (1) | (iv) | (i) | (ii) | (v) |
| (2) | (ii) | (i) | (v) | (iii) |
| (3) | (ii) | (iii) | (v) | (iv) |
| (4) ☒ | (iv) | (i) | (ii) | (iii) |

68. Which one of the following statements regarding post-fertilization development in flowering plants is **incorrect**?

- (1) Zygote develops into embryo ☒
- (2) Central cell develops into endosperm
- (3) Ovules develop into embryo sac
- (4) Ovary develops into fruit

69. Select the **correctly** written scientific name of Mango which was first described by Carolus Linnaeus:

- (1) *Mangifera indica* Linn. ☒
- (2) *Mangifera indica*
- (3) *Mangifera Indica*
- (4) *Mangifera indica* Car. Linn.

70. What is the fate of the male gametes discharged in the synergid?

- (1) All fuse with the egg.
- (2) One fuses with the egg, other(s) fuse(s) with synergid nucleus.
- (3) One fuses with the egg and other fuses with central cell nuclei. ☒
- (4) One fuses with the egg, other(s) degenerate(s) in the synergid.

71. Which of the following features of genetic code does allow bacteria to produce human insulin by recombinant DNA technology?
- (1) Genetic code is redundant
 - (2) Genetic code is nearly universal
 - (3) Genetic code is specific
 - (4) Genetic code is not ambiguous
72. Which of the following pair of organelles does not contain DNA?
- (1) Chloroplast and Vacuoles
 - (2) Lysosomes and Vacuoles
 - (3) Nuclear envelope and Mitochondria
 - (4) Mitochondria and Lysosomes
73. In some plants, the female gamete develops into embryo without fertilization. This phenomenon is known as:
- (1) Parthenocarpy
 - (2) Syngamy
 - (3) Parthenogenesis
 - (4) Autogamy
74. Consider the following statements:
- (A) Coenzyme or metal ion that is tightly bound to enzyme protein is called prosthetic group.
- (B) A complete catalytic active enzyme with its bound prosthetic group is called apoenzyme.
- Select the correct option.
- (1) (A) is true but (B) is false.
 - (2) Both (A) and (B) are false.
 - (3) (A) is false but (B) is true.
 - (4) Both (A) and (B) are true.
75. Conversion of glucose to glucose-6-phosphate, the first irreversible reaction of glycolysis, is catalyzed by:
- (1) Hexokinase
 - (2) Enolase
 - (3) Phosphofructokinase
 - (4) Aldolase
- Which of the following ecological pyramids is generally inverted?
- (1) Pyramid of energy
 - (2) Pyramid of biomass in a forest
 - (3) Pyramid of biomass in a sea
 - (4) Pyramid of numbers in grassland

77. Consider following features:
- (a) Organ system level of organisation
 - (b) Bilateral symmetry
 - (c) True coelomates with segmentation of body
- Select the correct option of animal groups which possess all the above characteristics.
- (1) Annelida, Arthropoda and Mollusca
 - (2) Arthropoda, Mollusca and Chordata
 - (3) Annelida, Mollusca and Chordata
 - (4) Annelida, Arthropoda and Chordata
78. What is the genetic disorder in which an individual has an overall masculine development, gynaecomastia, and is sterile?
- (1) Klinefelter's syndrome
 - (2) Edward syndrome
 - (3) Down's syndrome
 - (4) Turner's syndrome
79. Which of the following is the most important cause for animals and plants being driven to extinction?
- (1) Drought and floods
 - (2) Economic exploitation
 - (3) Alien species invasion
 - (4) Habitat loss and fragmentation
80. What triggers activation of protoxin to active Bt toxin of *Bacillus thuringiensis* in boll worm?
- (1) Moist surface of midgut
 - (2) Alkaline pH of gut
 - (3) Acidic pH of stomach
 - (4) Body temperature
81. Select the correct sequence for transport of sperm cells in male reproductive system.
- (1) Seminiferous tubules → Rete testis → Vasa efferentia → Epididymis → Vas deferens → Ejaculatory duct → Urethra → Urethral meatus
 - (2) Seminiferous tubules → Vasa efferentia → Epididymis → Inguinal canal → Urethra
 - (3) Testis → Epididymis → Vasa efferentia → Vas deferens → Ejaculatory duct → Inguinal canal → Urethra → Urethral meatus
 - (4) Testis → Epididymis → Vasa efferentia → Rete testis → Inguinal canal → Urethra

Q2

8 RES
AIR-105



AIR



NEET faculty
NEET 2019 an
stion paper in
T score with th
edictor, you ca
Answer Key &

Q2

82. Persistent nucellus in the seed is known as :

- (1) Perisperm
- (2) Hilum
- (3) Tegmen
- (4) Chalaza

83. Which one of the following equipments is essentially required for growing microbes on a large scale, for industrial production of enzymes ?

- (1) Sludge digester
- (2) Industrial oven
- (3) Bioreactor
- (4) BOD incubator

84. Match the following structures with their respective location in organs :

- | | |
|--------------------------|-----------------------|
| (a) Crypts of Lieberkühn | (i) Pancreas |
| (b) Glisson's Capsule | (ii) Duodenum |
| (c) Islets of Langerhans | (iii) Small intestine |
| (d) Brunner's Glands | (iv) Liver |

Select the correct option from the following :

- | | (a) | (b) | (c) | (d) |
|-----|-------|------|------|-------|
| (1) | (ii) | (iv) | (i) | (iii) |
| (2) | (iii) | (iv) | (i) | (ii) |
| (3) | (iii) | (ii) | (i) | (iv) |
| (4) | (iii) | (i) | (ii) | (iv) |

85. What would be the heart rate of a person if the cardiac output is 5 L, blood volume in the ventricles at the end of diastole is 100 mL and at the end of ventricular systole is 50 mL ?

- (1) 75 beats per minute
- (2) 100 beats per minute
- (3) 125 beats per minute
- (4) 50 beats per minute

86. Xylem translocates :

- (1) Water and mineral salts only
- (2) Water, mineral salts and some organic nitrogen only
- (3) Water, mineral salts, some organic nitrogen and hormones
- (4) Water only

10

87. Which of the following is true for Golden rice ?

- (1) It is pest resistant, with a gene from *Bacillus thuringiensis*.
- (2) It is drought tolerant, developed using *Agrobacterium* vector.
- (3) It has yellow grains, because of a gene introduced from a primitive variety of rice.
- (4) It is Vitamin A enriched, with a gene from daffodil.

88. Purines found both in DNA and RNA are :

- (1) Adenine and guanine
- (2) Guanine and cytosine
- (3) Cytosine and thymine
- (4) Adenine and thymine


89. Which of the following protocols did aim for reducing emission of chlorofluorocarbons into the atmosphere ?

- (1) Kyoto Protocol
- (2) Gothenburg Protocol
- (3) Geneva Protocol
- (4) Montreal Protocol

90. Placentation, in which ovules develop on the inner wall of the ovary or in peripheral part, is :

- (1) Axile
- (2) Parietal
- (3) Free central
- (4) Basal

91. The most s conversion, i



- (1) H_2, P
- (2) Zn/H
- (3) Hg^{2+}
- (4) Na/I

92. The corre

- (1) $\text{O}=\text{O}$

- (2) $\text{O}=\text{O}$

- (3) $\text{O}=\text{O}$


- (4) $\text{O}=\text{O}$

93. For a cell 298 K, the is :

[Given tha





- (1) 1.0
- (2) 1.0
- (3) 1.0
- (4) 1.0

91. The most suitable reagent for the following conversion, is :



- (1) H_2 , Pd/C, quinoline
 (2) Zn/HCl
 (3) $\text{Hg}^{2+}/\text{H}^+$, H_2O
 (4) Na/liquid NH_3






92. The correct structure of tribromooctaoxide is :



93. For a cell involving one electron $E_{\text{cell}}^\ominus = 0.59 \text{ V}$ at 298 K, the equilibrium constant for the cell reaction is :

[Given that $\frac{2.303 RT}{F} = 0.059 \text{ V}$ at $T = 298 \text{ K}$]

94. The structure of intermediate A in the following reaction, is :



95. The number of moles of hydrogen molecules required to produce 20 moles of ammonia through Haber's process is :

- (1) 20
 (2) 30
 (3) 40
 (4) 10

96. The non-essential amino acid among the following is :

- (1) leucine
 (2) alanine
 (3) lysine
 (4) valine

97.

A gas at 350 K and 15 bar has molar volume 20 percent smaller than that for an ideal gas under the same conditions. The correct option about the gas and its compressibility factor (Z) is :

- (1) $Z > 1$ and repulsive forces are dominant
- (2) $Z < 1$ and attractive forces are dominant
- (3) $Z < 1$ and repulsive forces are dominant
- (4) $Z > 1$ and attractive forces are dominant

98.

Which of the following reactions are disproportionation reaction?

- (a) $2\text{Cu}^+ \rightarrow \text{Cu}^{2+} + \text{Cu}^0$
- (b) $3\text{MnO}_4^{2-} + 4\text{H}^+ \rightarrow 2\text{MnO}_4^- + \text{MnO}_2 + 2\text{H}_2\text{O}$
- (c) $2\text{KMnO}_4 \xrightarrow{\Delta} \text{K}_2\text{MnO}_4 + \text{MnO}_2 + \text{O}_2$
- (d) $2\text{MnO}_4^- + 3\text{Mn}^{2+} + 2\text{H}_2\text{O} \rightarrow 5\text{MnO}_2 + 4\text{H}^+$

Select the correct option from the following :

- (1) (a), (b) and (c)
- (2) (a), (c) and (d)
- (3) (a) and (d) only
- (4) (a) and (b) only

99.

Which is the correct thermal stability order for H_2E (E = O, S, Se, Te and Po) ?

- (1) $\text{H}_2\text{O} < \text{H}_2\text{S} < \text{H}_2\text{Se} < \text{H}_2\text{Te} < \text{H}_2\text{Po}$
- (2) $\text{H}_2\text{Po} < \text{H}_2\text{Te} < \text{H}_2\text{Se} < \text{H}_2\text{S} < \text{H}_2\text{O}$
- (3) $\text{H}_2\text{Se} < \text{H}_2\text{Te} < \text{H}_2\text{Po} < \text{H}_2\text{O} < \text{H}_2\text{S}$
- (4) $\text{H}_2\text{S} < \text{H}_2\text{O} < \text{H}_2\text{Se} < \text{H}_2\text{Te} < \text{H}_2\text{Po}$

100.

4d, 5p, 5f and 6p orbitals are arranged in the order of decreasing energy. The correct option is :

- (1) $6p > 5f > 5p > 4d$
- (2) $6p > 5f > 4d > 5p$
- (3) $5f > 6p > 4d > 5p$
- (4) $5f > 6p > 5p > 4d$

101.

Which will make basic buffer?

- (1) 100 mL of 0.1 M CH_3COOH + 100 mL of 0.1 M NaOH
- (2) 100 mL of 0.1 M HCl + 200 mL of 0.1 M NH_4OH
- (3) 100 mL of 0.1 M HCl + 100 mL of 0.1 M NaOH
- (4) 50 mL of 0.1 M NaOH + 25 mL of 0.1 M CH_3COOH

102. For the second period elements the correct increasing order of first ionisation enthalpy is :

- (1) $\text{Li} < \text{B} < \text{Be} < \text{C} < \text{O} < \text{N} < \text{F} < \text{Ne}$
- (2) $\text{Li} < \text{B} < \text{Be} < \text{C} < \text{N} < \text{O} < \text{F} < \text{Ne}$
- (3) $\text{Li} < \text{Be} < \text{B} < \text{C} < \text{O} < \text{N} < \text{F} < \text{Ne}$
- (4) $\text{Li} < \text{Be} < \text{B} < \text{C} < \text{N} < \text{O} < \text{F} < \text{Ne}$

103. Identify the incorrect statement related to PCl_3 from the following :

- (1) Two axial P - Cl bonds make an angle of 180° with each other
- (2) Axial P - Cl bonds are longer than equatorial P - Cl bonds
- (3) PCl_3 molecule is non-reactive
- (4) Three equatorial P - Cl bonds make an angle of 120° with each other

104. Which of the following diatomic molecular species has only π bonds according to Molecular Orbital Theory?

- (1) N_2
- (2) C_2
- (3) Be_2
- (4) O_2

105. The number of sigma (σ) and pi (π) bonds in pent-2-en-4-yne is :

- (1) 8 σ bonds and 5 π bonds
- (2) 11 σ bonds and 2 π bonds
- (3) 13 σ bonds and no π bond
- (4) 10 σ bonds and 3 π bonds

106. Among the following, the one that is not a green house gas is :

- (1) methane
- (2) ozone
- (3) sulphur dioxide
- (4) nitrous oxide

107. Under isothermal condition, a gas at 300 K expands from 0.1 L to 0.25 L against a constant external pressure of 2 bar. The work done by the gas is :

- (1) 5 kJ
- (2) 25 J
- (3) 30 J
- (4) - 30 J

108. Which one is malachite from the following ?

- (1) $\text{Cu}(\text{OH})_2$
- (2) Fe_2O_3
- (3) $\text{CuCO}_3 \cdot \text{Cu}(\text{OH})_2$
- (4) CuFeS_2

109. The mixture that forms maximum boiling azeotrope is :

- (1) Ethanol + Water
- (2) Acetone + Carbon disulphide
- (3) Heptane + Octane
- (4) Water + Nitric acid

110. The biodegradable polymer is :

- (1) nylon 2-nylon 6
- (2) nylon-6
- (3) Buna-S
- (4) ☒ nylon-6, 6

111. Which of the following series of transitions in the spectrum of hydrogen atom falls in visible region ?

- (1) ☒ Balmer series
- (2) Paschen series
- (3) Brackett series
- (4) Lyman series

112. For an ideal solution, the correct option is :

- (1) $\Delta_{\text{mix}} V \neq 0$ at constant T and P
- (2) $\Delta_{\text{mix}} H = 0$ at constant T and P
- (3) $\Delta_{\text{mix}} G = 0$ at constant T and P
- (4) $\Delta_{\text{mix}} S = 0$ at constant T and P

113. Which of the following is an amphoteric hydroxide ?

- (1) $\text{Ca}(\text{OH})_2$
- (2) $\text{Mg}(\text{OH})_2$
- (3) ☒ $\text{Be}(\text{OH})_2$
- (4) $\text{Sr}(\text{OH})_2$




114. If the rate constant for a first order reaction is k_1 the time (t) required for the completion of 99% of the reaction is given by :

- (1) $t = 6.909/k$
- (2) $t = 4.606/k$
- (3) ☒ $t = 2.303/k$
- (4) $t = 0.693/k$

115. Conjugate base for Brønsted acids H_2O and HF are :

- (1) H_3O^+ and F^- , respectively
- (2) OH^- and F^- , respectively
- (3) H_3O^+ and H_2F^+ , respectively
- (4) ☒ OH^- and H_2F^+ , respectively


116. The major product of the following reaction is :



117. The compound that is most difficult to protonate is :

- (1) $\text{H}_3\text{C}-\text{O}-\text{H}$
- (2) $\text{H}_3\text{C}-\text{O}-\text{CH}_3$
- (3) ☒ $\text{Ph}-\text{O}-\text{H}$
- (4) $\text{H}-\text{O}-\text{H}$

118. For the chemical reaction



the correct option is :

- (1) $-\frac{d[\text{N}_2]}{dt} = 2 \frac{d[\text{NH}_3]}{dt}$
- ☒ (2) $-\frac{d[\text{N}_2]}{dt} = \frac{1}{2} \frac{d[\text{NH}_3]}{dt}$
- (3) $3 \frac{d[\text{H}_2]}{dt} = 2 \frac{d[\text{NH}_3]}{dt}$
- (4) $-\frac{1}{3} \frac{d[\text{H}_2]}{dt} = -\frac{1}{2} \frac{d[\text{NH}_3]}{dt}$

119.

In which case change in entropy is negative ?

- ☒ (1) Expansion of a gas at constant temperature
- ☒ (2) Sublimation of solid to gas
- (3) $2\text{H}(\text{g}) \rightarrow \text{H}_2(\text{g})$
- (4) Evaporation of water

120.

The correct order of the basic strength of methyl substituted amines in aqueous solution is :

- ☒ (1) $(\text{CH}_3)_3\text{N} > \text{CH}_3\text{NH}_2 > (\text{CH}_3)_2\text{NH}$
- (2) $(\text{CH}_3)_3\text{N} > (\text{CH}_3)_2\text{NH} > \text{CH}_3\text{NH}_2$
- (3) $\text{CH}_3\text{NH}_2 > (\text{CH}_3)_2\text{NH} > (\text{CH}_3)_3\text{N}$
- (4) $(\text{CH}_3)_2\text{NH} > \text{CH}_3\text{NH}_2 > (\text{CH}_3)_3\text{N}$

121.

For the cell reaction



$E_{\text{cell}}^{\circ} = 0.24 \text{ V}$ at 298 K. The standard Gibbs energy ($\Delta_r G^{\circ}$) of the cell reaction is :

[Given that Faraday constant $F = 96500 \text{ C mol}^{-1}$]

- (1) $-23.16 \text{ kJ mol}^{-1}$
- (2) $46.32 \text{ kJ mol}^{-1}$
- (3) $23.16 \text{ kJ mol}^{-1}$
- ☒ (4) $-46.32 \text{ kJ mol}^{-1}$

122.

What is the correct electronic configuration of the central atom in $\text{K}_4[\text{Fe}(\text{CN})_6]$ based on crystal field theory ?

- ☒ (1) $t_{2g}^6 e_g^0$
- (2) $e_g^3 t_{2g}^3$
- (3) $e^4 t_{2g}^2$
- (4) $t_{2g}^4 e_g^2$

123.

A compound is formed by cation C and anion A. The anions form hexagonal close packed (hcp) lattice and the cations occupy 75% of octahedral voids. The formula of the compound is :

- (1) C_3A_2
- (2) C_3A_4
- (3) C_2A_3
- ☒ (4) C_2A_3

127.

124.

The method used to remove temporary hardness of water is :

- (1) Clark's method
- (2) Ion-exchange method
- (3) Synthetic resins method
- ☒ (4) Calgon's method

12

125.


The manganate and permanganate ions are tetrahedral, due to :

- (1) There is no π -bonding
- (2) The π -bonding involves overlap of p-orbitals of oxygen with p-orbitals of manganese
- (3) The π -bonding involves overlap of d-orbitals of oxygen with d-orbitals of manganese
- (4) The π -bonding involves overlap of p-orbitals of oxygen with d-orbitals of manganese

1

126.

Among the following, the reaction that proceeds through an electrophilic substitution, is :

- (1) 
- (2) 
- (3) 
- ☒ (4) 

Q 2

127. Match the Xenon compounds in Column - I with its structure in Column - II and assign the correct code :

Column - I	Column - II
(a) XeF_4	(i) pyramidal
(b) XeF_6	(ii) square planar
(c) XeOF_4	(iii) distorted octahedral
(d) XeO_3	(iv) square pyramidal

Code :

- (a) (b) (c) (d)
☒ (i) (ii) (iv) (i)
 (2) (ii) (iii) (i) (iv)
 (3) (iii) (iv) (i) (ii)
 (4) (i) (ii) (iii) (iv)

128. Which of the following is incorrect statement?

- (1) SiCl_4 is easily hydrolysed
 (2) GeX_4 ($\text{X} = \text{F}, \text{Cl}, \text{Br}, \text{I}$) is more stable than GeX_2
 (3) SnF_4 is ionic in nature
 (4) PbF_4 is covalent in nature

129. An alkene "A" on reaction with O_3 and $\text{Zn-H}_2\text{O}$ gives propanone and ethanal in equimolar ratio. Addition of HCl to alkene "A" gives "B" as the major product. The structure of product "B" is :

- (1) $\text{H}_3\text{C}-\text{CH}_2-\overset{\text{CH}_2\text{Cl}}{\underset{|}{\text{CH}}}-\text{CH}_3$
 (2) $\text{H}_3\text{C}-\text{CH}_2-\overset{\text{CH}_3}{\underset{\text{Cl}}{\text{C}}}-\text{CH}_3$
 (3) $\text{H}_3\text{C}-\overset{\text{CH}_3}{\underset{\text{Cl}}{\text{CH}}}-\overset{\text{CH}_3}{\underset{\text{Cl}}{\text{CH}}}$
☒ (4) $\text{Cl}-\text{CH}_2-\text{CH}_2-\overset{\text{CH}_3}{\underset{\text{CH}_3}{\text{C}}}-\text{CH}_3$

130. Which mixture of the solutions will lead to the formation of negatively charged colloidal $[\text{AgI}]^-$ sol?

- (1) 50 mL of 1 M AgNO_3 + 50 mL of 2 M KI
 (2) 50 mL of 2 M AgNO_3 + 50 mL of 1.5 M KI
 (3) 50 mL of 0.1 M AgNO_3 + 50 mL of 0.1 M KI
 (4) 50 mL of 1 M AgNO_3 + 50 mL of 1.5 M KI

131. Match the following :

(a) Pure nitrogen	(i) Chlorine
(b) Haber process	(ii) Sulphuric acid
(c) Contact process	(iii) Ammonia
(d) Deacon's process	(iv) Sodium azide or Barium azide

Which of the following is the correct option?

- (a) (b) (c) (d)
 (1) (ii) (iv) (i) (iii)
 (2) (iii) (iv) (ii) (i)
 (3) (iv) (iii) (ii) (i)
 (4) (i) (ii) (iii) (iv)

132. Enzymes that utilize ATP in phosphate transfer require an alkaline earth metal (M) as the cofactor. M is :

- (1) Mg
 (2) Ca
 (3) Sr
 (4) Be

133. Among the following, the narrow spectrum antibiotic is :

- (1) ampicillin
 (2) amoxycillin
☒ (3) chloramphenicol
 (4) penicillin G

134. Which of the following species is not stable?

- (1) $[\text{GeCl}_6]^{2-}$
 (2) $[\text{Sn}(\text{OH})_6]^{2-}$
☒ (3) $[\text{SiCl}_6]^{2-}$
 (4) $[\text{SiF}_6]^{2-}$

Q2 pH of a saturated solution of $\text{Ca}(\text{OH})_2$ is 9. The solubility product (K_{sp}) of $\text{Ca}(\text{OH})_2$ is :

- (1) 0.25×10^{-10}
- (2) 0.125×10^{-15}
- (3) 0.5×10^{-10}
- (4) 0.5×10^{-15}

136. A hollow metal sphere of radius R is uniformly charged. The electric field due to the sphere at a distance r from the centre :


- (1) zero as r increases for $r < R$, decreases as r increases for $r > R$
- (2) zero as r increases for $r < R$, increases as r increases for $r > R$
- (3) decreases as r increases for $r < R$ and for $r > R$
- (4) increases as r increases for $r < R$ and for $r > R$

137. A force $F = 20 + 10y$ acts on a particle in y -direction where F is in newton and y in meter. Work done by this force to move the particle from $y = 0$ to $y = 1$ m is :

- (1) 5 J
- (2) 25 J
- (3) 20 J
- (4) 30 J

138. Six similar bulbs are connected as shown in the figure with a DC source of emf E , and zero internal resistance.

The ratio of power consumption by the bulbs when (i) all are glowing and (ii) in the situation when two from section A and one from section B are glowing, will be :



- (1) 9 : 4
- (2) 1 : 2
- (3) 2 : 1
- (4) 4 : 9

139. A soap bubble, having radius of 1 mm, is blown from a detergent solution having a surface tension of 2.5×10^{-2} N/m. The pressure inside the bubble equals at a point Z_0 below the free surface of water in a container. Taking $g = 10$ m/s², density of water = 10^3 kg/m³, the value of Z_0 is :

- (1) 10 cm
- (2) 1 cm
- (3) 0.5 cm
- (4) 100 cm

140. Which colour of the light has the longest wavelength ?

- (1) blue
- (2) green
- (3) violet
- (4) red

145. In an experiment to determine the refractive index of a material, a student measures the angle of incidence i and the angle of refraction r . The refractive index n is given by $n = \frac{\sin i}{\sin r}$. The student measures $i = 30^\circ$ and $r = 18^\circ$. The refractive index n is :

- (1) 200 N
- (2) 250 N
- (3) 100 N
- (4) 150 N

141. A body weighs 200 N on the surface of the earth. How much will it weigh half way down to the centre of the earth ?

142. A small hole of area of cross-section 2 mm^2 is present near the bottom of a fully filled open tank of height 2 m. Taking $g = 10 \text{ m/s}^2$, the rate of flow of water through the open hole would be near :

- (1) $8.9 \times 10^{-6} \text{ m}^3/\text{s}$
- (2) $2.23 \times 10^{-6} \text{ m}^3/\text{s}$
- (3) $6.4 \times 10^{-6} \text{ m}^3/\text{s}$
- (4) $12.6 \times 10^{-6} \text{ m}^3/\text{s}$

143. A disc of radius 2 m and mass 100 kg rolls on a horizontal floor. Its centre of mass has speed 20 cm/s. How much work is needed to stop it ?

- (1) 30 kJ
- (2) 2 J
- (3) 1 J
- (4) 3 J

147. The work done by the force of gravity on a body of mass m moving from a height h to the ground is :

- (1) mgh
- (2) mgh
- (3) mgh
- (4) mgh

Q2

17

144. Two similar thin equi-convex lenses, of focal length f each, are kept coaxially in contact with each other such that the focal length of the combination is F_1 . When the space between the two lenses is filled with glycerin (which has the same refractive index ($\mu = 1.5$) as that of glass) then the equivalent focal length is F_2 . The ratio $F_1 : F_2$ will be :

- (1) 1 : 2
(2) 2 : 3
(3) 3 : 4
(4) 2 : 1

145. In an experiment, the percentage of error occurred in the measurement of physical quantities A, B, C and D are 1%, 2%, 3% and 4% respectively. Then the maximum percentage of error in the measurement X, where $X = \frac{A^2 B^{\frac{1}{2}}}{C^{\frac{1}{2}} D^3}$, will be :

- (1) 16%
(2) -10%
(3) 10%
(4) $\left(\frac{3}{13}\right)\%$

146. The unit of thermal conductivity is :

- (1) $J m^{-1} K^{-1}$
(2) $W m K^{-1}$
(3) $W m^{-1} K^{-1}$
(4) $J m K^{-1}$

147. The work done to raise a mass m from the surface of the earth to a height h , which is equal to the radius of the earth, is :

- (1) $2 mgR$
(2) $\frac{1}{2} mgR$
(3) $\frac{3}{2} mgR$
(4) $\frac{1}{2} mgR$


148. In which of the following processes, heat is neither absorbed nor released by a system ?

- (1) adiabatic
(2) isobaric
(3) isochoric
(4) isothermal

149. Two point charges A and B, having charges $+Q$ and $-Q$ respectively, are placed at certain distance apart and force acting between them is F . If 25% charge of A is transferred to B, then force between the charges becomes :

- (1) $\frac{9F}{16}$
(2) $\frac{16F}{9}$
(3) $\frac{4F}{3}$
(4) F

150.



The correct Boolean operation represented by the circuit diagram drawn is :

- (1) OR
(2) NAND
(3) NOR
(4) AND

151. Which of the following acts as a circuit protection device ?

- (1) inductor
(2) switch
(3) fuse
(4) conductor

Q2

152. A copper rod of 89 cm and an aluminium rod of

unknown length have their increase in length independent of increase in temperature. The length of aluminium rod is : ($\alpha_{Cu} = 1.7 \times 10^{-5} K^{-1}$ and $\alpha_{Al} = 2.2 \times 10^{-5} K^{-1}$)

- (1) 113.9 cm
 (2) ☒ 88 cm
 (3) 68 cm
 (4) 6.8 cm

153. A parallel plate capacitor of capacitance $20 \mu F$ is being charged by a voltage source whose potential is changing at the rate of 3 V/s. The conduction current through the connecting wires, and the displacement current through the plates of the capacitor, would be, respectively :

- (1) $60 \mu A$, $60 \mu A$
 (2) $60 \mu A$, zero
 (3) zero, zero
 (4) zero, $60 \mu A$

154. α -particle consists of :

- (1) 2 electrons, 2 protons and 2 neutrons
 (2) ☒ 2 electrons and 4 protons only
 (3) 2 protons only
 (4) 2 protons and 2 neutrons only

155. A block of mass 10 kg is in contact against the inner wall of a hollow cylindrical drum of radius 1 m. The coefficient of friction between the block and the inner wall of the cylinder is 0.1. The minimum angular velocity needed for the cylinder to keep the block stationary when the cylinder is vertical and rotating about its axis, will be : ($g = 10 m/s^2$)

- (1) $\frac{10}{2\pi}$ rad/s
 (2) 10 rad/s
 (3) 10π rad/s
 (4) ☒ $\sqrt{10}$ rad/s

156. Increase in temperature of a gas filled in a container would lead to :

- (1) increase in its kinetic energy
 (2) ☒ decrease in its pressure
 (3) decrease in intermolecular distance
 (4) increase in its mass

18

157. A 800 turn coil of effective area $0.05 m^2$ is kept perpendicular to a magnetic field $5 \times 10^{-4} T$. When the plane of the coil is rotated by 90° around any of its coplanar axis in 0.1 s, the emf induced in the coil will be :

- (1) 0.2 V
 (2) $2 \times 10^{-3} V$
 (3) 0.02 V
 (4) 2 V

158. Two parallel infinite line charges with linear charge densities $+\lambda C/m$ and $-\lambda C/m$ are placed at a distance of $2R$ in free space. What is the electric field mid-way between the two line charges ?

- (1) $\frac{2\lambda}{\pi\epsilon_0 R}$ N/C
 (2) $\frac{\lambda}{\pi\epsilon_0 R}$ N/C
 (3) $\frac{\lambda}{2\pi\epsilon_0 R}$ N/C
 (4) zero

162. Pick the rainbow

159. In total internal reflection when the angle of incidence is equal to the critical angle for the media in contact, what will be angle of refraction ?

- (1) 0°
 (2) equal to angle of incidence
 (3) 90°
 (4) 180°

163. The total orbit is -

160. An electron is accelerated through a potential difference of 10,000 V. Its de Broglie wavelength is, (nearly) : ($m_e = 9 \times 10^{-31} \text{ kg}$)

- (1) $12.2 \times 10^{-12} \text{ m}$
 (2) $12.2 \times 10^{-14} \text{ m}$
 (3) 12.2 nm
 (4) $12.2 \times 10^{-13} \text{ m}$

164. The displacement of a particle executing simple harmonic motion is given by

$$y = A_0 + A \sin \omega t + B \cos \omega t.$$

Then the amplitude of its oscillation is given by :

- (1) $\sqrt{A^2 + B^2}$
- (2) $\sqrt{A_0^2 + (A + B)^2}$
- (3) $A + B$
- (4) $A_0 + \sqrt{A^2 + B^2}$

165. For a p-type semiconductor, which of the following statements is true ?

- (1) Holes are the majority carriers and trivalent atoms are the dopants.
- (2) Holes are the majority carriers and pentavalent atoms are the dopants.
- (3) Electrons are the majority carriers and pentavalent atoms are the dopants.
- (4) Electrons are the majority carriers and trivalent atoms are the dopants.


166. In which of the following devices, the eddy current effect is not used ?

- (1) magnetic braking in train
- (2) electromagnet
- (3) electric heater
- (4) induction furnace

167. The speed of a swimmer in still water is 20 m/s. The speed of river water is 10 m/s and is flowing due east. If he is standing on the south bank and wishes to cross the river along the shortest path, the angle at which he should make his strokes w.r.t. north is given by :


- (1) 0°
- (2) 60° west
- (3) 45° west
- (4) 30° west

171. A particle moving with velocity $\vec{V}$ is acted by three forces shown by the vector triangle PQR. The velocity of the particle will :



- (1) decrease
- (2) remain constant
- (3) change according to the smallest force $\vec{QR}$
- (4) increase

172. The radius of circle, the period of revolution, initial position and sense of revolution are indicated in the fig.



- y - projection of the radius vector of rotating particle P is :

- (1) $y(t) = 4 \sin\left(\frac{\pi t}{2}\right)$, where y in m
- (2) $y(t) = 3 \cos\left(\frac{3\pi t}{2}\right)$, where y in m
- (3) $y(t) = 3 \cos\left(\frac{\pi t}{2}\right)$, where y in m
- (4) $y(t) = -3 \cos 2\pi t$, where y in m

173. A solid cylinder of mass 2 kg and radius 4 cm is rotating about its axis at the rate of 3 rpm. The torque required to stop after 2π revolutions is:

- (1) $2 \times 10^{-3} \text{ N m}$
- (2) $12 \times 10^{-4} \text{ N m}$
- (3) $2 \times 10^6 \text{ N m}$
- (4) $2 \times 10^{-6} \text{ N m}$

174. Two particles A and B are moving in uniform circular motion in concentric circles of radii r_A and r_B with speed v_A and v_B respectively. Their time period of rotation is the same. The ratio of angular speed of A to that of B will be :

- (1) $v_A : v_B$
- (2) $r_B : r_A$
- (3) $1 : 1$
- (4) $r_A : r_B$

175. Ionized hydrogen atoms and α -particles with same momenta enters perpendicular to a constant magnetic field, B. The ratio of their radii of their paths $r_H : r_\alpha$ will be :

- (1) $1 : 2$
- (2) $4 : 1$
- (3) $1 : 4$
- (4) $2 : 1$

176. A mass m is attached to a thin wire and whirled in a vertical circle. The wire is most likely to break when :

- (1) the wire is horizontal
- (2) the mass is at the lowest point
- (3) inclined at an angle of 60° from vertical
- (4) the mass is at the highest point

177. At a point A on the earth's surface the angle of dip, $\delta = +25^\circ$. At a point B on the earth's surface the angle of dip, $\delta = -25^\circ$. We can interpret that :

- (1) A is located in the southern hemisphere and B is located in the northern hemisphere.
- (2) A is located in the northern hemisphere and B is located in the southern hemisphere.
- (3) A and B are both located in the southern hemisphere.
- (4) A and B are both located in the northern hemisphere.

178. In a double slit experiment, when light of wavelength 400 nm was used, the angular width of the first minima formed on a screen placed 1 m away, was found to be 0.2° . What will be the angular width of the first minima, if the entire experimental apparatus is immersed in water ?

$$(\mu_{\text{water}} = 4/3)$$

- (1) 0.15°
- (2) 0.05°
- (3) 0.1°
- (4) 0.266°

179. When an object is shot from the bottom of a long smooth inclined plane kept at an angle 60° with horizontal, it can travel a distance x_1 along the plane. But when the inclination is decreased to 30° and the same object is shot with the same velocity, it can travel x_2 distance. Then $x_1 : x_2$ will be :

- (1) $\sqrt{2} : 1$
- (2) $1 : \sqrt{3}$
- (3) $1 : 2\sqrt{3}$
- (4) $1 : \sqrt{2}$

180. Average velocity of a particle executing SHM in one complete vibration is :

- (1) $A\omega$
- (2) $\frac{A\omega^2}{2}$
- (3) zero
- (4) $\frac{A\omega}{2}$

- o o o -

NATIONAL TESTING AGENCY
NEET (UG) - 2019
FINAL ANSWER KEYS

Book Code : Q2

Exam Date : 05.05.2019

Q.No	Key	Q.No	Key	Q.No	Key	Q.No	Key
1	2	46	3	91	1	136	1
2	1	47	1	92	4	137	2
3	3	48	1	93	2	138	1
4	2	49	4	94	1	139	2
5	2	50	3	95	2	140	4
6	1	51	2	96	2	141	3
7	3	52	1	97	2	142	4
8	3	53	1	98	4	143	4
9	1	54	3	99	2	144	1
10	2	55	3	100	4	145	1
11	2	56	1	101	2	146	3
12	2	57	3	102	1	147	2
13	3	58	2	103	3	148	1
14	4	59	2	104	2	149	1
15	1	60	1	105	4	150	2
16	1	61	2	106	3	151	3
17	1	62	1	107	3	152	3
18	3	63	3	108	3	153	1
19	4	64	3	109	4	154	4
20	3	65	1	110	1	155	2
21	1	66	3	111	1	156	1
22	3	67	4	112	2	157	3
23	4	68	3	113	3	158	2
24	1	69	1	114	2	159	3
25	4	70	3	115	2	160	1
26	2	71	2	116	1	161	2
27	3	72	2	117	3	162	2
28	2	73	3	118	2	163	2
29	1	74	1	119	3	164	1
30	1	75	1	120	4	165	1
31	4	76	3	121	4	166	D
32	3	77	4	122	1	167	4
33	2	78	1	123	2	168	2
34	2	79	4	124	1	169	2
35	4	80	2	125	4	170	1
36	3	81	1	126	1	171	2
37	2	82	1	127	1	172	3
38	4	83	3	128	4	173	4
39	1	84	2	129	2	174	3
40	3	85	2	130	C	175	4
41	2	86	3	131	3	176	2
42	1	87	4	132	1	177	2
43	3	88	1	133	4	178	1
44	1	89	4	134	3	179	2
45	2	90	2	135	4	180	3

A in key denotes 1,2 ; C in key denotes 1,4 ; D in key denotes 2,3 ; F in key denotes 3,4 are the correct answers