

## Proof Techniques

# Contents

① Logic of Solving Equations

② Proof by Contradiction

③ Proof by Contraposition

# Logic of Solving Equations

# Solving Equations

Logically speaking, to say that  $x = a$  is a solution of the equation  $f(x) = 0$  is to state

$$f(x) = 0 \iff x = a$$

which usually can be seen by a chain of biconditionals.

For example, we see that  $x^2 = 5x - 6$  if and only if  $x = 2$  or  $x = 3$  by:

$$\begin{aligned} x^2 = 5x - 6 &\iff x^2 - 5x + 6 = 0 \\ &\iff (x - 2)(x - 3) = 0 \\ &\iff x - 2 = 0 \text{ or } x - 3 = 0 \\ &\iff x = 2 \text{ or } x = 3. \end{aligned}$$

One needs to be careful to confirm that all steps are true biconditional sentences.

# Examples

## Rational Equation

Solve the equation

$$\frac{x-2}{x^2+2x-8} = \frac{1}{8}.$$

**Erroneous solution.**

$$x-2 = (1/8)(x^2+2x-8)$$

$$8x-16 = x^2+2x-8$$

$$0 = x^2-6x+8 = (x-2)(x-4)$$

$$x = 2, 4$$

Which step is not a true biconditional sentence?

## Examples (cont')

**Correct solution.**

# Examples

## Equation Involving Radicals

Solve the equation

$$x = -\sqrt{x+6}$$

An erroneous solution:

$$x^2 = x + 6$$

$$x^2 - x - 6 = 0$$

$$(x+2)(x-3) = 0$$

$$x = -2, 3$$

Is  $x = 3$  a solution of the original equation?

## Examples (cont')

**Correct solution.**



# Proof by Contradiction

# Overview: Proof Techniques

The follow is the list of proof techniques discussed in Section 2 of the textbook:

- ☐ Conditional proof
- ☐ Proof by contradiction
- ☐ Proof by contraposition

# Contradictions

A *contradiction* is a sentence of the form  $Q \wedge \neg Q$ , which is false regardless of the truth value of  $Q$ .

# Proof by Contradiction

## Proof by Contradiction

To prove a sentence  $P$ , assume  $\neg P$  and deduce a contradiction. This approach is known as the method of *proof by contradiction*.

**Template.** To prove  $P$ :

- Begin with “Assume  $\neg P$  is true.”
- Deduce a contradiction.
- Conclude that  $P$  is true.

**Why does it work?**

## Proof by Contradiction (cont')

### Example

Let  $n$  be an integer. Using the method of proof by contradiction, prove that

If  $n^2$  is an odd number, then  $n$  is an odd number.

# Proof of a Negative Sentence

The usual way to prove a negative sentence  $\neg P$  is to prove by contradiction, that is, assume  $P$  and deduce a contradiction.

**Why does it work?**

### Section 2, Exercise 23

Use the method of conditional proof to explain in words why

$$[(P \Rightarrow Q) \wedge \neg Q] \Rightarrow \neg P$$

is a tautology.

## Proof of a Negative Sentence (cont')



# Proof by Contraposition

# Overview: Proof Techniques

The follow is the list of proof techniques discussed in Section 2 of the textbook:

- ☐ Conditional proof
- ☐ Proof by contradiction
- ☐ Proof by contraposition

# Contrapositive

Given  $P \Rightarrow Q$ , the related conditional sentence  $\neg P \Rightarrow \neg Q$  is called *the contrapositive of  $P \Rightarrow Q$* . Note that  $P \Rightarrow Q$  is logically equivalent to  $\neg Q \Rightarrow \neg P$ . (Confirm this using a truth table.)

**Example.** Given the conditional sentence

$A$ : If today is Sunday, then I do not have to go to work today.

- Converse of  $A$ :
- Contrapositive of  $A$ :

# Proof by Contraposition

## Proof by Contraposition

To prove  $P \Rightarrow Q$ , it suffices to prove  $\neg Q \Rightarrow \neg P$ .

## Proof by Contraposition (cont')

### Example (revisited)

Let  $n$  be an integer. Using the method of proof by contraposition, prove that

If  $n^2$  is an odd number, then  $n$  is an odd number.

# Proof by Contradiction vs Proof by Contraposition

Let's examine the two proof techniques in proving  $P \Rightarrow Q$ .

## Proof by contradiction.

Assume  $P$ .

Assume  $\neg Q$ .

Show  $\neg P$ .

Contradiction,  $P \wedge \neg P$ !

So  $Q$  must be true.

Therefore,  $P \Rightarrow Q$ .

## Proof by contraposition.

Assume  $\neg Q$ .

Show  $\neg P$ . (if this can be done w/o  $P$ .)

So  $\neg Q \Rightarrow \neg P$ .

Therefore,  $P \Rightarrow Q$ , by contraposition.