

Regression Models Project: Motor Trend MPG Analysis

Telvis Calhoun

February 26, 2016

Executive Summary

We explore the **Motor Trend Car Road Tests** (`mtcars`) dataset. We'll analyze this dataset to answer the following questions.

1. "Is an automatic or manual transmission better for MPG"
2. "Quantify the MPG difference between automatic and manual transmissions"

To accomplish this, we will first determine the relationship between the covariates in the `mtcars` data. Next, we build several linear regression models and use model selection techniques to find the "best fit" model. Finally, we perform statistical inference using the "best fit" model to determine the relationship between MPG and the transmission type after adjusting for statistically significant covariates.

We conclude that both "automatic" and "manual" transmissions have roughly equal MPG after we adjust for Number of Cylinders, Gross Horsepower and weight. The analysis shows that MPG for a manual transmission decreases by 1.8 mpg holding other variables constant.

Exploratory Analysis

First, let's load libraries and datasets used in the analysis.

```
library(datasets)
library(ggplot2)
library(dplyr)
data("mtcars")
```

Appendix 1 shows the `mtcars` dataset has 11 variables. Let's change the `am` variable to a factor. This will make the R output show the strings 'automatic' where `am == 1` and 'manual' where `am == 0`. We also make `cyl` a factor since its values are only 4 and 6.

```
mtcars <- mutate(mtcars,
                 am=factor(ifelse(am==1, 'automatic', 'manual')),
                 cyl=as.factor(cyl))
table(mtcars$am)
```

```
##
## automatic    manual
##          13         19
```

Model Selection

Before we can characterize the relationship between `mpg` and the transmission type (`am`), we must first search for other variables that can distort, or confound the relationship between the `mpg` and `am`. The analysis performed in **Appendix 2** shows that `cyl`, `disp`, `hp`, `drat`, `wt` all significantly change the `am` coefficient when

included in a linear model with `am`. In **Appendix 3**, we generate nested models for `am` plus these 5 variables then evaluate them using nested likelihood ratio tests.

The “best fit” model includes: `am`, `cyl`, `hp` and `wt`.

```
best_fit <- lm(mpg ~ am + cyl + hp + wt, data=mtcars)
```

The `r.squared` value for this model indicates that 83% of the total variability is explained by the linear relationship between the outcome `mpg` and the predictors `am`, `cyl`, `hp` and `wt`.

```
summary(best_fit)$adj.r.squared
```

```
## [1] 0.8400875
```

Finally, in **Appendix 4** we plot the residuals to search for a pattern in the versus the fitted (`yhat`) values. The plot shows a slight curve in the values - but nothing too bad.

Automatic Vs. Manual Comparison

Now that we have a model containing the necessary covariates, let’s calculate the change in `mpg` for transmission type after adjusting for Number of Cylinders (`cyl`), Gross Horsepower (`hp`) and weight (`wt`). The results show that the `mpg` for a manual transmission decreases by 1.48 `mpg` holding other variables constant.

```
summary(best_fit)$coef
```

```
##              Estimate Std. Error  t value    Pr(>|t|)
## (Intercept) 35.51753528 2.03171034 17.481594 6.811749e-16
## ammanual    -1.80921138 1.39630450 -1.295714 2.064597e-01
## cyl6        -3.03134449 1.40728351 -2.154040 4.068272e-02
## cyl8        -2.16367532 2.28425172 -0.947214 3.522509e-01
## hp          -0.03210943 0.01369257 -2.345025 2.693461e-02
## wt          -2.49682942 0.88558779 -2.819404 9.081408e-03
```

However, the confidence interval for `am` ranges from -4.6 to 1.06. Because it includes 0, we cannot reject the null hypothesis after adjusting for Number of Cylinders (`cyl`), Gross Horsepower (`hp`) and weight (`wt`). Therefore, we conclude that both “automatic” and “manual” transmissions have roughly equal MPG after we adjust for `cyl`, `hp` and `wt`.

```
confint(best_fit)
```

```
##              2.5 %      97.5 %
## (Intercept) 31.34129487 39.693775694
## ammanual    -4.67935639  1.060933628
## cyl6        -5.92405718 -0.138631806
## cyl8        -6.85902199  2.531671342
## hp          -0.06025492 -0.003963941
## wt          -4.31718120 -0.676477640
```

Conclusion

We conclude that both “automatic” and “manual” transmissions have roughly equal MPG after we adjust for Number of Cylinders (`cyl`), Gross Horsepower (`hp`) and weight (`wt`). The analysis shows that the `mpg` for a manual transmission decreases by 1.8 `mpg` holding other variables constant.

Appendix

Appendix 1: mtcars summary

```
summary(mtcars)
```

```
##      mpg      cyl      disp      hp
##  Min.   :10.40  Min.    :4.000  Min.    : 71.1  Min.    : 52.0
##  1st Qu.:15.43  1st Qu.:4.000  1st Qu.:120.8  1st Qu.: 96.5
##  Median :19.20  Median :6.000  Median :196.3  Median :123.0
##  Mean   :20.09  Mean    :6.188  Mean    :230.7  Mean    :146.7
##  3rd Qu.:22.80  3rd Qu.:8.000  3rd Qu.:326.0  3rd Qu.:180.0
##  Max.   :33.90  Max.    :8.000  Max.    :472.0  Max.    :335.0
##      drat      wt      qsec      vs
##  Min.   :2.760  Min.    :1.513  Min.    :14.50  Min.    :0.0000
##  1st Qu.:3.080  1st Qu.:2.581  1st Qu.:16.89  1st Qu.:0.0000
##  Median :3.695  Median :3.325  Median :17.71  Median :0.0000
##  Mean   :3.597  Mean    :3.217  Mean    :17.85  Mean    :0.4375
##  3rd Qu.:3.920  3rd Qu.:3.610  3rd Qu.:18.90  3rd Qu.:1.0000
##  Max.   :4.930  Max.    :5.424  Max.    :22.90  Max.    :1.0000
##      am      gear      carb
## automatic:13  Min.    :3.000  Min.    :1.000
## manual      :19  1st Qu.:3.000  1st Qu.:2.000
##              Median :4.000  Median :2.000
##              Mean   :3.688  Mean    :2.812
##              3rd Qu.:4.000  3rd Qu.:4.000
##              Max.   :5.000  Max.    :8.000
```

Appendix 2: covariate selection

Let's “get our hands dirty” and quantify the percentage change in the `am` coefficient when we adjust for all other variables. The output shows that `cyl`, `disp`, `hp`, `drat`, `wt` all change the `am` coefficient by greater than +/- 25%

```
# baseline
a <- summary(lm(mpg ~ am, data=mtcars))$coef[2]

# calc percent change in the baseline for each covariate
rbind(
  c('baseline', 'cyl', 'disp', 'hp', 'drat', 'wt', 'qsec', 'vs', 'gear', 'carb'),
  round(c((a-a)/a,
    100 * (a - summary(lm(mpg ~ am + cyl, data=mtcars))$coef[2])/a,
    100 * (a - summary(lm(mpg ~ am + disp, data=mtcars))$coef[2])/a,
    100 * (a - summary(lm(mpg ~ am + hp, data=mtcars))$coef[2])/a,
    100 * (a - summary(lm(mpg ~ am + drat, data=mtcars))$coef[2])/a,
    100 * (a - summary(lm(mpg ~ am + wt, data=mtcars))$coef[2])/a,
    100 * (a - summary(lm(mpg ~ am + qsec, data=mtcars))$coef[2])/a,
    100 * (a - summary(lm(mpg ~ am + vs, data=mtcars))$coef[2])/a,
    100 * (a - summary(lm(mpg ~ am + gear, data=mtcars))$coef[2])/a,
    100 * (a - summary(lm(mpg ~ am + carb, data=mtcars))$coef[2])/a
  ), digits=2)
)
```

```
##      [,1]      [,2]      [,3]      [,4]      [,5]      [,6]      [,7]      [,8]
## [1,] "baseline" "cyl"      "disp"      "hp"      "drat"      "wt"      "qsec"      "vs"
## [2,] "0"        "64.57"    "74.69"    "27.16"   "61.25"    "100.33"   "-22.52"    "16.26"
##      [,9]     [,10]
## [1,] "gear"   "carb"
## [2,] "1.43"   "-5.63"
```

Appendix 3: model selection

We generate nested models for these 5 variables using and evaluate them using a nested likelihood ratio tests. The results show that models 2, 4 and 6 have the greatest significance. This suggests that **disp** and **drat** should be excluded from the model.

```
fit1 <- lm(mpg ~ am, data=mtcars)
fit2 <- lm(mpg ~ am + cyl, data=mtcars)
fit3 <- lm(mpg ~ am + cyl + disp, data=mtcars)
fit4 <- lm(mpg ~ am + cyl + disp + hp, data=mtcars)
fit5 <- lm(mpg ~ am + cyl + disp + hp + drat, data=mtcars)
fit6 <- lm(mpg ~ am + cyl + disp + hp + drat + wt, data=mtcars)
anova(fit1, fit2, fit3, fit4, fit5, fit6)
```

```
## Analysis of Variance Table
##
## Model 1: mpg ~ am
## Model 2: mpg ~ am + cyl
## Model 3: mpg ~ am + cyl + disp
## Model 4: mpg ~ am + cyl + disp + hp
## Model 5: mpg ~ am + cyl + disp + hp + drat
## Model 6: mpg ~ am + cyl + disp + hp + drat + wt
##   Res.Df    RSS Df Sum of Sq    F    Pr(>F)
## 1      30 720.90
## 2      29 271.36  1    449.53 69.1874 1.146e-08 ***
## 3      28 252.08  1     19.28  2.9675 0.097302 .
## 4      27 216.37  1     35.71  5.4967 0.027298 *
## 5      26 214.50  1      1.87  0.2879 0.596326
## 6      25 162.43  1     52.06  8.0130 0.009033 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

The comparison below shows that a model with the variables: **am**, **cyl**, **hp** and **wt** is a better fit than a model containing only **am**. This is our “best fit” model.

```
fit1 <- lm(mpg ~ am, data=mtcars)
fit7 <- lm(mpg ~ am + factor(cyl) + hp + wt, data=mtcars)
anova(fit1, fit7)
```

```
## Analysis of Variance Table
##
## Model 1: mpg ~ am
## Model 2: mpg ~ am + factor(cyl) + hp + wt
##   Res.Df    RSS Df Sum of Sq    F    Pr(>F)
## 1      30 720.90
```

```
## 2      26 151.03  4      569.87 24.527 1.688e-08 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Appendix 4: residual plot for final model

Finally, we plot the residuals (top left) to search for a pattern in the residuals vs the fitted (\hat{y}) values.

