

Table of Contents

Table of Contents.....	0
Skyrates.....	2
Development Environment.....	2
Unity3D	2
Visual Studio.....	2
Git.....	3
File Structure.....	3
Repository Information.....	3
Photoshop.....	6
Redmine/Pineapple	6
Skype	6
Discord	6
Maya and 3DSMax	6
Delivery Platform	6
Game Mechanics and Systems	7
Systems	7
Multiplayer.....	7
Ship Stats.....	7
NPCs	7
Looting	8
Mechanics	8
Multiplayer.....	8
Ship Customization	8
Ships.....	8
Shooting	8
Looting	9
Art Pipeline.....	10
Concept to Digital.....	10
Digital to Repository	10
Repository to Unity	10
Unity to Game	10
Design Pipeline.....	11

Unity Engine	11
Milestone Updates.....	12
Milestone 1A.....	12
Milestone 1B.....	13

Skyrates

Development Environment

Unity3D

Risk: Medium-Low

We are using Unity's 3D game engine to build our game on. In doing so, we are able to jump right into the game's development cycle without having to worry about building the engine itself. Unity does come with some inherent setbacks, such as being unable to modifier the main game loop, but these setbacks are inconsequential for the scale of our project. Unity is a good fit for the team as all have had experience working with Unity prior. It comes with preprogrammed physics, colliders, and an animation machine for a 2-dimensional environment. The programmer(s) are familiar with C#, and has proficient to extensive experience with C++ and other C languages. Unity also comes with in-depth documentation on how to use the engine.

Among Unity's abilities is the ability to make prefabrications (prefabs) which allow the designer(s)/programmer(s) to easily make one instance of an object or unit, and duplicate it while maintaining the same settings between instances. Unity also provides access to public variables in custom scripts so that non-programming team members can test various settings for balancing the game. Unity also comes with a built-in UI system, allowing designer(s)/programmer(s) to dive right into Heads-Up-Display elements or menu screens without needing the programmer(s) to create a structure for it. When looking at publishing options, Unity provides multiple build settings to allow for publishing to multiple platforms, as well as any compatibility that needs to be built into a game to do so. One of the only drawbacks is that the artists have limited experience with Unity, however the programmer(s) are working with them so that the pipeline works with the team's abilities.

Visual Studio

Risk: Low

Visual Studio is being used instead of Unity's built-in MonoDevelop. It is a standard for C-style programming languages and is a very useful debugging platform which Unity has full integration with. The programmer(s) are more familiar and at ease using Visual Studio than MonoDevelop.

Git

Risk: Medium

Git is a version control software which allows the team to host project files on a remote site (the cloud). It will help the team to organize files in a way which all team members can access. While the team is being introduced to Git, at least one programmer has extensive experience in the software and is confident he can support the team as their guide.

All project and document files will be stored long term on Champlain's Pineapple site (built on Redmine). In order to do so, team members will use SourceTree or GitKraken, which are a windows/mas. These clients' purpose is to aid users in the pulling/pushing of content to/from a remote server without use of the command line. In our case, it will be utilized so that team members can pull/push documents and project content between their local machines and Champlain's Pineapple server. This will make using Git easier as it allows team members who are not as familiar with the inner workings of Git to use a graphical interface instead of command line, which can be confusing when first introduced to Git.

File Structure

General Naming Schemes:

- Docs
 - [DOCUMENT] _Milestone[X].[ext]
 - i.e. TechnicalDocument _Milestone1A.pdf

File Structure

- docs – holds any documents for safekeeping in the cloud
 - art - artist docs
 - designing – designer docs
 - production – producer docs
 - programming – programmer docs
- project – holds all project content (this is the Unity directory)

Repository Information

Master (Root/Trunk)

The master branch – under most circumstances – should not be committed to. This is the main source of information for the game. Builds must be built from this branch.

Exceptions: You can commit directly to the master under these exceptions

- Fixing a bug < 1 line of code (see Branches)
- Tweaking 1-2 variables in the unity inspector
- Documents

Branches

Types:

- Features
- Bugs

Naming Scheme: [TYPE]/[FEATURE_NAME]

Examples:

- feature/unit_placement
- hotfix/units_not_killed
- release/v1.0.0

When to use:

All features must start in feature branches. All feature branches should have an associated feature issue in pineapple of the same name.

Large bugs (i.e. >1 line of code) must also be put into feature branches, but do not need an associated feature issue. Rather, these should be individual tasks under one Bug feature issue.

Bugs which do not meet this description can be directly pushed to the master branch.

Exceptions:

When there is only one person active in the repository (i.e. during setup) branches can be ignored. This should only persist for 1 week at maximum.

How to Use:

1. Create feature branch
2. Make changes
3. Commit to branch
4. Test locally
5. Check for merge issues with master branch
 - a. Fix merge issues
6. Merge with master
7. Delete feature branch
8. Tag master (see Tags)

Tags

What are tags: Tags are a way to view changes in the repository without digging through the changelog

When to use: When a feature branch is merged with master, when a bug is fixed, when a release is built.

Naming Scheme:

- *Bugs: X.X._*
 - Find last X.X.X tag, increment 3rd digit
 - Examples:
 - 5.1.8 -> 5.1.9
 - 0.0.9 -> 0.0.10
 - 41.542.2152 -> 41.542.2153
- *Features: X._.X*
 - Find last X.X.X tag, increment the 2nd digit by 1, set 3rd digit to 0
 - Examples:
 - 2.4.1 -> 2.5.0,
 - 1.9.0 -> 1.10.0
 - 8.25.8432 -> 8.26.0
- *Builds: _.X.X*
 - Find last X.X.X tag, increment 1st digit, set 2nd and 3rd digit to 0
 - Only done by programmers or designers
 - Examples:
 - 7.1.0 -> 8.0.0
 - 0.63.52 -> 1.0.0
 - 12.5432.534263 -> 13.0.0
- *Milestones: Milestone_*
 - Find last MilestoneX tag, and increment the digit X
 - Should ONLY be done by the producer
 - Examples:
 - Milestone1 -> Milestone2
- *QA: Milestone_-QA_*
 - Find last QAX tag, and increment the digit X
 - Keep the milestone digit from the last milestone tag
 - Examples:
 - QA1 -> QA2

Photoshop

Risk: Low

Both the artist and designer have experience with Photoshop. Photoshop is one of the artist's preferred methods of 2D asset creation.

Redmine/Pineapple

Risk: Low

Champlain's Pineapple site is run on Redmine, and hosts all Milestone documents, the Git repository, and various information about the project in the wiki.

Skype

Risk: Low

Skype is a text, voice, and video chat software which all team members are familiar with. This will be used to include members of the team who cannot be physically present at a team meeting.

Discord

Risk: Low

Discord is a simplistic and easy to access text chat client which all team members will be using to communicate in an efficient manner. It is hosted by the company, and therefore does not need to be self-hosted.

Maya and 3DSMax

Risk: Low

Artists know one or both platforms very well. These tools are used to create 3D models and art, and are self-sufficient programs. Artists can easily use these tools to export 3D models for usage in Unity.

Delivery Platform

Risk: Low

We are building the game for the Windows PC platform. Unity natively exports to the Windows platform, and it is the easy to manage and maintain. We will be natively including support for Xbox controllers and keyboard/mouse controls. Since the game is multiplayer, we will be adding support for both dedicated servers as well as peer-to-peer play. Dedicated servers will allow for a separate computer to handle communication between players, whereas peer-to-peer structures will allow for players to easily spin up new games in which they can play together.

Game Mechanics and Systems

Systems

Multiplayer

Risk: Medium-Low

Players will be able to team up in a multiplayer environment to take down enemies. This enables the users to enjoy the game socially as well as have a change to pursue the environment on their own.

Ship Stats

Risk: Medium

Health

Risk: Low

All ships have a health. This allows for players to continuously attack other ships and weary them down, until they decide to either board or finish off the opponent. Player ships also have health and can be shot down (thereby forcing the player to escape on a float-boat back to their lair).

Damage

Risk: Low

Ships can impose damage by shooting at or ramming other ships. This would bring down the opposing ships health and possibly fell the ship (sink it).

Inventory

Risk: Low

As a ship component, you can add or expand your hull capacity, how much stuff you can fit in storage. This allows players to go out looting and taking materials back to their lair.

Movement

Risk: Low

The player can control their own ship with 3D movement (can move up/down, as well as forwards/backwards and turning). Other ships are also able to move as such. This allows for ships to go over or under other ships, depending on the motivation to do so. A ship could drop ammo onto ships below them or catch falling loot from below.

NPCs

Risk: Medium-High

There exist multiple flavors/factions of NPCs in the environment. This includes artificial intelligence for different behaviors. Passive behaviors are lower risk, but

less interesting to players, whereas behaviors which engage the players (like engaging in battle) are higher risk and harder to fine tune.

Looting

Risk: Medium-Low

Players will be able to shoot down other ships to make loot drop from the ships. This will provide incentive to players to engage in combat. Making generated loot drop from ships is relatively easy to do with objects in Unity, but making diverse loot will take more time and thus makes this item slightly more at risk than it otherwise could be.

Mechanics

Multiplayer

Risk: Medium-High

It is relatively easy to implement passive encounters (players exist in the same world) but adding coop battles and visiting each other's lairs / raiding each other increases risk significantly.

Ship Customization

Risk: Medium

Players can swap out ship components on their ship to improve its stats and directly affect their play style. For example, components may affect speed, rate of fire, damage of cannons, ship health, hull/inventory space, crew capacity, etc. This also allows the team to creatively expand and add hull upgrades (making the ship itself larger for differently shaped), so that players can customize their ships further. This will require modular 3D art and multiple iterations on models.

Ships

Risk: Medium-High

Ships have various stats, are highly customizable, and must be able to be controlled by the player. This will take a decent amount of fine tuning and testing, as well as thorough development for expansion later. As this is one of the biggest game mechanics, it is a moderately high risk, mostly due to it being time-consuming.

Shooting

Risk: High

Players will be able to shoot at other ships from their ship. This mechanic is high risk because it will need thorough testing to make sure it is easy for players to shoot at other ships, projectiles will need to work properly with physics, and adding animations to when ships are destroyed.

Looting

Risk: Low

Players being able to loot other ships is low risk for the vertical slice. This is because the generation of loot is a moderately low risk item, and the gathering of loot is an extension of the navigation mechanic. Being able to hold loot is the reason for inventory space in ships. So this item is low because it has no work of its own that will need to be done, aside from testing.

Art Pipeline

Concept to Digital

1. Discuss / Brainstorm with group
2. Artist and Programmer discuss implementation
3. Artist sketches either a physical or digital illustration
4. Artist gets the go ahead from Designer (if not, go back a step)
5. Asset made in either Photoshop or Illustrator

Digital to Repository

1. Asset is saved
 - a. PNG Format
 - b. Resolution of 72 pixels per inch and flexible pixels per unit
 - c. Files will be organized by a folder structure and named appropriately
 - i. Formatting: "Assets/Resources/Textures/type/asset.png"
 - ii. i.e. "Assets/Resources/ Textures /Background/ground.png"
2. Asset is copied to Repository folder under ".project/Assets/Resources/", and to the appropriate subfolder
3. Asset is stashed, committed, and pushed to remote repository to any appropriate branch that is not the master

Repository to Unity

1. Unity will auto import any assets at the specified path when opened
2. Artist or Designer opens sprite/asset in Unity inspector
 - a. Modifications made to pixels per unit or slicing made as needed

Unity to Game

(Mostly handled in the Design pipeline)

1. Drag into world space OR make prefab
2. Pixels per unit, various materials, and sprite slicing are all handled via the unity inspector

Design Pipeline

Unity Engine

- **Assets.** All assets can be found under Unity's asset inspector
 - **Materials:** materials
 - **Prefabs:** all Unity prefab objects
 - **Resources:** all art assets
 - **Scenes:** Unity scenes
 - **Scripts:** custom scripts
- **Prefabs.** Prefabs should be made when GameObjects will be reused - specifically for units and spaces. These can be made by dragging an object into the prefabs folder in the asset inspector
- **Sprites.** Sprites can be dragged in from the asset inspector to the world window to be created as a GameObject
- **Colliders.** All interactable/collidable prefabs need a collider to interact with one another (and interact with player selection). Either consult the Unity manuals or a programmer.
- **Scripts.** Programmers will write custom scripts as necessary. These can be attached to their GameObjects by a) dragging the script on top of the GameObject or prefab or b) Adding a script component inside the GameObject Unity inspector (see Unity manuals).
 - **Public Variables.** Public variables will be utilized as much as possible to give other team members the ability to tweak values for gameplay and balancing. Examples of this include movement distance, attack range, team color, and if a unit will overtake other units on attack. Values can be changed in the Unity inspector when a GameObject with the script is selected. To add more variables, contact a programmer to discuss how it can be done.

Milestone Updates

Milestone 1A

- 01/23/2018
 - Jennifer Carlin:
 - I did concept art.
 - I made logos!
 - Ellie Peak: I also did concept art
 - Dustin Yost:
 - I did some preprototyping, made the agenda for our sprint planning, and ran our scrum meeting
 - I updated the presentation (revamped it, added notes for stuff to be filled in) and went on a creative rampage cause it was fun and added possible features to the Skyrates concept.
 - Mish Shea: I wrote down some base mechanics and started sketching up some visuals.
 - Cody Douglas: I asked the team to remember to find time to sleep.
- 01/24/2018
 - Jennifer Carlin:
 - I sketched a basic character concept for Skyrates
 - I organized issues in pineapple and made sure all of mine had due dates and estimated hours
 - Ellie Peak: I sketched a ship concept for skyrates and general concept art for skyrates
 - Mish Shea: I sketched up some mechanics visuals for Skyrates.
 - Dustin Yost:
 - Skyrates: Added vertical movement to player ship, added rotating player (separate of camera), add other ships
 - Attended meeting, Managed tasks for the team, Categorized and fleshed out mechanics according to goals/risks, Edited slides
- 01/25/2018
 - Ellie Peak: Finished the poster art, drew context doodles, and added pictures to the slideshow of skyrates
 - Mish Shea: Finished up the tiles for WW physical prototype. Organized the Skyrates Systems and Mechanics. Diagrammed more mechanics.
 - Dustin Yost: Made a lot of work on the Skyrates prototype, Added mechanics to TechDoc(s), Added content to presentation, tweaked tasks in pineapple, Added tech doc content to slides, Added loots to Skyrates
 - Jennifer Carlin: worked on god concepts for weather wars
- 01/26/2018
 - Jennifer Carlin: I finished the god concepts
- 01/28/2018:
 - Jennifer Carlin: made an island blockout, cleaned up pineapple tasks, and rehearsed pitch
 - Mish Shea: I attended the meeting, I finished the Weather Wars Prototype, and I did the game sketches.

- Dustin Yost: Attended sprint wrap up meeting, I added Weather Wars prototype to slides
- Ellie Peak: Attended meeting today, made modular ship demo and added it to the slides

Milestone 1B

- 1/29/2018
 - Dustin: Attended meeting
 - Jensie: attended meeting, worked on skybox and background cloud planes
- 1/30/2018
 - Dustin: brainstormed architecture and tools for programming tasks
 - Ellie: Watched some unity tutorials, worked on the logo, had a meeting with jen about art
 - Jensie: attended art concept meeting and worked on model for Merchant ship
- 1/31/2018
 - Dustin: planned architecture a bit more, attended meeting
 - Jensie: Finished modeling and UVing merchant ship, attended meeting
- 2/1/2018
 - Jensie: made enemy navy ship
 - Ellie: worked with dustin on unity things and began the modular ship
- 2/2/2018
 - Dustin: started networking framework and handshake + Started ship component asset storage
 - Update movement via controller
 - Setup network architecture and components
 - Pull utilities from Networking final and remove excess code
 - Setup packet/event handling
 - Attempt to setup handshake
 - Setup architecture for component tracking and add tools for design
 - Setup Client/Server handshake, Started gamestate updates
 - FINALLY got networking to transfer gamestate
 - Ellie: continued working on the modular ship and parts
 - Jensie: got a scene set up in unity for art and made a material for changing the color of the sails
- 2/3/2018
 - Dustin: Finished adding basic multiplayer support
 - Jensie: learned unity stuff, got skysphere working in art scene. modeled, uvmapped, and exported merchant schooner
- 2/4/2018
 - Dustin: Finished final touches on networking, met with Mish for design stuff, and Ellie for tweaking model pivots. Attended last meeting.