

DISCRETE-TIME SYSTEMS

Classification of Systems

- with memory - memoryless
- linear - nonlinear
- time-invariant – time-varying
- causal-noncausal
- stable-unstable

DISCRETE-TIME SYSTEMS

A system is a transformation of signals

A system is an input-output relationship

$$x[n] \longrightarrow T\{\cdot\} \longrightarrow y[n]$$


A SISO system

Ex: A delay system

$$y[n] = x[n - \Delta]$$

Ex: A FIR (Finite Impulse Response) system

$$y[n] = ax[n] + bx[n - 1]$$



In general,

$$y[n] = \sum_{N_1}^{N_2} a_k x[n - k]$$

Ex: An IIR (Infinite Impulse Response) system

$$y[n] = y[n - 1] + x[n]$$

Equivalently,

$$y[n] = \sum_{k=-\infty}^n x[k]$$

CLASSIFICATION OF SYSTEMS

- With memory - memoryless
- Linear - nonlinear
- Time-invariant – time-varying
- Causal-noncausal
- Stable-unstable

WITH MEMORY - MEMORYLESS

$$y[n] = x[n], \quad y[n] = 3x[n], \quad y[n] = 4^{x[n]}$$

are memoryless

whereas

$$y[n] = x[n-1],$$

$$y[n] = x[n+1],$$

$$y[n] = x[n-1] + x[n],$$

$$y[n] = y[n-1] + x[n]$$

have memory

You have heard or you will hear about “dynamic systems”; they have memory.

LINEARITY

A system, $T\{\bullet\}$, is said to be linear if it satisfies

a) additivity: $T\{x_1[n] + x_2[n]\} = T\{x_1[n]\} + T\{x_2[n]\}$

b) homogeneity: $T\{ax[n]\} = aT\{x[n]\}$

Ex: $y[n] = \sum_{k=-\infty}^n x[k]$ linear.

$y[n] = \log|x[n]|$ nonlinear


$y[n] = x[n] + 3$ nonlinear

TIME-INVARIANCE

Let $y_1[n] = T\{x[n]\}$ and $y_2[n] = T\{x[n - \Delta]\}$ be the outputs of the system to $x[n]$ and $x[n - \Delta]$, respectively.

Then, if $y_2[n] = y_1[n - \Delta]$ the system is said to be time-invariant.

Ex: (compressor/downsampler) $y[n] = x[Mn]$ M : integer



Is it time-invariant?


Following the above definition $y_1[n] = x[Mn]$, $y_2[n] = x[Mn - \Delta]$

$$\Rightarrow y_2[n] \neq y_1[n - \Delta] = x[Mn - M\Delta]$$

So, the system is time-varying.

Show that it is linear! (exercise)

Example: Downsampler is time-varying



$M = 2$

$M = 3$

The response to $x[n-1]$
when $M = 3$

$x[3n]$ delayed by 1 sample

Ex: (expander/upsampler) $y[n] = \begin{cases} x\left[\frac{n}{L}\right] & n = kL \\ 0 & n \neq kL \end{cases} ; \quad k, L: \text{integer} \quad \rightarrow \boxed{\uparrow L} \rightarrow$

Is it time-invariant?

$$y_1[n] = \begin{cases} x\left[\frac{n}{L}\right] & n = kL \\ 0 & n \neq kL \end{cases}$$

$$y_2[n] = \begin{cases} x\left[\frac{n}{L} - \Delta\right] & n = kL \\ 0 & n \neq kL \end{cases}$$

$$\Rightarrow y_2[n] \neq y_1[n - \Delta] = \begin{cases} x\left[\frac{n - \Delta}{L}\right] & n - \Delta = kL \\ 0 & n - \Delta \neq kL \end{cases}$$

So, the system is time-varying

Show that it is linear! (exercise)

CAUSALITY

A system is said to be causal if the two output signals $y_1[n]$ and $y_2[n]$ (due to two input signals $x_1[n]$ and $x_2[n]$) satisfy

$$y_1[n] = y_2[n] \quad n \leq n_0$$

whenever

$$x_1[n] = x_2[n] \quad n \leq n_0$$

Ex: $y[n] = x[n+1] - x[n]$ noncausal

$y[n] = x[n-1] - x[n]$ causal

$y[n] = x[n] + 5$ causal

STABILITY (BIBO)

A system is said to be BIBO stable if “bounded inputs yield bounded outputs.”, i.e.,

$$|x[n]| \leq B_x < \infty \quad \Rightarrow \quad |y[n]| \leq B_y < \infty$$

for arbitrary finite B_x and B_y .

Ex:

$$y[n] = \sum_{k=-\infty}^n x[k] = y[n-1] + x[n]$$

UNSTABLE

For example, for $x[n] = u[n]$ the output is $y[n] = \begin{cases} n+1 & n \geq 0 \\ 0 & n < 0 \end{cases}$

Bounded input does not yield bounded output.