

Poisson random variable

- A r.v. that expresses the probability of how many times an event occurs in a fixed period of time if these events
 - occur with known average rate of λ
 - and independently of each other
- Discrete outcomes $\{0,1,2,3,\dots\}$
- Shorthand notation: $X \sim \text{Poisson}(\lambda)$
- $E(X) = V(X) = \lambda$
- If the data shows overdispersion (variance $>$ mean) or underdispersion (variance $<$ mean), other models like the Negative Binomial

$$P(X = x | \lambda) = e^{-\lambda} \frac{\lambda^x}{x!}$$

X	$P(X = x)$
0	$e^{-\lambda}$
1	$e^{-\lambda} \lambda$
2	$e^{-\lambda} \frac{\lambda^2}{2}$

negative binomial random variable

- A generalization of the geometric distribution $\text{Pascal}(1,p)=\text{Geometric}(p)$
- It relates to the random experiment of repeated independent trials until observing r successes

- Discrete outcomes $\{1,2,3,\dots\}$

$$P(X = x | r, p) = \binom{x-1}{r-1} p^r (1-p)^{x-r}$$

- Two parameter
 - the number of success we are waiting for
 - the probability that a single experiment gives a "success"

- Shorthand notation: $X \sim \text{NegBin}(r, p)$

- $E(X) = \frac{r}{p}, \quad V(X) = \frac{r(1-p)}{p^2}$