

## Practice Final Exam

1. (a) Find the unique value of  $c$  such that the system of equations has at least one solution:

$$x_1 + x_2 + x_3 + x_4 = 3$$

$$x_1 + 2x_2 + 3x_3 + 4x_4 = c$$

$$x_1 - x_2 - 3x_3 - 5x_4 = 1$$

- (b) For the value of  $c$  you found, find *all* solutions to the system of equations.

2. Consider the matrix

$$A = \begin{bmatrix} 2 & 1 & 1 \\ 1 & 3 & -2 \\ 1 & -2 & 3 \end{bmatrix}.$$

- (a) Find all eigenvalues of  $A$ .
- (b) Find a basis of  $\mathbf{R}^3$  consisting of eigenvectors for  $A$ .
- (c) Find the angles between the eigenvectors in the basis.

3. Determine whether the following sets of vectors are bases for  $\mathbb{R}^3$ . In case a set of vectors is *not* linearly independent, show how to write one of the vectors as a linear combination of the others:

$$(a) \quad \left\{ \begin{bmatrix} 1 \\ 4 \\ 7 \end{bmatrix}, \begin{bmatrix} 2 \\ 5 \\ 8 \end{bmatrix}, \begin{bmatrix} 3 \\ 6 \\ 9 \end{bmatrix} \right\} \qquad (b) \quad \left\{ \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}, \begin{bmatrix} 1 \\ 3 \\ 9 \end{bmatrix}, \begin{bmatrix} 1 \\ 5 \\ 25 \end{bmatrix} \right\}$$

4. Find bases for the null space, column space, row space, and left null space of the matrix:

$$A = \begin{bmatrix} -3 & 1 & 4 & 4 \\ 1 & 2 & -1 & -2 \\ -3 & 8 & 5 & 2 \end{bmatrix}$$

5. (a) Diagonalize the matrix  $A$ : write  $A = X\Lambda X^{-1}$  where  $X$  is invertible and  $\Lambda$  is diagonal.

$$A = \begin{bmatrix} 10 & 12 \\ -6 & -7 \end{bmatrix}$$

- (b) Show that the matrix  $B$  is *not* diagonalizable:

$$B = \begin{bmatrix} 8 & 9 \\ -4 & -4 \end{bmatrix}$$

6. Consider the  $(x, y)$  data points  $(-1, 0)$ ,  $(0, 1)$ ,  $(1, 3)$ , and  $(2, 9)$ .
- (a) Find the best least squares fit by a linear function  $y = mx + b$  to the data.
  - (b) Plot your linear function from part (a) along the data on a coordinate system.
  - (c) Find the error of the least squares approximation.

7. (a) Find the inverse of

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 2 & 4 & 7 \\ 3 & 7 & 14 \end{bmatrix}$$

- (b) Use  $A^{-1}$  to solve the linear system of equations  $A\mathbf{x} = (1, 2, 1)$ .

8. Consider the matrix

$$A = \begin{bmatrix} 1 & -1 & 1 \\ 1 & 1 & 1 \\ 1 & -2 & 2 \end{bmatrix}.$$

- (a) Find the  $LU$  decomposition of  $A$ .
- (b) Find the volume of the box in  $\mathbf{R}^3$  that is spanned by the columns of  $A$ .



9. (a) Find the determinants of the matrices

$$A = \begin{bmatrix} 1 & 1 & 1 & 1 \\ 1 & 1 & 4 & 4 \\ 1 & -1 & 2 & -2 \\ 1 & -1 & 8 & -8 \end{bmatrix}, \quad B = \begin{bmatrix} 1 & 0 & -1 \\ 0 & 2 & 0 \\ -3 & 0 & 3 \end{bmatrix}$$

- (b) Are the matrices  $A$  and  $B$  invertible?

10. (a) Find an orthonormal basis for the subspace  $V$  of  $\mathbf{R}^4$  spanned by  $(1, 1, 1, 1)$  and  $(3, 2, 2, 1)$ .
- (b) Find the projection matrix  $P$  for the orthogonal projection onto  $V$ , and compute the projection of  $(0, 0, 1, 1)$  onto  $V$ .