## The University Interscholastic League Number Sense Test • HS State • 2017

Final

	Contestant's Number		2nd		
		T UNFOLD THIS SHEET TL TOLD TO BEGIN	1st	Score	Initials
	Directions: Do not turn this page until the person conducting this test gives the signal to begin. This is a ten-minute test. There are 80 problems. Solve accurately and quickly as many as you can in the order in which they appear. ALL PROBLEMS ARE TO BE SOLVED MENTALLY. Make no calculations with paper and pencil. Write only the answer in the space provided at the end of each problem. Problems marked with a (*) require approximate integral answers; any answer to a started problem that is within five percent of the exact answer will be scored correct; all other problems require exact answers.  The person conducting this contest should explain these directions to the contestants.  STOP WAIT FOR SIGNAL!				
	3101	ASVELLOW SIGNATE			
	2017 421 =	(19) The sum of what num result as the positive	difference bet	tween tha	ıt
	2017 — 421 =	number and 33?			
(3)	7112 ÷ 4 =	*(20) 421 × 17 + 2017 = _			
(4)	$21.17 \times 0.4 = \underline{\hspace{1cm}} (decimal)$	$(21) \ 5^2 - 4^3 + 3^4 = \underline{\hspace{1cm}}$			
(5)	18.75% = (proper fraction)	(22) $\sqrt{3969} = $			
(6)	$1\frac{2}{3} - \frac{8}{9} =$	(23) Let $F = \{f,o,r,m,u,l,a\}$ and $S = \{s,o,l,v,e,r\}$ . The number of distinct elements of $(F \cap S)$ is			
(7)	$(32-16) \div 8 + 4 \times 2 - 1 =$	$(24) (421 \times 20 - 17) \div 8$	has a remaind	ler of	
	28 is	$(25) \ 6\frac{7}{8} - 4\frac{5}{6} = \underline{\hspace{1cm}}$			
		(26) 0.6888 =	(	proper fi	action)
` . ′	$7 + 71 + 711 + 7112 + 71124 =$ $1992 \times 12 + 96 =$	(27) A right triangle with of 150 cm <sup>2</sup> has a heigh			
(12)	75 ÷ 17 — 41 ÷ 17 =	(28) How many positive in	itegers less tha	an or equ	al to 27
(13)	If 6 goobs cost \$28.50 then 9 goobs cost \$	are relatively prime t	-		
	7.5 × 5.2 =	(29) Given the set {8,3,11,	14,p,39,q,}. )	p + q = _	
	$\frac{11}{15} + \frac{15}{11} =$ (mixed number)	*(30) 56 × 28 × 14 =	*(30) 56 × 28 × 14 =		
	The LCM of 34 and 85 is	(31) A truck gets 14 miles per gallon. How many gallons will it take to travel 77 miles? gal			
(17)	4 yards - 2 feet - 1 inch = inches	(32) 79 base 10 is		io	base 8
(18)	34 <sup>2</sup> =	(33) 0.24666=	(	proper fr	action)

- (34) 3x 2y = 4 and 2x + y = 5. x =
- (35) 6 is to 15 as 9 is to \_\_\_\_\_
- (36) b = 4,  $16a^2 8ab + b^2 = 64$ , and a > 0.  $a = ____$
- (37)  $666\frac{2}{3}\%$  of  $333\frac{1}{3} =$
- $(38) \ \frac{2}{5} + \frac{3}{10} \frac{4}{15} = \underline{\hspace{2cm}}$
- (39) Let P = -2, Q = 3 and R = 45. Find  $(Q^P)R$ .
- \*(40) 42123 ÷ 532 =
- (41) Round ( $\sqrt{8} \times \sqrt{6}$ ) to a whole number.
- (42) The circle  $x^2 + y^2 4x 14y + 4 = 0$  has (h, k) as its center and r as its radius. h + k + r =\_\_\_\_\_
- $(43) \ 34^2 46^2 = \underline{\hspace{1cm}}$
- (44) Let P, Q, and R be the roots of  $x^3 7x = 6$ . Find (P + Q + R) + (PQR).
- (45) The 12<sup>th</sup> triangular number is
- (46) 65% of 60 55% of 50 is \_\_\_\_\_
- $(47) 7! \div 5! 4! \div 2! =$
- (48) The sum of the integral values of x such that |x-1|+3 < 5 is \_\_\_\_\_
- $(49) \ 444_5 \times 11_5 = \underline{\hspace{1cm}} 5$
- \*(50) 12 × 24 × 36 × 48 =
- (51)  $777 \times \frac{7}{37} =$
- $(52) \ 2\log_4(8) \div 2\log_3(3) =$
- (53) 314 × 262 =
- (54) The length of the major axis of  $5x^2 + 9y^2 = 45$  is
- (55) Four pennies are flipped. The odds of getting all heads or all tails is \_\_\_\_\_ (proper fraction)
- (56) The first four digits of the decimal for  $\frac{5}{18}$  is 0.
- (57) Let  $(a^4b^{-2}) \div (a^{-1}b^3) \div (a^5b^5) = a^mb^n$ . Find m + n.

- (58)  $9\frac{2}{3} \times 6\frac{1}{3} =$  (mixed number)
- $(59) _{6}P_{3} \div _{6}C_{3} = \underline{\hspace{1cm}}$
- \*(60)  $7\frac{1}{9} \times 71916 \div 16 =$
- (61) If  $3^{(2x-1)} = 243$  then  $3^x =$
- (62) The Greatest Integer Function is written as f(x) = [x]. Find  $\left[\sqrt{8} \times \sqrt{6}\right]$ .
- (63) The remainder of  $(4x^2 + 2x 1) \div (x 3)$  is \_\_\_\_\_
- (64) Change 0.3454545... 6 to a base 10 fraction.
- (65) f(x) = 5 2x and g(x) = 2 + 5x.  $f(g(-1)) = _____$
- (66)  $11235_8 \div 7_8$  has a remainder of \_\_\_\_\_\_8
- (67) Find k if  $\begin{vmatrix} -4 & 2 \\ k & 1 \end{vmatrix} = 8 + 2k$ .
- (68) The total surface area of a cube with a lateral surface area of 64 sq. inches is \_\_\_\_\_ sq. inches
- (69)  $2\cos(\frac{2\pi}{3})\sin(\frac{3\pi}{2}) =$
- \*(70)  $24^4 \times 12^2 \div 12^4 =$
- (71) If  $f(x) = \frac{7}{5x-3} + 2$ , then  $f^{-1}(-1) =$
- $(72) 53 \times 57 + 9 =$ \_\_\_\_\_
- (73) Let  $y = \frac{x+3}{x-5}$ . The two asymptotes intersect at (x, y). Find x + y.
- (74)  $f(x) = x^4 x^3 7x^2 + x + 6$ . Find  $f''(2) = _____$
- $(75) \int_{-1}^{2} (6x 5) dx = \underline{\hspace{1cm}}$
- (76)  $10^{12} \div 14$  has a remainder of \_\_\_\_\_
- (77) Find the slope of the line tangent to the graph of  $f(x) = 3x^2 5x + 1$  at x = 2.
- (78) If  $68 \pmod{14} \equiv x$ , where  $0 \le x \le 9$ , then  $x = ____$
- (79)  $\lim_{x \to +\infty} \frac{x^2}{1-x^2} =$
- \*(80) <sup>3</sup>√1234567 =

University Interscholastic League - Number Sense Answer Key HS  $\, \circ \,$  State  $\, \circ \,$  2017 \*number) x  $\, - \,$ y means an integer between x and y inclusive

NOTE: If an answer is of the type like  $\frac{2}{3}$  it cannot be written as a repeating decimal

(1)	5 /39
(1)	2,438

$$(58) 61\frac{2}{9}$$

$$(35)$$
 22.5,  $\frac{45}{2}$ , 22 $\frac{1}{2}$ 

$$(21)$$
 42

$$(37)$$
 2,222 $\frac{2}{9}$ ,  $\frac{20000}{9}$ 

(5) 
$$\frac{3}{16}$$

$$(38) \frac{13}{30}$$

(6) 
$$\frac{7}{9}$$

$$(25) \ 2\frac{1}{24}$$

(64) 
$$\frac{67}{105}$$

$$(26) \frac{31}{45}$$

$$(43) - 960$$

$$(67) - 3$$

(31) 5.5, 
$$\frac{11}{2}$$
,  $5\frac{1}{2}$ 

(46) 11.5, 
$$\frac{23}{2}$$
,  $11\frac{1}{2}$ 

$$(71) \frac{2}{15}$$

$$(15) \ \ 2\frac{16}{165}$$

$$(33) \frac{37}{150}$$

$$(75) - 6$$

(52) 1.5, 
$$\frac{3}{2}$$
,  $1\frac{1}{2}$ 

\*(80) 102 - 112

$$(79) - 1$$

$$(55) \frac{1}{7}$$

$$(57) - 10$$