

End User Guide

TGIR QuantLib Tools

TG Investments and Research

2026-04-06

Contents

1	Purpose	2
2	What The Application Does	2
3	Getting Started	2
3.1	Login	2
3.2	Session Model	2
4	Dashboard Tour	2
4.1	Blotter	2
4.2	Rates Panels	3
4.3	SPX Cliquet Panel	3
5	Trade Editors	3
5.1	Swap	3
5.2	European Swaption	3
5.3	Bermudan Swaption	4
5.4	Equity Cliquet	4
6	Typical User Workflow	4
7	Outputs And Exports	5
7.1	Curve Debug CSV	5
7.2	Research And Model View	5
8	Troubleshooting	5
9	Support Boundaries	5

1 Purpose

This guide is for day-to-day users of the workstation. It explains how to log in, navigate the dashboard, edit trades, read the analytics, and export useful outputs without needing to read the Python code.

2 What The Application Does

The application is a protected Flask workbench for a compact five-trade QuantLib portfolio:

- a spot-starting SOFR swap,
- a European swaption priced from an editable ATM normal-volatility matrix with Hull-White 1F plus Jamshidian's decomposition,
- two Bermudan swaptions priced from calibrated short-rate models, and
- an S&P 500 equity cliquet with reset-strip analytics.

The main screen is `/dashboard`. The technical model and research page is `/quantlib-data-model`. Each trade has a dedicated editor at `/trade/<trade_type>`.

3 Getting Started

3.1 Login

1. Start the application with `./venv/bin/python app.py`.
2. Open `http://127.0.0.1:5050`.
3. Enter the username and password from the local `.env` file.
4. After successful login, the app redirects to `/dashboard`.

3.2 Session Model

The workstation stores market inputs, the valuation date, and trade terms in the Flask session. Changes are immediate after pressing *Apply* or *Save trade*. A reset button restores the demo defaults loaded from the JSON files in `data/`.

4 Dashboard Tour

4.1 Blotter

The top blotter shows the mark-to-market and NPV of all five trades. It is the fastest way to confirm whether a market move or trade edit changed the portfolio in the expected direction. The second Bermudan is the workbook benchmark deal used for QL spreadsheet comparison.

4.2 Rates Panels

The dashboard contains:

- SOFR input quote fields for the workbook strip from 1D through 30Y,
- a valuation-date field that anchors all pricing and schedule generation,
- a compact SOFR market-rate / zero-rate table built from QuantLib curve node dates using continuous-compounded spot rates on an Actual/365 basis,
- a market-versus-zero-rate chart with market rates in blue and zero rates in green,
- a mean-reversion field shown as a percentage on screen,
- a full workbook-based ATM swaption normal-volatility matrix on the exact workbook axes, and
- a Bermudan pricing grid by non-call period and final maturity.

The forward strip and OIS repricing checks are still available from expandable diagnostics buttons on the main screen.

4.3 SPX Cliquet Panel

The equity panel controls the SPX trade with three market inputs:

- spot index level,
- flat dividend yield, and
- flat Black volatility.

These inputs only affect the cliquet trade. The real-time button does not perturb them.

5 Trade Editors

5.1 Swap

Use the swap editor to set fixed-side direction, notional, fixed coupon, maturity, payment frequency, and reset frequency. The floating leg always references daily compounded SOFR over the selected reset periods.

5.2 European Swaption

The European swaption editor controls direction, notional, strike, expiry, underlying swap tenor, payment frequency, and reset frequency. The trade reads exactly one volatility cell from the dashboard matrix, calibrates Hull-White 1F to that pillar, and prices with Jamshidian's decomposition.

5.3 Bermudan Swaption

The Bermudan editor controls direction, notional, strike, first exercise date, fixed final maturity, payment frequency, reset frequency, and pricing model. Exercise opportunities are generated on the payment schedule from first exercise up to the period before final maturity. The default setup calibrates Hull-White 1F to the trade's own fixed-maturity call schedule and prices with a tree engine, while the detail page lets you switch the same trade to G2++ and compare value and risk differences. A 5Y NC 2Y trade therefore keeps the same final maturity date and steps through the remaining 3Y, 2Y, and 1Y swaps as the annual exercise dates arrive. The detailed Bermudan page also shows the exercise mapping for each option date: option expiry, the remaining swap it would exercise into, the calibration pillar label, and the matrix source points used by the calibration helper. QuantLib's Python bindings do not expose exact exercise probabilities for the tree engines, so the screen states that explicitly instead of showing guessed numbers.

5.4 Equity Cliquet

The cliquet editor controls:

- option type,
- quantity in SPX units,
- moneyness in percent,
- maturity in months, and
- reset frequency in months.

The page also shows:

- analytic Greeks,
- a reset-by-reset forward-start decomposition,
- a deterministic spot-volatility scenario matrix, and
- a Monte Carlo payoff distribution summary.

6 Typical User Workflow

1. Adjust SOFR curve quotes if the rates market changed.
2. Update the ATM normal-volatility matrix if swaption market assumptions changed.
3. Update the SPX spot, dividend yield, or volatility if the equity trade needs refresh.
4. Open a trade editor and change contractual terms if you want to reshape an instrument.
5. Review the blotter, the SOFR market-and-zero-rate table, the vol matrix, the Bermudan grid, and the cliquet analytics.
6. Expand the forward-strip or OIS-repricing diagnostics only when you need them.
7. Download `/curve-debug.csv` if you need the curve exported for spreadsheet or audit use.

7 Outputs And Exports

7.1 Curve Debug CSV

The route `/curve-debug.csv` downloads a daily curve file containing:

- date,
- SOFR quote points where available,
- zero-rate points where available, and
- one-day forward rates where available.

7.2 Research And Model View

The page `/quantlib-data-model` is the authoritative in-app reference for:

- constructor signatures,
- enum values,
- current normalized state,
- object-creation order, and
- swaption and cliquet research-paper lists.

8 Troubleshooting

Symptom	What to check
Login fails	Confirm <code>APP_LOGIN_USERNAME</code> and <code>APP_LOGIN_PASSWORD</code> in <code>.env</code> .
Dashboard shows an error banner	Revert the last manual input change and confirm rates, volatilities, and tenors are numeric.
Swaption risk is slow	Bermudan bump-and-reprice analytics rebuild and recalibrate the short-rate model many times. This is expected.
Cliquet page is slow	The page calculates Greeks, reset rows, scenarios, and a Monte Carlo distribution every time it renders.
Curve file missing	Confirm the repo <code>debug/</code> directory is writable.

9 Support Boundaries

This application is a controlled sandbox, not a production booking system. It does not pull live market data, persist trades to a database, or manage users beyond the single login defined in the environment. For model or deployment questions, use the quant, developer, and IT guides in `docs/latex/`.