

Refreshing a four-node MetroCluster FC configuration

ONTAP MetroCluster

netapp-ivanad, ntap-bmegan April 12, 2021

Table of Contents

Refreshing a four-node MetroClust	C configuration
-----------------------------------	-----------------

Refreshing a four-node MetroCluster FC configuration


You can upgrade the controllers and storage in a four-node MetroCluster configuration by expanding the configuration to become an eight-node configuration and then removing the old disaster recovery (DR) group.

References to "old nodes" mean the nodes that you intend to replace.

Steps

1. Gather information from the old nodes.

At this stage, the four-node configuration appears as shown in the following image:



2. Perform all of the steps in the four-node expansion procedure for your MetroCluster type.

Expanding a four-node MetroCluster FC configuration to an eight-node configuration

When the expansion procedure is complete, the configuration appears as shown in the following image:



3. Move the CRS volumes.

Perform the steps in Moving a metadata volume in MetroCluster configurations.

4. Move the data from the old nodes to new nodes using the following three procedures from the *Controller Hardware Upgrade Express Guide*.

Other platform procedures: Controller Hardware Upgrade Express Guide

a. Perform all the steps in Creating an aggregate and moving volumes to the new nodes.




You might choose to mirror the aggregate when or after it is created.

- b. Perform all the steps in Moving non-SAN data LIFs and cluster management LIFs to the new nodes.
- c. Perform all the steps in Deleting SAN LIFs from the original nodes.
- 5. Follow the steps in the procedure for removing the old DR group.

Removing a Disaster Recovery group

Once you have removed the old DR group (DR group one), the configuration appears as shown in the following image:



Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.