

System Verification and Validation Plan for SFWRENG 4G06 - Capstone Design Process

Team 17, DomainX

Awurama Nyarko
Haniye Hamidizadeh
Fei Xie
Ghena Hatoum

October 17, 2025

Revision History

Date	Version	Notes
Oct 17 2025	1.0	Initial Draft

Contents

1	Symbols, Abbreviations, and Acronyms	iv
2	General Information	1
2.1	Summary	1
2.2	Objectives	2
2.3	Challenge Level and Extras	2
2.4	Relevant Documentation	3
3	Plan	3
3.1	Verification and Validation Team	3
3.2	SRS Verification	3
3.3	Design Verification	4
3.4	Verification and Validation Plan Verification	4
3.5	Implementation Verification	4
3.6	Automated Testing and Verification Tools	4
3.7	Software Validation	5
4	System Tests	5
4.1	Tests for Functional Requirements	5
4.1.1	Area of Testing1	6
4.1.2	Area of Testing2	6
4.2	Tests for Nonfunctional Requirements	7
4.2.1	Area of Testing1	7
4.2.2	Area of Testing2	8
4.3	Traceability Between Test Cases and Requirements	8
5	Unit Test Description	8
5.1	Unit Testing Scope	8
5.2	Tests for Functional Requirements	9
5.2.1	Module 1	9
5.2.2	Module 2	10
5.3	Tests for Nonfunctional Requirements	10
5.3.1	Module ?	10
5.3.2	Module ?	10
5.4	Traceability Between Test Cases and Modules	11

6	Appendix	12
6.1	Symbolic Parameters	12
6.2	Usability Survey Questions?	12

1 Symbols, Abbreviations, and Acronyms

Table 1: Symbols, Abbreviations, and Acronyms

Symbol / Acronym	Description
API	Application Programming Interface – mechanism for data retrieval (e.g., GitHub API, PyPI API).
AHP	Analytic Hierarchy Process – method for pairwise comparison and ranking of libraries.
CSV	Comma-Separated Values – export format for datasets.
DB	Database – MySQL instance used for persistent data storage.
UI	User Interface – front-end component built with React.
NNL	Neural Network Libraries – the domain being analyzed (e.g., PyTorch, TensorFlow).
PoC	Proof of Concept – initial demonstration validating workflow integration.
VnV	Verification and Validation – process of ensuring correctness and meeting stakeholder needs.
CI/CD	Continuous Integration / Continuous Deployment – automated testing and deployment pipeline used in GitHub Actions.

All additional terms conform to those defined in the SRS Glossary (Section 4.1).

This document outlines the Verification and Validation (V&V) strategy for the Neural Network Libraries (NNL) Assessment Tool capstone project. It defines how the team will confirm that the implemented system satisfies its specified requirements, performs reliably, and aligns with the objectives stated in the Software Requirements Specification (SRS), Development Plan, and Hazard Analysis.

The V&V Plan provides a structured roadmap covering requirement reviews, system and nonfunctional testing, and traceability between test cases and requirements. It also establishes the methods, responsibilities, tools, and metrics that ensure all deliverables are verified for correctness and validated against user and research expectations.

2 General Information

2.1 Summary

The Neural Network Libraries (NNL) Assessment Tool is a web-based application that automates evidence collection, analysis, and visualization for assessing open-source neural-network libraries such as PyTorch and TensorFlow.

The tool replaces spreadsheet-based scoring with a traceable, auditable system that integrates the following automated features:

- **Automated Data Collection:** retrieval of repository metrics (commits, issues, languages, and lines of code) through the GitHub API and PyPI metadata.
- **Interactive Data Table:** centralized, editable interface for entering and verifying measurements.
- **Automated Analytic Hierarchy Process (AHP):** automated computation of pairwise comparisons for reproducible rankings.
- **Visualization and Export:** generation of graphs and reports in PNG and \LaTeX formats for research use.

The V&V Plan defines how the software’s correctness, reliability, and usability will be verified and validated throughout its lifecycle.

2.2 Objectives

The objectives of this V&V Plan are to:

1. Build confidence in software correctness by verifying that each functional requirement in the SRS (e.g., automated AHP calculation, data retrieval, visualization, and multi-user collaboration) is fully implemented and traceable to its tests.
2. Ensure system reliability and data integrity, particularly for automated data collection and storage operations identified as high-risk in the Hazard Analysis.
3. Validate usability and accessibility through internal surveys and pilot-user feedback from the Research Sub-team and Dr. Smith.
4. Confirm performance and security non-functional requirements, such as load handling and access-control validation.

Out of Scope:

- Third-party API correctness (GitHub, PyPI); assumed verified by their respective providers.
- Formal proof techniques and hardware-level testing; outside academic scope.
- Multi-browser performance optimization beyond the core compatibility tests specified in the SRS (Chrome, Firefox, Safari, Edge).

2.3 Challenge Level and Extras

Challenge Level: Advanced. Per the Problem Statement, the project integrates a custom software tool that automates data gathering, analysis, and visualization for neural-network libraries.

Although the broader capstone includes a research study on software-quality assessment, the scope of this V&V Plan pertains only to the verification and validation of the software tool itself, not to the accompanying research methodology or paper.

Extras (Approved by Supervisor): Usability Testing and Peer Code Reviews, conducted through structured user surveys and GitHub-based peer inspection checklists as defined in the Development Plan workflow.

2.4 Relevant Documentation

Table 2: Relevant Documentation and Their Relevance to V&V Activities

Document	Relevance to V&V Activities
Software Requirements Specification (SRS)	Defines functional and non-functional requirements that form the basis for test derivation and traceability.
Development Plan	Describes test environments, toolchains (PyTest, coverage.py, GitHub Actions), and team responsibilities used for verification automation.
Hazard Analysis	Identifies potential failures (e.g., data loss, access control errors, API failures) that inform stress and reliability tests.
Problem Statement & Goals	Clarifies project scope, stakeholders, and intended outputs to align validation activities with research objectives.
Design Document (MG/MIS – future)	Will provide module interfaces and algorithms for unit test mapping in Section ??.

3 Plan

[Introduce this section. You can provide a roadmap of the sections to come. —SS]

3.1 Verification and Validation Team

[Your teammates. Maybe your supervisor. You should do more than list names. You should say what each person’s role is for the project’s verification. A table is a good way to summarize this information. —SS]

3.2 SRS Verification

[List any approaches you intend to use for SRS verification. This may include ad hoc feedback from reviewers, like your classmates (like your primary reviewer), or you may plan for something more rigorous/systematic. —SS]

[If you have a supervisor for the project, you shouldn't just say they will read over the SRS. You should explain your structured approach to the review. Will you have a meeting? What will you present? What questions will you ask? Will you give them instructions for a task-based inspection? Will you use your issue tracker? —SS]
[Maybe create an SRS checklist? —SS]

3.3 Design Verification

[Plans for design verification —SS]
[The review will include reviews by your classmates —SS]
[Create a checklists? —SS]

3.4 Verification and Validation Plan Verification

[The verification and validation plan is an artifact that should also be verified. Techniques for this include review and mutation testing. —SS]
[The review will include reviews by your classmates —SS]
[Create a checklists? —SS]

3.5 Implementation Verification

[You should at least point to the tests listed in this document and the unit testing plan. —SS]
[In this section you would also give any details of any plans for static verification of the implementation. Potential techniques include code walk-throughs, code inspection, static analyzers, etc. —SS]
[The final class presentation in CAS 741 could be used as a code walk-through. There is also a possibility of using the final presentation (in CAS741) for a partial usability survey. —SS]

3.6 Automated Testing and Verification Tools

[What tools are you using for automated testing. Likely a unit testing framework and maybe a profiling tool, like ValGrind. Other possible tools include a static analyzer, make, continuous integration tools, test coverage tools, etc. Explain your plans for summarizing code coverage metrics. Linters are another important class of tools. For the programming language you select,

you should look at the available linters. There may also be tools that verify that coding standards have been respected, like flake9 for Python. —SS]

[If you have already done this in the development plan, you can point to that document. —SS]

[The details of this section will likely evolve as you get closer to the implementation. —SS]

3.7 Software Validation

[If there is any external data that can be used for validation, you should point to it here. If there are no plans for validation, you should state that here. —SS]

[You might want to use review sessions with the stakeholder to check that the requirements document captures the right requirements. Maybe task based inspection? —SS]

[For those capstone teams with an external supervisor, the Rev 0 demo should be used as an opportunity to validate the requirements. You should plan on demonstrating your project to your supervisor shortly after the scheduled Rev 0 demo. The feedback from your supervisor will be very useful for improving your project. —SS]

[For teams without an external supervisor, user testing can serve the same purpose as a Rev 0 demo for the supervisor. —SS]

[This section might reference back to the SRS verification section. —SS]

4 System Tests

[There should be text between all headings, even if it is just a roadmap of the contents of the subsections. —SS]

4.1 Tests for Functional Requirements

[Subsets of the tests may be in related, so this section is divided into different areas. If there are no identifiable subsets for the tests, this level of document structure can be removed. —SS]

[Include a blurb here to explain why the subsections below cover the requirements. References to the SRS would be good here. —SS]

4.1.1 Area of Testing1

[It would be nice to have a blurb here to explain why the subsections below cover the requirements. References to the SRS would be good here. If a section covers tests for input constraints, you should reference the data constraints table in the SRS. —SS]

Title for Test

1. test-id1

Control: Manual versus Automatic

Initial State:

Input:

Output: [The expected result for the given inputs. Output is not how you are going to return the results of the test. The output is the expected result. —SS]

Test Case Derivation: [Justify the expected value given in the Output field —SS]

How test will be performed:

2. test-id2

Control: Manual versus Automatic

Initial State:

Input:

Output: [The expected result for the given inputs —SS]

Test Case Derivation: [Justify the expected value given in the Output field —SS]

How test will be performed:

4.1.2 Area of Testing2

...

4.2 Tests for Nonfunctional Requirements

[The nonfunctional requirements for accuracy will likely just reference the appropriate functional tests from above. The test cases should mention reporting the relative error for these tests. Not all projects will necessarily have nonfunctional requirements related to accuracy. —SS]

[For some nonfunctional tests, you won't be setting a target threshold for passing the test, but rather describing the experiment you will do to measure the quality for different inputs. For instance, you could measure speed versus the problem size. The output of the test isn't pass/fail, but rather a summary table or graph. —SS]

[Tests related to usability could include conducting a usability test and survey. The survey will be in the Appendix. —SS]

[Static tests, review, inspections, and walkthroughs, will not follow the format for the tests given below. —SS]

[If you introduce static tests in your plan, you need to provide details. How will they be done? In cases like code (or document) walkthroughs, who will be involved? Be specific. —SS]

4.2.1 Area of Testing¹

Title for Test

1. test-id1

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input/Condition:

Output/Result:

How test will be performed:

2. test-id2

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input:

Output:

How test will be performed:

4.2.2 Area of Testing2

...

4.3 Traceability Between Test Cases and Requirements

[Provide a table that shows which test cases are supporting which requirements. —SS]

5 Unit Test Description

[This section should not be filled in until after the MIS (detailed design document) has been completed. —SS]

[Reference your MIS (detailed design document) and explain your overall philosophy for test case selection. —SS]

[To save space and time, it may be an option to provide less detail in this section. For the unit tests you can potentially layout your testing strategy here. That is, you can explain how tests will be selected for each module. For instance, your test building approach could be test cases for each access program, including one test for normal behaviour and as many tests as needed for edge cases. Rather than create the details of the input and output here, you could point to the unit testing code. For this to work, your code needs to be well-documented, with meaningful names for all of the tests. —SS]

5.1 Unit Testing Scope

[What modules are outside of the scope. If there are modules that are developed by someone else, then you would say here if you aren't planning on verifying them. There may also be modules that are part of your software, but have a lower priority for verification than others. If this is the case, explain your rationale for the ranking of module importance. —SS]

5.2 Tests for Functional Requirements

[Most of the verification will be through automated unit testing. If appropriate specific modules can be verified by a non-testing based technique. That can also be documented in this section. —SS]

5.2.1 Module 1

[Include a blurb here to explain why the subsections below cover the module. References to the MIS would be good. You will want tests from a black box perspective and from a white box perspective. Explain to the reader how the tests were selected. —SS]

1. test-id1

Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]

Initial State:

Input:

Output: [The expected result for the given inputs —SS]

Test Case Derivation: [Justify the expected value given in the Output field —SS]

How test will be performed:

2. test-id2

Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]

Initial State:

Input:

Output: [The expected result for the given inputs —SS]

Test Case Derivation: [Justify the expected value given in the Output field —SS]

How test will be performed:

3. ...

5.2.2 Module 2

...

5.3 Tests for Nonfunctional Requirements

[If there is a module that needs to be independently assessed for performance, those test cases can go here. In some projects, planning for nonfunctional tests of units will not be that relevant. —SS]

[These tests may involve collecting performance data from previously mentioned functional tests. —SS]

5.3.1 Module ?

1. test-id1

Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]

Initial State:

Input/Condition:

Output/Result:

How test will be performed:

2. test-id2

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input:

Output:

How test will be performed:

5.3.2 Module ?

...

5.4 Traceability Between Test Cases and Modules

[Provide evidence that all of the modules have been considered. —SS]

References

6 Appendix

This is where you can place additional information.

6.1 Symbolic Parameters

The definition of the test cases will call for SYMBOLIC_CONSTANTS. Their values are defined in this section for easy maintenance.

6.2 Usability Survey Questions?

[This is a section that would be appropriate for some projects. —SS]

Appendix — Reflection

[This section is not required for CAS 741 —SS]

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. What knowledge and skills will the team collectively need to acquire to successfully complete the verification and validation of your project? Examples of possible knowledge and skills include dynamic testing knowledge, static testing knowledge, specific tool usage, Valgrind etc. You should look to identify at least one item for each team member.
4. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?