Rajalakshmi Engineering College

Name: Thamburaj Baskaran

Email: 240701559@rajalakshmi.edu.in

Roll no: 240701559 Phone: 9445306389

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 19

Section 1: MCQ

1. What will be the output of the following Python code?

```
f = None
for i in range (5):
   with open("data.txt", "w") as f:
   if i > 2:
    break
print(f.closed)

Answer
True
```

Status: Correct Marks: 1/1

2. What is the correct way to raise an exception in Python?

Answer

raise Exception()

240701559 Status: Correct

3. What is the output of the following code?

```
try:
  x = "hello" + 5
except TypeError:
  print("Type Error occurred")
finally:
 print("This will always execute")
```

Answer

Type Error occurredThis will always execute

Status: Correct Marks: 1/1

4. Which clause is used to clean up resources, such as closing files in Python?

Answer

finally

Status: Correct Marks:

5. What will be the output of the following Python code?

```
# Predefined lines to simulate the file content
lines = [
  "This is 1st line".
  "This is 2nd line".
  "This is 3rd line",
  "This is 4th line",
This is 5th line"
```

```
print("Name of the file: foo.txt")
```

Print the first 5 lines from the predefined list for index in range(5):

line = lines[index]

print("Line No %d - %s" % (index + 1, line.strip()))

Answer

Displays Output

Status: Correct Marks: 1/1

6. Which of the following is true about

fp.seek(10,1)

Answer

Move file pointer ten characters ahead from the current position

Status: Correct Marks: 1/1

7. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

8. What is the purpose of the except clause in Python?

Answer

To handle exceptions during code execution

Status: Correct Marks: 1/1

9. Fill in the blanks in the following code of writing data in binary files.

```
import _
   rec=[]
   while True:
      rn=int(input("Enter"))
      nm=input("Enter")
      temp=[rn, nm]
      rec.append(temp)
      ch=input("Enter choice (y/N)")
      if ch.upper=="N":
        break
   f.open("stud.dat",".
               _{\rm ..}dump(rec,f)(3)
               .close()(4)
Answer
   (pickle,wb,pickle,f)
    Status: Correct
                                                                         Marks: 1/1
```

10. What happens if no arguments are passed to the seek function?

Answer

error

Status: Wrong

Marks: 0/1

11. Match the following:

- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

Status : Correct Marks : 1/1

12. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

 $fo = open(____(1), "wb")$ print("Name of the file: ",____)(2)

Answer

1) "ex.txt"2) fo.name

Status: Correct Marks: 1/1

13. What is the output of the following code?

class MyError(Exception): pass

try:

raise MyError("Something went wrong") except MyError as e: print(e)

Answer

Something went wrong

Status: Correct Marks: 1/1

14. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21 Raj,20 Ouptput: ['John,21\n','Raj,20\n'] f = open("exp.txt", "w+") print _____ Answer 1) f.seek(0, 1)2) f.readlines() Status: Correct Marks: 1/ 15. What happens if an exception is not caught in the except clause? Answer The program will display a traceback error and stop execution Status: Correct Marks: 1/1 16. How do you create a user-defined exception in Python? Answer By creating a new class that inherits from the Exception class Status: Correct Marks: 1/1 17. How do you rename a file? Answer os.rename(existing_name, new_name) Status: Correct

18. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

19. What is the output of the following code?

```
try:
    x = 1 / 0
except ZeroDivisionError:
    print("Caught division by zero error")
finally:
    print("Executed")
```

Answer

Caught division by zero errorExecuted

Status: Correct Marks: 1/1

20. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

0

Status: Correct Marks: 1/1

,0101559

40101559

240701559

2,40101559