

Maskrcnn_seven_class1 (1)

December 30, 2019

```
[1]: from google.colab import drive
drive.mount('/content/drive')
```

Go to this URL in a browser: https://accounts.google.com/o/oauth2/auth?client_id=947318989803-6bn6qk8qdgf4n4g3pfee6491hc0brc4i.apps.googleusercontent.com&redirect_uri=urn%3Aietf%3Awg%3Aoauth%3A2.0%3Aoob&response_type=code&scope=email%20https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fdocs.test%20https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fdrive%20https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fdrive.photos.readonly%20https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fpeopleapi.readonly

Enter your authorization code:

.....

Mounted at /content/drive

```
[2]: import os
import sys
import json
import numpy as np
import time
from PIL import Image, ImageDraw
import tensorflow.compat.v1 as tf
tf.disable_v2_behavior()
```

<IPython.core.display.HTML object>

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/tensorflow_core/python/compat/v2_compat.py:68: disable_resource_variables (from tensorflow.python.ops.variable_scope) is deprecated and will be removed in a future version.

Instructions for updating:

non-resource variables are not supported in the long term

```
[3]: # Set the ROOT_DIR variable to the root directory of the Mask_RCNN git repo
ROOT_DIR = '/content/drive/My Drive/'
assert os.path.exists(ROOT_DIR), 'ROOT_DIR does not exist. Did you forget to_
↳read the instructions above? ;)'
```

```
# Import mrcnn libraries
sys.path.append(ROOT_DIR)
from mrcnn.config import Config
import mrcnn.utils as utils
from mrcnn import visualize
import mrcnn.model as modellib
```

Using TensorFlow backend.

```
[0]: # Directory to save logs and trained model
MODEL_DIR = os.path.join(ROOT_DIR, "logs")

# Local path to trained weights file
# COCO_MODEL_PATH = os.path.join(ROOT_DIR, "mask_rcnn_cig_butts_0008.h5")

COCO_MODEL_PATH = os.path.join(ROOT_DIR, "mask_rcnn_coco.h5")
# Download COCO trained weights from Releases if needed
if not os.path.exists(COCO_MODEL_PATH):
    utils.download_trained_weights(COCO_MODEL_PATH)
```

```
[5]: print(MODEL_DIR )
print(COCO_MODEL_PATH)
```

```
/content/drive/My Drive/logs
/content/drive/My Drive/mask_rcnn_coco.h5
```

```
[7]: class Cervic_seven_classConfig(Config):
    """Configuration for training on the cigarette butts dataset.
    Derives from the base Config class and overrides values specific
    to the cigarette butts dataset.
    """
    # Give the configuration a recognizable name
    NAME = "Cervic_seven_class_two"

    # Train on 1 GPU and 1 image per GPU. Batch size is 1 (GPUs * images/GPU).
    GPU_COUNT = 1
    IMAGES_PER_GPU = 1

    # Number of classes (including background)
    NUM_CLASSES = 1 + 7 # background + 1 (cig_butt)

    # All of our training images are 512x512
    IMAGE_MIN_DIM = 512
    IMAGE_MAX_DIM = 512

    # You can experiment with this number to see if it improves training
```

```

STEPS_PER_EPOCH = 500

# This is how often validation is run. If you are using too much hard drive,
↪space
# on saved models (in the MODEL_DIR), try making this value larger.
VALIDATION_STEPS = 5

# Matterport originally used resnet101, but I downsized to fit it on my
↪graphics card
BACKBONE = 'resnet50'

# To be honest, I haven't taken the time to figure out what these do
RPN_ANCHOR_SCALES = (8, 16, 32, 64, 128)
TRAIN_ROIS_PER_IMAGE = 32
MAX_GT_INSTANCES = 50
POST_NMS_ROIS_INFERENCE = 500
POST_NMS_ROIS_TRAINING = 1000

config = Cervic_seven_classConfig()
config.display()

```

Configurations:

BACKBONE	resnet50
BACKBONE_STRIDES	[4, 8, 16, 32, 64]
BATCH_SIZE	1
BBOX_STD_DEV	[0.1 0.1 0.2 0.2]
COMPUTE_BACKBONE_SHAPE	None
DETECTION_MAX_INSTANCES	100
DETECTION_MIN_CONFIDENCE	0.7
DETECTION_NMS_THRESHOLD	0.3
FPN_CLASSIF_FC_LAYERS_SIZE	1024
GPU_COUNT	1
GRADIENT_CLIP_NORM	5.0
IMAGES_PER_GPU	1
IMAGE_CHANNEL_COUNT	3
IMAGE_MAX_DIM	512
IMAGE_META_SIZE	20
IMAGE_MIN_DIM	512
IMAGE_MIN_SCALE	0
IMAGE_RESIZE_MODE	square
IMAGE_SHAPE	[512 512 3]
LEARNING_MOMENTUM	0.9
LEARNING_RATE	0.001
LOSS_WEIGHTS	{'rpn_class_loss': 1.0, 'rpn_bbox_loss': 1.0, 'mrcnn_class_loss': 1.0, 'mrcnn_bbox_loss': 1.0, 'mrcnn_mask_loss': 1.0}
MASK_POOL_SIZE	14

MASK_SHAPE	[28, 28]
MAX_GT_INSTANCES	50
MEAN_PIXEL	[123.7 116.8 103.9]
MINI_MASK_SHAPE	(56, 56)
NAME	Cervic_seven_class_two
NUM_CLASSES	8
POOL_SIZE	7
POST_NMS_ROIS_INFERENCE	500
POST_NMS_ROIS_TRAINING	1000
PRE_NMS_LIMIT	6000
ROI_POSITIVE_RATIO	0.33
RPN_ANCHOR_RATIOS	[0.5, 1, 2]
RPN_ANCHOR_SCALES	(8, 16, 32, 64, 128)
RPN_ANCHOR_STRIDE	1
RPN_BBOX_STD_DEV	[0.1 0.1 0.2 0.2]
RPN_NMS_THRESHOLD	0.7
RPN_TRAIN_ANCHORS_PER_IMAGE	256
STEPS_PER_EPOCH	500
TOP_DOWN_PYRAMID_SIZE	256
TRAIN_BN	False
TRAIN_ROIS_PER_IMAGE	32
USE_MINI_MASK	True
USE_RPN_ROIS	True
VALIDATION_STEPS	5
WEIGHT_DECAY	0.0001

```
[0]: class CocoLikeDataset(utils.Dataset):
    """ Generates a COCO-like dataset, i.e. an image dataset annotated in the
    ↪ style of the COCO dataset.
    See http://cocodataset.org/#home for more information.
    """
    def load_data(self, annotation_json, images_dir):
        """ Load the coco-like dataset from json
        Args:
            annotation_json: The path to the coco annotations json file
            images_dir: The directory holding the images referred to by the
            ↪ json file
        """
        # Load json from file
        json_file = open(annotation_json)
        coco_json = json.load(json_file)
        json_file.close()

        # Add the class names using the base method from utils.Dataset
        source_name = "coco_like"
```

```

for category in coco_json['categories']:
    class_id = category['category_id']
    # class_id = 4
    class_name = category['name']
    # class_name = 'Severe_dysplastic'
    if class_id < 1:
        print('Error: Class id for "{}" cannot be less than one. (0 is_
→reserved for the background)'.format(class_name))
        return

    self.add_class(source_name, class_id, class_name)

# Get all annotations
annotations = {}
for annotation in coco_json['annotations']:
    image_id = annotation['image_id']
    if image_id not in annotations:
        annotations[image_id] = []
    annotations[image_id].append(annotation)

# Get all images and add them to the dataset
seen_images = {}
for image in coco_json['images']:
    image_id = image['id']
    if image_id in seen_images:
        print("Warning: Skipping duplicate image id: {}".format(image))
    else:
        seen_images[image_id] = image
        try:
            image_file_name = image['filename']
            image_width = image['width']
            image_height = image['height']
        except KeyError as key:
            print("Warning: Skipping image (id: {}) with missing key:_
→{}".format(image_id, key))

        image_path = os.path.abspath(os.path.join(images_dir,
→image_file_name))
        image_annotations = annotations[image_id]

# Add the image using the base method from utils.Dataset
self.add_image(
    source=source_name,
    image_id=image_id,
    path=image_path,
    width=image_width,
    height=image_height,

```

```

        annotations=image_annotations
    )

    def load_mask(self, image_id):
        """ Load instance masks for the given image.
        MaskRCNN expects masks in the form of a bitmap [height, width,
        →instances].
        Args:
            image_id: The id of the image to load masks for
        Returns:
            masks: A bool array of shape [height, width, instance count] with
                one mask per instance.
            class_ids: a 1D array of class IDs of the instance masks.
        """
        image_info = self.image_info[image_id]
        annotations = image_info['annotations']
        instance_masks = []
        class_ids = []

        for annotation in annotations:
            class_id = annotation['category_id']
            mask = Image.new('1', (image_info['width'], image_info['height']))
            mask_draw = ImageDraw.ImageDraw(mask, '1')
            for segmentation in annotation['segmentation']:
                mask_draw.polygon(segmentation, fill=1)
                bool_array = np.array(mask) > 0
                instance_masks.append(bool_array)
                class_ids.append(class_id)

        mask = np.dstack(instance_masks)
        class_ids = np.array(class_ids, dtype=np.int32)

        return mask, class_ids

```

```

[0]: dataset_train = CocoLikeDataset()
dataset_train.load_data('/content/drive/My Drive/cervic_train/
    →cervic_all_class_train.json', '/content/drive/My Drive/')
dataset_train.prepare()

dataset_val = CocoLikeDataset()
dataset_val.load_data('/content/drive/My Drive/cervic_validation/
    →cervic_all_class_validation.json', '/content/drive/My Drive/')
dataset_val.prepare()


```

```

[10]: dataset = dataset_train
image_ids = np.random.choice(dataset.image_ids,6)
for image_id in image_ids:

```

```
image = dataset.load_image(image_id)
mask, class_ids = dataset.load_mask(image_id)
visualize.display_top_masks(image, mask, class_ids, dataset.class_names)
```





```
[11]: # Create model in training mode
model = modellib.MaskRCNN(mode="training", config=config,
                           model_dir=MODEL_DIR)
```

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:541: The name tf.placeholder is deprecated. Please use tf.compat.v1.placeholder instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:66: The name tf.get_default_graph is deprecated. Please use tf.compat.v1.get_default_graph instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:4432: The name tf.random_uniform is deprecated. Please use tf.random.uniform instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:2139: The name tf.nn.fused_batch_norm is deprecated. Please use tf.compat.v1.nn.fused_batch_norm instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:4267: The name tf.nn.max_pool is deprecated. Please use tf.nn.max_pool2d instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:2239: The name tf.image.resize_nearest_neighbor is deprecated. Please use tf.compat.v1.image.resize_nearest_neighbor instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/tensorflow_core/python/ops/array_ops.py:1475: where (from tensorflow.python.ops.array_ops) is deprecated and will be removed in a future version.

Instructions for updating:

Use tf.where in 2.0, which has the same broadcast rule as np.where

WARNING:tensorflow:From /content/drive/My Drive/mrcnn/model.py:553: The name tf.random_shuffle is deprecated. Please use tf.random.shuffle instead.

WARNING:tensorflow:From /content/drive/My Drive/mrcnn/utils.py:202: The name tf.log is deprecated. Please use tf.math.log instead.

WARNING:tensorflow:From /content/drive/My Drive/mrcnn/model.py:600: calling crop_and_resize_v1 (from tensorflow.python.ops.image_ops_impl) with box_ind is deprecated and will be removed in a future version.

Instructions for updating:

box_ind is deprecated, use box_indices instead

```
[12]: # Which weights to start with?
# init_with = "coco" # imagenet, coco, or last
init_with = "imagenet"
if init_with == "imagenet":
    model.load_weights(model.get_imagenet_weights(), by_name=True)
elif init_with == "coco":
    # Load weights trained on MS COCO, but skip layers that
    # are different due to the different number of classes
    # See README for instructions to download the COCO weights
    model.load_weights(COCO_MODEL_PATH, by_name=True,
                      exclude=["mrcnn_class_logits", "mrcnn_bbox_fc",
                              "mrcnn_bbox", "mrcnn_mask"])
elif init_with == "last":
    # Load the last model you trained and continue training
    model.load_weights(model.find_last(), by_name=True)
```

Downloading data from https://github.com/fchollet/deep-learning-models/releases/download/v0.2/resnet50_weights_tf_dim_ordering_tf_kernels_notop.h5
94658560/94653016 [=====] - 3s 0us/step

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:190: The name tf.get_default_session is deprecated. Please use tf.compat.v1.get_default_session instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:197: The name tf.ConfigProto is deprecated. Please use tf.compat.v1.ConfigProto instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:203: The name tf.Session is deprecated. Please use tf.compat.v1.Session instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:207: The name tf.global_variables is deprecated. Please use tf.compat.v1.global_variables instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:216: The name tf.is_variable_initialized is deprecated. Please use

tf.compat.v1.is_variable_initialized instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-packages/keras/backend/tensorflow_backend.py:223: The name tf.variables_initializer is deprecated. Please use tf.compat.v1.variables_initializer instead.

```
[13]: # Train the head branches
      # Passing layers="heads" freezes all layers except the head
      # layers. You can also pass a regular expression to select
      # which layers to train by name pattern.
      start_train = time.time()
      model.train(dataset_train, dataset_val,
                  learning_rate=config.LEARNING_RATE,
                  epochs=4,
                  layers='heads')
      end_train = time.time()
      minutes = round((end_train - start_train) / 60, 2)
      print(f'Training took {minutes} minutes')
```

Starting at epoch 0. LR=0.001

Checkpoint Path: /content/drive/My Drive/logs/cervic_seven_class_two20191230T0354/mask_rcnn_cervic_seven_class_two_{epoch:04d}.h5

Selecting layers to train

fpn_c5p5	(Conv2D)
fpn_c4p4	(Conv2D)
fpn_c3p3	(Conv2D)
fpn_c2p2	(Conv2D)
fpn_p5	(Conv2D)
fpn_p2	(Conv2D)
fpn_p3	(Conv2D)
fpn_p4	(Conv2D)

In model: rpn_model

rpn_conv_shared	(Conv2D)
rpn_class_raw	(Conv2D)
rpn_bbox_pred	(Conv2D)
mrcnn_mask_conv1	(TimeDistributed)
mrcnn_mask_bn1	(TimeDistributed)
mrcnn_mask_conv2	(TimeDistributed)
mrcnn_mask_bn2	(TimeDistributed)
mrcnn_class_conv1	(TimeDistributed)
mrcnn_class_bn1	(TimeDistributed)
mrcnn_mask_conv3	(TimeDistributed)
mrcnn_mask_bn3	(TimeDistributed)
mrcnn_class_conv2	(TimeDistributed)

```

mrcnn_class_bn2          (TimeDistributed)
mrcnn_mask_conv4         (TimeDistributed)
mrcnn_mask_bn4           (TimeDistributed)
mrcnn_bbox_fc            (TimeDistributed)
mrcnn_mask_deconv        (TimeDistributed)
mrcnn_class_logits       (TimeDistributed)
mrcnn_mask               (TimeDistributed)
WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/optimizers.py:793: The name tf.train.Optimizer is deprecated.
Please use tf.compat.v1.train.Optimizer instead.

/usr/local/lib/python3.6/dist-
packages/tensorflow_core/python/framework/indexed_slices.py:424: UserWarning:
Converting sparse IndexedSlices to a dense Tensor of unknown shape. This may
consume a large amount of memory.
    "Converting sparse IndexedSlices to a dense Tensor of unknown shape. "
/usr/local/lib/python3.6/dist-
packages/tensorflow_core/python/framework/indexed_slices.py:424: UserWarning:
Converting sparse IndexedSlices to a dense Tensor of unknown shape. This may
consume a large amount of memory.
    "Converting sparse IndexedSlices to a dense Tensor of unknown shape. "
/usr/local/lib/python3.6/dist-
packages/tensorflow_core/python/framework/indexed_slices.py:424: UserWarning:
Converting sparse IndexedSlices to a dense Tensor of unknown shape. This may
consume a large amount of memory.
    "Converting sparse IndexedSlices to a dense Tensor of unknown shape. "
WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:1033: The name tf.assign_add is
deprecated. Please use tf.compat.v1.assign_add instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:1020: The name tf.assign is
deprecated. Please use tf.compat.v1.assign instead.

/usr/local/lib/python3.6/dist-packages/keras/engine/training_generator.py:49:
UserWarning: Using a generator with `use_multiprocessing=True` and multiple
workers may duplicate your data. Please consider using the `keras.utils.Sequence
class.
    UserWarning('Using a generator with `use_multiprocessing=True`')
WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/callbacks.py:1122: The name tf.summary.merge_all is deprecated.
Please use tf.compat.v1.summary.merge_all instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/callbacks.py:1125: The name tf.summary.FileWriter is deprecated.
Please use tf.compat.v1.summary.FileWriter instead.

```

Epoch 1/4
 500/500 [=====] - 166s 332ms/step - loss: 3.5534 -
 rpn_class_loss: 0.0500 - rpn_bbox_loss: 1.9513 - mrcnn_class_loss: 0.5560 -
 mrcnn_bbox_loss: 0.4340 - mrcnn_mask_loss: 0.5620 - val_loss: 2.8308 -
 val_rpn_class_loss: 0.0358 - val_rpn_bbox_loss: 1.3667 - val_mrcnn_class_loss:
 0.6773 - val_mrcnn_bbox_loss: 0.2880 - val_mrcnn_mask_loss: 0.4629
 WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
 packages/keras/callbacks.py:1265: The name tf.Summary is deprecated. Please use
 tf.compat.v1.Summary instead.

Epoch 2/4
 500/500 [=====] - 141s 282ms/step - loss: 2.2736 -
 rpn_class_loss: 0.0214 - rpn_bbox_loss: 1.0969 - mrcnn_class_loss: 0.4642 -
 mrcnn_bbox_loss: 0.2497 - mrcnn_mask_loss: 0.4414 - val_loss: 1.7655 -
 val_rpn_class_loss: 0.0132 - val_rpn_bbox_loss: 0.7080 - val_mrcnn_class_loss:
 0.4028 - val_mrcnn_bbox_loss: 0.1549 - val_mrcnn_mask_loss: 0.4865

Epoch 3/4
 500/500 [=====] - 86s 172ms/step - loss: 1.6177 -
 rpn_class_loss: 0.0170 - rpn_bbox_loss: 0.6973 - mrcnn_class_loss: 0.3582 -
 mrcnn_bbox_loss: 0.1634 - mrcnn_mask_loss: 0.3819 - val_loss: 1.7831 -
 val_rpn_class_loss: 0.0074 - val_rpn_bbox_loss: 0.7781 - val_mrcnn_class_loss:
 0.4442 - val_mrcnn_bbox_loss: 0.2110 - val_mrcnn_mask_loss: 0.3423

Epoch 4/4
 500/500 [=====] - 54s 109ms/step - loss: 1.4098 -
 rpn_class_loss: 0.0145 - rpn_bbox_loss: 0.5827 - mrcnn_class_loss: 0.3231 -
 mrcnn_bbox_loss: 0.1289 - mrcnn_mask_loss: 0.3607 - val_loss: 1.2904 -
 val_rpn_class_loss: 0.0072 - val_rpn_bbox_loss: 0.5499 - val_mrcnn_class_loss:
 0.2487 - val_mrcnn_bbox_loss: 0.1075 - val_mrcnn_mask_loss: 0.3771

Training took 7.98 minutes

```
[0]: # Fine tune all layers
# Passing layers="all" trains all layers. You can also
# pass a regular expression to select which layers to
# train by name pattern.

# start_train = time.time()
# model.train(dataset_train, dataset_val,
#             learning_rate=config.LEARNING_RATE / 10,
#             epochs=8,
#             layers="all")
# end_train = time.time()
# minutes = round((end_train - start_train) / 60, 2)
# print(f'Training took {minutes} minutes')
```

```
[0]: class InferenceConfig(Cervic_seven_classConfig):
    GPU_COUNT = 1
    IMAGES_PER_GPU = 1
    IMAGE_MIN_DIM = 512
    IMAGE_MAX_DIM = 512
    # DETECTION_MIN_CONFIDENCE = 0.85
    DETECTION_MIN_CONFIDENCE = 0.6

inference_config = InferenceConfig()
```

```
[0]: # Set the ROOT_DIR variable to the root directory of the Mask_RCNN git repo
ROOT_DIR = '/content/drive/My Drive/'
assert os.path.exists(ROOT_DIR), 'ROOT_DIR does not exist. Did you forget to
↳read the instructions above? ;)'

# Import mrcnn libraries
sys.path.append(ROOT_DIR)
from mrcnn.config import Config
import mrcnn.utils as utils
from mrcnn import visualize
import mrcnn.model as modellib
```

```
[0]: # Recreate the model in inference mode
model = modellib.MaskRCNN(mode="inference",
                           config=inference_config,
                           model_dir=MODEL_DIR )
```

```
[40]: # Get path to saved weights

# Either set a specific path or find last trained weights
COCO_MODEL_PATH= '/content/drive/My Drive/logs/
↳mask_rcnn_cervic_seven_class_two_0004.h5'
model_path = os.path.join(ROOT_DIR, COCO_MODEL_PATH )
#model_path = model.find_last()

# Load trained weights (fill in path to trained weights here)
assert model_path != "", "Provide path to trained weights"
print("Loading weights from ", model_path)
model.load_weights(model_path, by_name=True)
```

Loading weights from /content/drive/My
Drive/logs/mask_rcnn_cervic_seven_class_two_0004.h5

```
[41]: import skimage
real_test_dir = '/content/drive/My Drive/cervic_test/light_dysplastic'
image_paths = []
for filename in os.listdir(real_test_dir):
```

```

if os.path.splitext(filename)[1] in ['.png', '.jpg', '.jpeg', '.BMP']:
    image_paths.append(os.path.join(real_test_dir, filename))

for image_path in image_paths:
    print('filename: '+image_path)
    img = skimage.io.imread(image_path)
    img_arr = np.array(img)
    results = model.detect([img_arr], verbose=1)
    r = results[0]
    visualize.display_instances(img, r['rois'], r['masks'], r['class_ids'],
                              dataset_val.class_names, r['scores'],
    ↪figsize=(5,5))

```

filename:/content/drive/My

Drive/cervic_test/light_dysplastic/153657419-153657488-001.BMP

Processing 1 images


image	shape: (178, 148, 3)	min: 83.00000	max:
199.00000 uint8			
molded_images	shape: (1, 512, 512, 3)	min: -123.70000	max:
87.10000 float64			
image metas	shape: (1, 20)	min: 0.00000	max:
512.00000 float64			
anchors	shape: (1, 65472, 4)	min: -0.17712	max:
1.05188 float32			



```

filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153657327-153657363-002.BMP
Processing 1 images
image                shape: (206, 259, 3)          min:   51.00000  max:
207.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
100.10000  float64
image metas          shape: (1, 20)                   min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)           min:  -0.17712  max:
1.05188  float32


```




```

filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153657419-153657488-002.BMP
Processing 1 images
image                shape: (174, 251, 3)          min:   55.00000  max:
205.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
96.10000  float64
image metas          shape: (1, 20)                   min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)           min:  -0.17712  max:
1.05188  float32


```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153657599-153657610-001.BMP
Processing 1 images
image                shape: (161, 203, 3)          min:   51.00000  max:
191.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
69.10000  float64
image metas         shape: (1, 20)                min:   0.00000  max:
512.00000  float64
anchors             shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```


```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153657599-153657610-002.BMP
Processing 1 images
image          shape: (135, 189, 3)          min:  60.00000  max:
193.00000  uint8
molded_images  shape: (1, 512, 512, 3)  min: -123.70000  max:
79.10000  float64
image metas    shape: (1, 20)                min:  0.00000  max:
512.00000  float64
anchors       shape: (1, 65472, 4)      min:  -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153657599-153657633-001.BMP
Processing 1 images
image          shape: (168, 156, 3)          min:  67.00000  max:
189.00000  uint8
molded_images  shape: (1, 512, 512, 3)  min: -123.70000  max:
82.10000  float64
image metas    shape: (1, 20)              min:  0.00000  max:
512.00000  float64
anchors        shape: (1, 65472, 4)        min:  -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153657599-153657633-002.BMP
Processing 1 images
image                shape: (135, 176, 3)          min: 84.00000 max:
151.00000 uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000 max:
45.10000 float64
image metas          shape: (1, 20)                min: 0.00000 max:
512.00000 float64
anchors              shape: (1, 65472, 4)         min: -0.17712 max:
1.05188 float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153657599-153657622-002.BMP
Processing 1 images
image                shape: (154, 218, 3)          min:   53.00000  max:
209.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
96.10000  float64
image metas          shape: (1, 20)                min:    0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153657698-153657708-001.BMP
Processing 1 images
image                shape: (226, 258, 3)          min:  74.00000  max:
207.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
94.10000  float64
image_metas          shape: (1, 20)                  min:  0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153700207-153700215-001.BMP
Processing 1 images
image                shape: (173, 147, 3)        min:  62.00000  max:
207.00000  uint8
molded_images        shape: (1, 512, 512, 3)    min: -123.70000  max:
89.10000  float64
image_metas         shape: (1, 20)              min:   0.00000  max:
512.00000  float64
anchors             shape: (1, 65472, 4)        min:  -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153697097-153697106-001.BMP
Processing 1 images
image                shape: (169, 228, 3)          min:   62.00000  max:
209.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
97.10000  float64
image metas          shape: (1, 20)                  min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153697726-153697736-001.BMP
Processing 1 images
image                shape: (155, 303, 3)          min:   60.00000  max:
201.00000  uint8
molded_images        shape: (1, 512, 512, 3)        min: -123.70000  max:
90.10000  float64
image_metas          shape: (1, 20)                      min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)            min:  -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
```


Drive/cervic_test/light_dysplastic/153700207-153700224-001.BMP

Processing 1 images

image	shape: (107, 190, 3)	min: 68.00000	max:
199.00000 uint8			
molded_images	shape: (1, 512, 512, 3)	min: -123.70000	max:
90.10000 float64			
image metas	shape: (1, 20)	min: 0.00000	max:
512.00000 float64			
anchors	shape: (1, 65472, 4)	min: -0.17712	max:
1.05188 float32			




filename:/content/drive/My

Drive/cervic_test/light_dysplastic/153701009-153701019-001.BMP

Processing 1 images

image	shape: (76, 152, 3)	min: 46.00000	max:
215.00000 uint8			
molded_images	shape: (1, 512, 512, 3)	min: -123.70000	max:
100.10000 float64			
image metas	shape: (1, 20)	min: 0.00000	max:
512.00000 float64			
anchors	shape: (1, 65472, 4)	min: -0.17712	max:
1.05188 float32			




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153701009-153701019-002.BMP
Processing 1 images
image                shape: (144, 119, 3)          min:  50.00000  max:
209.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
94.10000  float64
image_metas          shape: (1, 20)                min:  0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32

*** No instances to display ***
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153701139-153701148-001.BMP
Processing 1 images
image          shape: (194, 220, 3)      min:  44.00000  max:
211.00000  uint8
molded_images  shape: (1, 512, 512, 3)  min: -123.70000  max:
96.10000  float64
image metas    shape: (1, 20)           min:   0.00000  max:
512.00000  float64
anchors        shape: (1, 65472, 4)      min:  -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153701557-153701566-001.BMP
Processing 1 images
image                shape: (202, 183, 3)          min:   52.00000  max:
213.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
107.10000  float64
image metas          shape: (1, 20)                  min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```

*** No instances to display ***



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153701949-153701958-001.BMP
Processing 1 images
image                shape: (175, 157, 3)          min:  46.00000  max:
191.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
86.10000  float64
image_metas          shape: (1, 20)                min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32


*** No instances to display ***
```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153701949-153701964-001.BMP
Processing 1 images
image          shape: (167, 257, 3)      min:  41.00000  max:
187.00000  uint8
molded_images  shape: (1, 512, 512, 3)  min: -123.70000  max:
82.10000  float64
image metas    shape: (1, 20)           min:   0.00000  max:
512.00000  float64
anchors       shape: (1, 65472, 4)    min:  -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153702037-153702051-001.BMP
Processing 1 images
image                shape: (150, 184, 3)          min:   69.00000  max:
203.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
90.10000  float64
image metas          shape: (1, 20)                 min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153702037-153702051-002.BMP
Processing 1 images
image                shape: (157, 160, 3)          min:   59.00000  max:
200.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
95.10000  float64
image metas          shape: (1, 20)                min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32


*** No instances to display ***
```

```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153702037-153702051-003.BMP
Processing 1 images
image          shape: (112, 156, 3)      min:  88.00000  max:
202.00000  uint8
molded_images  shape: (1, 512, 512, 3)  min: -123.70000  max:
95.10000  float64
image metas    shape: (1, 20)              min:  0.00000  max:
512.00000  float64
anchors        shape: (1, 65472, 4)        min:  -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153829664-153829672-001.BMP
Processing 1 images
image          shape: (291, 224, 3)          min:  73.00000  max:
255.00000  uint8
molded_images  shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image metas    shape: (1, 20)                min:  0.00000  max:
512.00000  float64
anchors       shape: (1, 65472, 4)        min:  -0.17712  max:
1.05188  float32
```



```

filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153702037-153702060-001.BMP
Processing 1 images
image                shape: (224, 498, 3)          min:   51.00000  max:
214.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
100.10000  float64
image metas          shape: (1, 20)                  min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32


```



```

filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153829700-153829705-001.BMP
Processing 1 images
image          shape: (229, 284, 3)          min:   53.00000  max:
255.00000  uint8
molded_images  shape: (1, 512, 512, 3)    min: -123.70000  max:
151.10000  float64
image metas   shape: (1, 20)              min:   0.00000  max:
512.00000  float64
anchors       shape: (1, 65472, 4)        min:  -0.17712  max:
1.05188  float32

```



```

filename:/content/drive/My
Drive/cervic_test/light_dysplastic/204870858-204870872-001.BMP
Processing 1 images
image          shape: (139, 73, 3)          min:   54.00000  max:
255.00000  uint8
molded_images  shape: (1, 512, 512, 3)    min: -123.70000  max:
151.10000  float64
image metas   shape: (1, 20)              min:   0.00000  max:
512.00000  float64
anchors       shape: (1, 65472, 4)        min:  -0.17712  max:
1.05188  float32


```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/154519964-154519981-001.BMP
Processing 1 images
image                shape: (97, 181, 3)          min:   59.00000  max:
205.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
88.10000  float64
image metas          shape: (1, 20)                min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/154520056-154520096-001.BMP
Processing 1 images
image                shape: (211, 216, 3)          min:  42.00000  max:
215.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
96.10000  float64
image metas          shape: (1, 20)                  min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/153829745-153829754-001.BMP
Processing 1 images
image                shape: (360, 577, 3)          min:   35.00000  max:
255.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image metas          shape: (1, 20)                min:    0.00000  max:
577.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/204870926-204870933-001.BMP
Processing 1 images
image                shape: (137, 107, 3)          min:   39.00000  max:
255.00000  uint8
molded_images        shape: (1, 512, 512, 3)        min: -123.70000  max:
151.10000  float64
image metas          shape: (1, 20)                      min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)            min:  -0.17712  max:
1.05188  float32
```

```
*** No instances to display ***
```





```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/204870858-204870872-002.BMP
Processing 1 images
image                shape: (109, 88, 3)          min:  46.00000  max:
255.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image metas          shape: (1, 20)                min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/204870926-204870933-002.BMP
Processing 1 images
image                shape: (123, 126, 3)          min:   79.00000  max:
255.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image metas          shape: (1, 20)                min:   0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32

*** No instances to display ***
```




```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/204870951-204870961-001.BMP
Processing 1 images
image          shape: (150, 185, 3)      min:  26.00000  max:
233.00000  uint8
molded_images  shape: (1, 512, 512, 3)  min: -123.70000  max:
118.10000  float64
image metas    shape: (1, 20)             min:   0.00000  max:
512.00000  float64
anchors        shape: (1, 65472, 4)      min:  -0.17712  max:
1.05188  float32
```



```

filename:/content/drive/My
Drive/cervic_test/light_dysplastic/204871030-204871038-001.BMP
Processing 1 images
image          shape: (171, 206, 3)          min:    7.00000  max:
189.00000  uint8
molded_images  shape: (1, 512, 512, 3)      min: -123.70000  max:
75.10000  float64
image metas    shape: (1, 20)                min:    0.00000  max:
512.00000  float64
anchors        shape: (1, 65472, 4)          min:   -0.17712  max:
1.05188  float32

```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/204870951-204870961-002.BMP
Processing 1 images
image                shape: (172, 208, 3)          min:  28.00000  max:
229.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
123.10000  float64
image metas         shape: (1, 20)                min:   0.00000  max:
512.00000  float64
anchors             shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/cervic_test/light_dysplastic/204871030-204871038-002.BMP
Processing 1 images
image                shape: (217, 235, 3)          min:   34.00000  max:
201.00000  uint8
molded_images        shape: (1, 512, 512, 3)      min: -123.70000  max:
84.10000  float64
image_metas          shape: (1, 20)                  min:    0.00000  max:
512.00000  float64
anchors              shape: (1, 65472, 4)          min:  -0.17712  max:
1.05188  float32
```

