

LAB211 Assignment

Type:
Code:
LOC:
Slot(s):

Short Assignment
J1.S.P0071
150
2

Title

Task management program of CCRM project

Background

(Module extracted from TienPhong Bank, ebank project)

Program Specifications

Write a program to manage the task and task type for employees include function to delete:

- The type of task: (ID, Name contains the following data fixed:
 - ID Name
 - 1 Code
 - 2 Test
 - 3 Design
 - 4 Review
- Task: ID, TaskTypeID, Requirement Name, Date(dd-MM-yyyy), Plan From, Plan To, Assignee, Reviewer
 - (ID = ID last task +1)
 - Plan From, Plan To calculate from 8h -> 17h30 ⇔ 8.0, 8.5, 9.0, 9.5 ... -> 17.5.

Function details:


Function 1: Display a menu and ask users to select an option.

- Users run the program. The program prompts users to select an option.
- Users select an option, perform **Function 2**.

Function 2: Perform function based on the selected option.

- Option 1: Add Task
 - Prompt user to input the information requested Task (TaskTypeID, Requirement Name, Date, From, Plan To Plan, Assignee, Expert)
 - Check for valid data with the conditions:
 - Check the TaskTypeID must exist (1-4).
 - **Information must be valid date in the format dd-MM-yyyy.**
 - Plan From must be less than Plan To and within 8 h-17 h 30 > 8.0, 8.5, 9.0, ⇔ 9.5 ...-> 17.5 .
 - Add a Task on the program .
 - Go back to the main screen.
- Option 2: Delete Task
 - Request input the ID of the task to delete.
 - Check for valid data with the conditions below:
 - Id must exist in the DB.
 - Delete the task.
 - To return to the main screen.
- Option 3: Show task
 - **Show the task of ascending according to the ID and the required format interface.**
 - To return to the main screen.
- Option 4: Exit the program.

Expectation of User interface:



Guidelines

Student must implement methods

addTask
deleteTask
getDataTasks

in startup code.

Uses try-catch to catch NullPointerException, NumberFormatException

Use SimpleDateFormat to handle date.

Use wrapper classes to test the value number.

Option 1: Add the task.

- Implement function: public int add Task (String requirementName, String assignee, String, String, String taskTypeId expert date, String, the planTo planFrom String) throws Exception

- input :
 - requirementName: Name of the requirement
 - assignee: task assigned to.
 - reviewer: Review task.
 - taskTypeId: task type.
 - date: task performed date
 - planFrom: Start time.
 - planTo: End time.

- Return value:
 - id task
 - Exception list

Option 2: Delete task.

- Implement function: `public void deleteTask (String id) throws Exception`
 - input :
 - id: id task
 - Return value: Exception list

Option 3: Show task.

- Implement function: `public function settings getDataTasks ()`
 - Return value: list of task