

```
In [20]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [21]: df=pd.read_csv(r'C:\Users\user\Desktop\rainfall\Arunachal.csv')
df
```

Out[21]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
0	111	ARUNACHAL PRADESH	1917	21.4	164.5	NaN	269.6	107.9	823.8	909.1	628.4	411.5	1
1	112	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8	1
2	113	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7	9
3	114	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7	1
4	115	ARUNACHAL PRADESH	1921	78.9	54.3	180.3	358.0	598.0	1233.2	1433.0	885.9	603.4	2
...	
91	202	ARUNACHAL PRADESH	2011	40.0	51.3	174.5	240.8	219.6	288.4	531.4	277.6	286.7	
92	203	ARUNACHAL PRADESH	2012	57.8	35.8	134.2	403.4	187.4	645.8	638.9	316.0	724.9	2
93	204	ARUNACHAL PRADESH	2013	18.5	40.5	115.1	175.1	335.8	290.0	329.6	230.2	316.1	1
94	205	ARUNACHAL PRADESH	2014	19.0	101.9	80.3	86.7	299.0	415.8	392.4	599.6	343.0	
95	206	ARUNACHAL PRADESH	2015	30.8	47.5	97.5	287.1	238.9	637.9	329.3	595.5	374.2	

96 rows × 20 columns



```
In [22]: df=df.dropna()
df
```

Out[22]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
1	112	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8	1
2	113	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7	9
3	114	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7	1
4	115	ARUNACHAL PRADESH	1921	78.9	54.3	180.3	358.0	598.0	1233.2	1433.0	885.9	603.4	2
5	116	ARUNACHAL PRADESH	1922	50.7	59.4	170.4	299.5	350.5	1109.3	918.7	488.3	207.6	4
...
91	202	ARUNACHAL PRADESH	2011	40.0	51.3	174.5	240.8	219.6	288.4	531.4	277.6	286.7	...
92	203	ARUNACHAL PRADESH	2012	57.8	35.8	134.2	403.4	187.4	645.8	638.9	316.0	724.9	2
93	204	ARUNACHAL PRADESH	2013	18.5	40.5	115.1	175.1	335.8	290.0	329.6	230.2	316.1	1
94	205	ARUNACHAL PRADESH	2014	19.0	101.9	80.3	86.7	299.0	415.8	392.4	599.6	343.0	...
95	206	ARUNACHAL PRADESH	2015	30.8	47.5	97.5	287.1	238.9	637.9	329.3	595.5	374.2	...

91 rows × 20 columns



```
In [23]: df.columns
```


```
Out[23]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
               'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
               'Mar-May', 'Jun-Sep', 'Oct-Dec'],
              dtype='object')
```

In [24]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 91 entries, 1 to 95
Data columns (total 20 columns):
#   Column                Non-Null Count  Dtype
---  -
0   index                  91 non-null    int64
1   SUBDIVISION            91 non-null    object
2   YEAR                   91 non-null    int64
3   JAN                    91 non-null    float64
4   FEB                    91 non-null    float64
5   MAR                    91 non-null    float64
6   APR                    91 non-null    float64
7   MAY                    91 non-null    float64
8   JUN                    91 non-null    float64
9   JUL                    91 non-null    float64
10  AUG                    91 non-null    float64
11  SEP                    91 non-null    float64
12  OCT                    91 non-null    float64
13  NOV                    91 non-null    float64
14  DEC                    91 non-null    float64
15  ANNUAL                 91 non-null    float64
16  Jan-Feb               91 non-null    float64
17  Mar-May               91 non-null    float64
18  Jun-Sep               91 non-null    float64
19  Oct-Dec               91 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 14.9+ KB
```


In [25]: `df.plot.line(subplots=True)`

Out[25]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)




```
In [26]: df.plot.line()
```

```
Out[26]: <AxesSubplot:>
```




```
In [27]: df.plot.bar()
```

```
Out[27]: <AxesSubplot:>
```




```
In [28]: df.plot.hist()
```

```
Out[28]: <AxesSubplot:ylabel='Frequency'>
```




```
In [29]: df.plot.area()
```

```
Out[29]: <AxesSubplot:>
```



```
In [30]: df.plot.box()
```


```
Out[30]: <AxesSubplot:>
```



```
In [31]: df.plot.pie(y='ANNUAL')
```


```
Out[31]: <AxesSubplot:ylabel='ANNUAL'>
```



```
In [32]: df.plot.scatter(x='NOV',y='ANNUAL')
```

```
Out[32]: <AxesSubplot:xlabel='NOV', ylabel='ANNUAL'>
```




```
In [33]: df.describe()
```

Out[33]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	91.000000	91.000000	91.000000	91.000000	91.000000	91.000000	91.000000	
mean	159.483516	1967.362637	47.680220	90.396703	154.143956	262.297802	358.289011	6
std	28.065939	29.324437	35.045676	47.178011	86.284987	116.737705	178.900132	3
min	112.000000	1918.000000	0.600000	6.100000	28.500000	86.700000	101.800000	2
25%	134.500000	1940.500000	19.100000	55.250000	102.700000	177.500000	232.950000	4
50%	161.000000	1970.000000	40.000000	83.200000	139.900000	240.800000	306.900000	5
75%	183.500000	1992.500000	64.900000	118.900000	182.450000	341.200000	433.600000	8
max	206.000000	2015.000000	164.500000	208.500000	605.600000	595.100000	1168.600000	16

```
In [34]: sns.pairplot(df)
```

```
Out[34]: <seaborn.axisgrid.PairGrid at 0x1ee8aad82e0>
```




```
In [35]: sns.distplot(df['DEC'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


```
warnings.warn(msg, FutureWarning)
```

```
Out[35]: <AxesSubplot:xlabel='DEC', ylabel='Density'>
```



```
In [36]: sns.heatmap(df.corr())
```

```
Out[36]: <AxesSubplot:>
```



```
In [ ]:
```

