```
In [1]: import numpy as np
   import pandas as pd
   import matplotlib.pyplot as plt
   import seaborn as sns
```

In [2]: df=pd.read_csv(r'C:\Users\user\Desktop\rainfall\UTTARAKHAND.csv')
df

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	C
0	1242	UTTARAKHAND	1901	134.5	81.4	44.5	5.9	60.8	33.6	381.1	612.3	167.1	1
1	1243	UTTARAKHAND	1902	0.0	17.0	52.2	63.7	52.1	113.1	444.1	327.5	220.4	3
2	1244	UTTARAKHAND	1903	68.0	7.9	87.6	10.3	37.5	83.0	251.6	442.7	249.3	ξ
3	1245	UTTARAKHAND	1904	40.0	5.2	78.3	13.6	61.1	180.1	449.6	417.2	174.1	
4	1246	UTTARAKHAND	1905	115.4	80.7	99.8	26.1	70.3	111.5	299.9	349.5	129.5	
110	1352	UTTARAKHAND	2011	30.9	65.2	18.0	30.9	84.2	223.1	433.3	523.7	148.4	
111	1353	UTTARAKHAND	2012	38.8	11.9	28.1	39.2	9.1	46.0	387.1	419.5	220.6	
112	1354	UTTARAKHAND	2013	73.0	188.3	22.0	24.7	18.2	488.9	413.4	359.4	111.3	2
113	1355	UTTARAKHAND	2014	45.9	99.9	68.4	37.6	52.9	62.9	462.7	264.2	107.9	4
114	1356	UTTARAKHAND	2015	54.5	62.6	127.3	57.3	38.0	186.6	337.0	305.3	52.6	1

115 rows × 20 columns

localhost:8888/notebooks/day14_U_32.ipynb

```
In [3]: df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	C
0	1242	UTTARAKHAND	1901	134.5	81.4	44.5	5.9	60.8	33.6	381.1	612.3	167.1	1
1	1243	UTTARAKHAND	1902	0.0	17.0	52.2	63.7	52.1	113.1	444.1	327.5	220.4	3
2	1244	UTTARAKHAND	1903	68.0	7.9	87.6	10.3	37.5	83.0	251.6	442.7	249.3	٤
3	1245	UTTARAKHAND	1904	40.0	5.2	78.3	13.6	61.1	180.1	449.6	417.2	174.1	
4	1246	UTTARAKHAND	1905	115.4	80.7	99.8	26.1	70.3	111.5	299.9	349.5	129.5	
110	1352	UTTARAKHAND	2011	30.9	65.2	18.0	30.9	84.2	223.1	433.3	523.7	148.4	
111	1353	UTTARAKHAND	2012	38.8	11.9	28.1	39.2	9.1	46.0	387.1	419.5	220.6	
112	1354	UTTARAKHAND	2013	73.0	188.3	22.0	24.7	18.2	488.9	413.4	359.4	111.3	2
113	1355	UTTARAKHAND	2014	45.9	99.9	68.4	37.6	52.9	62.9	462.7	264.2	107.9	4
114	1356	UTTARAKHAND	2015	54.5	62.6	127.3	57.3	38.0	186.6	337.0	305.3	52.6	1

115 rows × 20 columns

In [4]: df.columns


In [5]: df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype						
0	index	115 non-null	int64						
1	SUBDIVISION	115 non-null	object						
2	YEAR	115 non-null	int64						
3	JAN	115 non-null	float64						
4	FEB	115 non-null	float64						
5	MAR	115 non-null	float64						
6	APR	115 non-null	float64						
7	MAY	115 non-null	float64						
8	JUN	115 non-null	float64						
9	JUL	115 non-null	float64						
10	AUG	115 non-null	float64						
11	SEP	115 non-null	float64						
12	OCT	115 non-null	float64						
13	NOV	115 non-null	float64						
14	DEC	115 non-null	float64						
15	ANNUAL	115 non-null	float64						
16	Jan-Feb	115 non-null	float64						
17	Mar-May	115 non-null	float64						
18	Jun-Sep	115 non-null	float64						
19	Oct-Dec	115 non-null	float64						
dtype	es: float64(1	7), int64(2), ob	ject(1)						
memory usage: 18.9+ KB									


In [6]: df.plot.line(subplots=True)

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```




In [7]: df.plot.line()

Out[7]: <AxesSubplot:>




In [8]: |df.plot.bar()

Out[8]: <AxesSubplot:>




In [9]: df.plot.hist()

Out[9]: <AxesSubplot:ylabel='Frequency'>




In [10]: df.plot.area()

Out[10]: <AxesSubplot:>





In [11]: df.plot.box()

Out[11]: <AxesSubplot:>




```
In [12]: df.plot.pie(y='ANNUAL')
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





In [13]: df.plot.scatter(x='FEB',y='JAN')

Out[13]: <AxesSubplot:xlabel='FEB', ylabel='JAN'>




In [14]: df.describe()

Out[14]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
cour	t 115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	11
mea	1299.000000	1958.000000	53.797391	63.452174	57.272174	35.166087	55.338261	16
st	33.341666	33.341666	40.887384	44.040532	42.438752	24.116540	36.597919	8
mi	n 1242.000000	1901.000000	0.000000	0.000000	0.000000	1.100000	3.600000	3
25%	6 1270.500000	1929.500000	21.400000	27.950000	22.850000	18.250000	28.050000	10
50%	6 1299.000000	1958.000000	49.700000	60.100000	47.700000	30.700000	50.500000	13
75%	6 1327.500000	1986.500000	76.200000	88.100000	80.600000	51.200000	71.450000	21
ma	x 1356.000000	2015.000000	211.400000	188.300000	190.300000	132.900000	270.200000	48
4								

In [15]: sns.pairplot(df)

Out[15]: <seaborn.axisgrid.PairGrid at 0x2563bf33fa0>




In [16]: |sns.distplot(df['OCT'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut ureWarning: `distplot` is a deprecated function and will be removed in a futu re version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[16]: <AxesSubplot:xlabel='OCT', ylabel='Density'>



In [17]: sns.heatmap(df.corr())

Out[17]: <AxesSubplot:>



In []: