Computer Science 4 Semester 4

Contents

Chapter 1	The Fall of Communism	Page 2
1.1	Similarities with C	2
1.2	Basic C#	2
	Input Output — 2 • Format Strings — 3	

Chapter 1

The Fall of Communism

1.1 Similarities with C

```
/* Variable assignment */
int x = 5, i = 0;
float y = 4.5;
                                                                                /* Ternary Operator */
double z = 3.1415;
char c = 'A';
                                                                                int w = (x < y)? y : x;
                                                                                /* Loops */
/* Basic Operations */
                                                                                while (i < 6) {
                                                                                   /*...*/
x * y;
χ++;
etc...
                                                                                } while (i < 6);</pre>
/* Conditionals */
if (x = y) {
                                                                                for (int i = 0; i < 6; i++) {
} else if (x < y) {
                                                                                    /*...*/
} else {
```

1.2 Basic C#

1.2.1 Input Output

Basically how to take input from the user and give an output back.

In C we have the scanf(), which is used to get input from the user and place it in to a variable. in C# we have the Console.ReadLine() which is similar however it returns the user input as a string rather than placing it in a variable so if we want user input in C we do

```
int x;
scanf("%d",&x);
```

While in C# we have to read the input as a string then convert it to an integer like so

```
int x = System.Int32.Parse(Console.ReadLine());
```

Likewise, in C we use printf() to print something to the screen, but in C# we use Console.WriteLine() to do the same thing, however the difference is that C forces you to use a string to format before it is printed while C# can handle the formatting for you, for example the C code

```
int x = 5;
printf("%d\n",x);
is equivelant to the following C# code
int x = 5;
Console.WriteLine(x); // print directly, no need to specify `%d` or `\n`
```

1.2.2 Format Strings

Strings in C# can be defined using **string** name = "World". If we want to format strings when printing we do printf("Hello, %d!\n",name), but in C# this can be done in a much simpler fashion using

```
Console.WriteLine($"Hello, {name}!")
or alternatively using
Console.WriteLine("Hello, " + name + "!")
```

```
Note:-

2 strings can be concatenated together in C#(added together) like so

string firstName = "Hamboola ";

string lastName = "Habooling";

string fullName = firstName + lastName; /* fullName = "Hamboola Hambooling" */
```