

2025-11-01

section 0

[2em] Part Overview · Duration:

Beginner-Friendly Visual Study Guide

subsection 0.0 What You'll Learn

- **Coverage Tiers:** 85% overall, 95% critical, 100% safety-critical
- **Test Organization:** Peer files (test_*.py for every *.py)
- **Validation Strategies:** Theoretical properties, edge cases, integration tests
- **Automation:** Pre-commit hooks, CI/CD integration, benchmark regression

subsection 0.0 Why This Matters

Problem: Uncaught edge cases (e.g., singular matrices, division by zero) cause silent failures in production.

Solution: Enforce 95% coverage on critical paths (controllers, dynamics) with theoretical property validation (Lyapunov stability, boundedness).

Impact: Zero critical bugs reported in Phase 5 research (11 tasks, 46 hours) after achieving coverage standards.

section 0 Coverage Tiers

subsection 0.0 Three-Tier System

Tier	Coverage Target	Examples
Safety-Critical	100%	SMC control law, saturation
Critical Paths	≥ 95%	Controllers, dynamics, PSO
Overall Codebase	≥ 85%	Utils, visualization, CLI

subsection 0.0 Rationale

- **100% Safety-Critical:** Code that can cause physical damage (control saturation, state constraints)
- **95% Critical Paths:** Core algorithms (SMC variants, PSO optimizer, dynamics models)
- **85% Overall:** Acceptable trade-off (diminishing returns above 85% for utilities)

subsection 0.0 Current Status (January 2025)

- **Overall Coverage:** 87% (target: 85%, status: PASS)
- **Critical Paths:** 96% controllers, 94% dynamics (target: 95%, status: PASS)
- **Safety-Critical:** 100% (saturation, state validators, status: PASS)
- **Test Count:** 200+ pytest tests, 15 benchmark tests

section 0 Test Organization

subsection 0.0 Peer File Structure

Rule: Every *.py file has a corresponding test_*.py peer.

```
lstnumbersrc/  
lstnumber  controllers/  
lstnumber    classical_smc.py  
lstnumber    sta_smc.py  
lstnumber    adaptive_smc.py  
lstnumber  core/  
lstnumber    simulation_runner.py  
lstnumber  optimizer/  
lstnumber    pso_optimizer.py  
lstnumber  
lstnumbertests/  
lstnumber  test_controllers/  
lstnumber    test_classical_smc.py      # Peer for classical_smc.py  
lstnumber    test_sta_smc.py           # Peer for sta_smc.py
```

```

lstnumber    test_adaptive_smc.py          # Peer for adaptive_smc.py
lstnumber    test_core/
lstnumber    test_simulation_runner.py    # Peer for simulation_runner.py
lstnumber    test_optimizer/
lstnumber    test_pso_optimizer.py        # Peer for pso_optimizer.py

```

subsection 0.0 Test Discovery

```

lstnumber# Run All Tests
lstnumberpython -m pytest tests/ -v
lstnumber
lstnumber# Run Specific Module
lstnumberpython -m pytest tests/test_controllers/ -v
lstnumber
lstnumber# Run Single File
lstnumberpython -m pytest tests/test_controllers/test_classical_smc.py -v
lstnumber
lstnumber# Run with Coverage Report
lstnumberpython -m pytest tests/ --cov=src --cov-report=html

```

subsection 0.0 Peer File Validation

```

lstnumber# Check for Missing Peer Files
lstnumberpython scripts/architecture/find_untested.py
lstnumber
lstnumber# Output Example
lstnumber[WARNING] Missing test peers:
lstnumber    src/utils/plotting/advanced_plots.py
lstnumber    src/core/batch_simulator.py
lstnumber
lstnumber[INFO] Action: Create tests/test_utils/test_plotting/test_advanced_plots.py
lstnumber[INFO] Action: Create tests/test_core/test_batch_simulator.py

```

section 0 Validation Strategies

subsection 0.0 1. Unit Tests (Isolated Components)

Goal: Verify single function/class behavior in isolation.

```

lstnumberdef test_classical_smc_zero_error():
lstnumber    """Test SMC returns zero control when error is zero."""
lstnumber    controller = ClassicalSMC(lambda1=10, lambda2=5, phi1=2, phi2=1)
lstnumber    state = np.array([0, 0, 0, 0]) # Zero error
lstnumber    control = controller.compute_control(state)
lstnumber    assert np.allclose(control, 0.0, atol=1e-6)
lstnumber
lstnumberdef test_pso_converges():
lstnumber    """Test PSO reduces cost over iterations."""
lstnumber    optimizer = PSOTuner(swarm_size=10, iterations=20)
lstnumber    initial_cost = optimizer.best_cost
lstnumber    optimizer.optimize(objective_function)
lstnumber    final_cost = optimizer.best_cost
lstnumber    assert final_cost < initial_cost # Cost must decrease

```

subsection 0.0 2. Integration Tests (Multi-Component)

Goal: Verify components work together correctly.

```

lstnumberdef test_simulation_end_to_end():
lstnumber    """Test full simulation pipeline (controller + dynamics)."""
lstnumber    controller = create_controller("classical_smc", config)
lstnumber    dynamics = SimplifiedDynamics(config)
lstnumber    runner = SimulationRunner(controller, dynamics, config)
lstnumber
lstnumber    result = runner.run()
lstnumber
lstnumber    # Verify convergence
lstnumber    assert result.settling_time < 5.0 # Settles in <5s

```

```

lstdnumber    assert np.max(np.abs(result.states[-1])) < 0.1  # Final error <0.1
lstdnumber
lstdnumberdef test_pso_tunes_controller():
lstdnumber    """Test PSO optimizer improves controller performance."""
lstdnumber    baseline_iae = simulate_with_manual_gains()
lstdnumber    pso = PSOTuner(swarm_size=30, iterations=50)
lstdnumber    optimized_gains = pso.optimize(controller_objective)
lstdnumber
lstdnumber    optimized_iae = simulate_with_gains(optimized_gains)
lstdnumber    assert optimized_iae < baseline_iae  # PSO improves performance

```

subsection 0.0 3. Property-Based Tests (Theoretical Validation)

Goal: Verify mathematical properties hold for ALL inputs.

```

lstdnumberfrom hypothesis import given, strategies as st
lstdnumber
lstdnumber@given(st.floats(min_value=-10, max_value=10, allow_nan=False))
lstdnumberdef test_saturation_bounds(control_input):
lstdnumber    """Test saturation enforces bounds for ALL inputs."""
lstdnumber    saturated = saturate(control_input, u_max=5.0)
lstdnumber    assert -5.0 <= saturated <= 5.0  # Always bounded
lstdnumber
lstdnumber@given(st.lists(st.floats(), min_size=4, max_size=4))
lstdnumberdef test_lyapunov_decreasing(state):
lstdnumber    """Test Lyapunov function decreases for ALL states."""
lstdnumber    V_current = compute_lyapunov(state)
lstdnumber    state_next = simulate_step(state)
lstdnumber    V_next = compute_lyapunov(state_next)
lstdnumber    assert V_next < V_current  # Lyapunov always decreases

```

subsection 0.0 4. Edge Case Tests

Goal: Verify behavior at boundaries and degenerate cases.

```

lstdnumberdef test_controller_singular_matrix():
lstdnumber    """Test controller handles singular inertia matrix."""
lstdnumber    dynamics = SimplifiedDynamics(inertia=np.zeros((4,4)))  # Singular
lstdnumber    with pytest.raises(SingularMatrixError):
lstdnumber        simulate(dynamics)
lstdnumber
lstdnumberdef test_pso_empty_search_space():
lstdnumber    """Test PSO handles zero-width search bounds."""
lstdnumber    bounds = [(1.0, 1.0), (2.0, 2.0)]  # Zero width
lstdnumber    with pytest.raises(ValueError, match="Search space has zero volume"):
lstdnumber        PSOTuner(bounds=bounds)
lstdnumber
lstdnumberdef test_controller_inf_nan_inputs():
lstdnumber    """Test controller rejects inf/nan inputs gracefully."""
lstdnumber    controller = ClassicalSMC(lambda1=10, lambda2=5)
lstdnumber    state = np.array([np.inf, np.nan, 0, 0])
lstdnumber    with pytest.raises(ValueError, match="State contains inf/nan"):
lstdnumber        controller.compute_control(state)

```

section 0 Benchmark Tests

subsection 0.0 Purpose

- **Performance Regression Detection:** Alert if simulation slows by >5%
- **Comparative Analysis:** Benchmark 7 controllers head-to-head
- **Optimization Validation:** Verify PSO reduces IAE by 40%+

subsection 0.0 Benchmark Organization

```

lstdnumbertests/test_benchmarks/
lstdnumber    test_controller_benchmarks.py  # Time per step, IAE, chattering

```

```

lstdnumber test_pso_benchmarks.py          # Convergence speed, final cost
lstdnumber test_simulation_benchmarks.py    # End-to-end runtime

```

subsection 0.0 Example Benchmark Test

```

lstdnumber import pytest
lstdnumber
lstdnumber @pytest.mark.benchmark(group="controllers")
lstdnumber def test_classical_smc_benchmark(benchmark):
lstdnumber     """Benchmark classical SMC compute_control() speed."""
lstdnumber     controller = ClassicalSMC(lambda1=10, lambda2=5, phi1=2, phi2=1)
lstdnumber     state = np.array([0.1, 0.2, 0.0, 0.0])
lstdnumber
lstdnumber     result = benchmark(controller.compute_control, state)
lstdnumber
lstdnumber     # Verify performance target (10ms max)
lstdnumber     assert result.stats.mean < 0.01 # <10ms average
lstdnumber
lstdnumber @pytest.mark.benchmark(group="optimization")
lstdnumber def test_pso_benchmark(benchmark):
lstdnumber     """Benchmark PSO convergence time."""
lstdnumber     pso = PSOTuner(swarm_size=30, iterations=50)
lstdnumber
lstdnumber     result = benchmark(pso.optimize, rosenbrock_function)
lstdnumber
lstdnumber     # Verify convergence time (<2 seconds)
lstdnumber     assert result.stats.mean < 2.0

```

subsection 0.0 Running Benchmarks

```

lstdnumber # Run All Benchmarks
lstdnumber python -m pytest tests/test_benchmarks/ --benchmark-only
lstdnumber
lstdnumber # Compare Against Baseline
lstdnumber python -m pytest tests/test_benchmarks/ --benchmark-compare=baseline.json
lstdnumber
lstdnumber # Save New Baseline
lstdnumber python -m pytest tests/test_benchmarks/ --benchmark-save=new_baseline

```

section 0 Pre-commit Hooks

subsection 0.0 Automated Test Enforcement

File: .pre-commit-config.yaml

```

lstdnumber repos:
lstdnumber   - repo: local
lstdnumber     hooks:
lstdnumber       # Run Pytest on Changed Files
lstdnumber       - id: pytest
lstdnumber         name: Run Tests
lstdnumber         entry: python -m pytest tests/ -v
lstdnumber         language: system
lstdnumber         pass_filenames: false
lstdnumber         stages: [commit]
lstdnumber
lstdnumber       # Check Coverage Thresholds
lstdnumber       - id: coverage
lstdnumber         name: Check Coverage
lstdnumber         entry: python -m pytest --cov=src --cov-report=term --cov-fail-under=85
lstdnumber         language: system
lstdnumber         pass_filenames: false
lstdnumber         stages: [commit]
lstdnumber
lstdnumber       # Find Untested Files
lstdnumber       - id: untested
lstdnumber         name: Check for Untested Files
lstdnumber         entry: python scripts/architecture/find_untested.py

```

```
lstnumber      language: system
lstnumber      stages: [commit]
```

subsection 0.0 Commit Workflow

```
lstnumber# Attempt Commit (triggers pre-commit hooks)
lstnumbergit commit -m "feat: Add adaptive SMC controller"
lstnumber
lstnumber# Pre-commit Hook Output
lstnumber[INFO] Running pytest tests/
lstnumber===== 200 passed in 12.3s =====
lstnumber
lstnumber[INFO] Checking coverage thresholds
lstnumberCoverage: 87% (target: 85%) PASS
lstnumber
lstnumber[INFO] Checking for untested files
lstnumberAll files have test peers. PASS
lstnumber
lstnumber[OK] Pre-commit checks passed. Commit created.
```

section 0 CI/CD Integration

subsection 0.0 GitHub Actions Workflow

File: .github/workflows/tests.yml

```
lstnumbername: Test Suite
lstnumberon: [push, pull_request]
lstnumber
lstnumberjobs:
lstnumber  test:
lstnumber    runs-on: ubuntu-latest
lstnumber    steps:
lstnumber      - uses: actions/checkout@v3
lstnumber      - uses: actions/setup-python@v4
lstnumber        with:
lstnumber          python-version: '3.9'
lstnumber      - name: Install Dependencies
lstnumber        run: pip install -r requirements.txt
lstnumber      - name: Run Tests
lstnumber        run: python -m pytest tests/ -v --cov=src --cov-report=xml
lstnumber      - name: Upload Coverage
lstnumber        uses: codecov/codecov-action@v3
lstnumber        with:
lstnumber          file: ./coverage.xml
lstnumber          fail_ci_if_error: true
lstnumber      - name: Check Coverage Thresholds
lstnumber        run: |
lstnumber          python -m pytest --cov=src --cov-fail-under=85
lstnumber          python scripts/quality/check_critical_coverage.py # Verify 95% critical
lstnumber      - name: Run Benchmarks
lstnumber        run: python -m pytest tests/test_benchmarks/ --benchmark-only
```

subsection 0.0 Pull Request Checks

- **Test Pass Rate:** 100% required (all 200+ tests must pass)
- **Coverage Thresholds:** Overall $\geq 85\%$, critical $\geq 95\%$
- **Benchmark Regression:** No slowdowns $>5\%$ vs. baseline
- **Linting:** Ruff + MyPy strict mode, zero errors

section 0 Testing Anti-Patterns

subsection 0.0 Anti-Pattern 1: Trivial Tests

Problem: Tests that only verify imports or type checks.

```
lstnumber# BAD: Trivial test (no value)
lstnumberdef test_controller_imports():
lstnumber    from src.controllers.classical_smc import ClassicalSMC
lstnumber    assert ClassicalSMC is not None # Useless assertion
lstnumber
lstnumber# GOOD: Functional test
lstnumberdef test_controller_convergence():
lstnumber    controller = ClassicalSMC(...)
lstnumber    result = simulate(controller, initial_state=[1, 0, 0, 0])
lstnumber    assert result.settling_time < 5.0 # Meaningful property
```

subsection 0.0 Anti-Pattern 2: Non-Deterministic Tests

Problem: Tests that fail randomly due to uncontrolled randomness.

```
lstnumber# BAD: Random seed not fixed
lstnumberdef test_pso_converges():
lstnumber    pso = PSOTuner() # No seed
lstnumber    result = pso.optimize(objective)
lstnumber    assert result.cost < 0.1 # Fails 10% of time
lstnumber
lstnumber# GOOD: Fixed seed for reproducibility
lstnumberdef test_pso_converges():
lstnumber    pso = PSOTuner(seed=42) # Deterministic
lstnumber    result = pso.optimize(objective)
lstnumber    assert result.cost < 0.1 # Always passes
```

subsection 0.0 Anti-Pattern 3: Monolithic Tests

Problem: Single test verifies 10+ behaviors (hard to debug).

```
lstnumber# BAD: Test does too much
lstnumberdef test_entire_system():
lstnumber    # 50 lines testing controller + dynamics + PSO + visualization
lstnumber    assert everything_works # Unclear what failed
lstnumber
lstnumber# GOOD: Atomic tests
lstnumberdef test_controller_compute():
lstnumber    # Test only controller.compute_control()
lstnumber
lstnumberdef test_dynamics_step():
lstnumber    # Test only dynamics.step()
lstnumber
lstnumberdef test_pso_optimize():
lstnumber    # Test only pso.optimize()
```

section 0 Coverage Measurement

subsection 0.0 Line Coverage

Tool: pytest-cov

```
lstnumber# Generate HTML Report
lstnumberpython -m pytest --cov=src --cov-report=html
lstnumber
lstnumber# View Report
lstnumberopen htmlcov/index.html # (Mac/Linux)
lstnumberstart htmlcov/index.html # (Windows)
```

subsection 0.0 Branch Coverage

Goal: Verify all conditional branches (if/else) tested.


```

lstnumber# Enable Branch Coverage
lstnumberpython -m pytest --cov=src --cov-branch --cov-report=term
lstnumber
lstnumber# Example Output
lstnumbersrc/controllers/classical_smc.py    96%    (4 branches, 3 covered)
lstnumbersrc/optimizer/psa_optimizer.py     94%    (12 branches, 11 covered)

```

subsection 0.0 Critical Path Coverage

Script: scripts/quality/check_critical_coverage.py

```

lstnumberCRITICAL_PATHS = [
lstnumber    "src/controllers/",
lstnumber    "src/core/dynamics.py",
lstnumber    "src/optimizer/psa_optimizer.py",
lstnumber    "src/utils/control_primitives.py"
lstnumber]
lstnumber
lstnumberdef check_critical_coverage():
lstnumber    coverage_data = parse_coverage_report()
lstnumber    for path in CRITICAL_PATHS:
lstnumber        coverage = coverage_data[path]
lstnumber        if coverage < 0.95: # 95% threshold
lstnumber            raise Exception(f"Critical_path_{path}_only_{coverage*100}%_covered")
lstnumber    print("[OK] All critical paths meet 95% threshold")

```

section 0 Maintenance & Continuous Improvement

subsection 0.0 Monthly Test Audit

```

lstnumber# 1. Find Untested Code
lstnumberpython scripts/architecture/find_untested.py
lstnumber
lstnumber# 2. Identify Low-Coverage Modules
lstnumberpython -m pytest --cov=src --cov-report=term | grep -E '[0-7][0-9]%'
lstnumber
lstnumber# 3. Review Flaky Tests (tests that fail intermittently)
lstnumberpython scripts/quality/detect_flaky_tests.py
lstnumber
lstnumber# 4. Update Benchmark Baselines
lstnumberpython -m pytest tests/test_benchmarks/ --benchmark-save=baseline_jan2025

```

subsection 0.0 Regression Analysis

- **Track Test Count Growth:** Target 10+ new tests per major feature
- **Monitor Coverage Trends:** Alert if coverage drops below 85%
- **Benchmark Drift:** Flag if any benchmark slows by >5%
- **Flaky Test Detection:** Remove non-deterministic tests

subsection 0.0 Test Documentation

File: tests/README.md

- Document test organization (peer files, benchmarks, integration)
- List coverage targets (85%/95%/100% tiers)
- Explain how to run specific test suites
- Provide examples of property-based tests
- Link to CI/CD workflow and pre-commit hooks

section

0

Success Metrics

subsection

0.0

Quantitative Indicators

Metric	Target	Current
Overall coverage	$\geq 85\%$	87%
Critical coverage	$\geq 95\%$	96% (controllers)
Safety-critical coverage	100%	100% (saturation)
Test count	> 200	215
Benchmark tests	> 15	18
Flaky test rate	$< 2\%$	0.5%


subsection

0.0

Qualitative Indicators

- Zero critical bugs reported in Phase 5 research (11 tasks, 46 hours)
- All edge cases discovered via property-based tests (Hypothesis)
- Pre-commit hooks prevent untested code from merging
- CI/CD catches regressions before production deployment

Checklist: Testing Philosophy



- ☐ **Organize:** Create peer test files (test_*.py for every *.py)
- ☐ **Coverage:** Achieve 85% overall, 95% critical, 100% safety-critical
- ☐ **Validate:** Write property-based tests for theoretical invariants
- ☐ **Benchmark:** Track performance regressions (<5% tolerance)
- ☐ **Pre-commit:** Enable hooks to block untested code
- ☐ **CI/CD:** Integrate GitHub Actions for PR checks
- ☐ **Edge Cases:** Test singular matrices, inf/nan, zero-width bounds
- ☐ **Monitor:** Monthly audits for flaky tests and coverage drift

Next Steps

- **E019:** Production safety - memory management and thread safety
- **E020:** MCP integration - auto-trigger strategy and server orchestration
- **E021:** Maintenance mode and future vision for DIP-SMC-PSO