

spatial auto-correlation (pysal)

`adam.okulicz.kozaryn@gmail.com`

this version: Friday 14th November, 2025 10:10

outline

intuition

spatial weights

using spatial weights: spatial auto-correlation

TODO: K-means, medians etc

outline

intuition

spatial weights

using spatial weights: spatial auto-correlation

TODO: K-means, medians etc

correlation and spatial auto-correlation

- everyone heard of correlation, right? what is it? examples?
- many things correlate positively; people in space, too:
 - obese with obese, smokers with smokers, etc
 - ppl you hang out with are like you—you're avg of your 5 or so closest ppl <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3343772/pdf/nihms-216230.pdf> **p11 vis**
 - <https://www.google.com/search?q=christakis+fowler+obesity>
- <http://www.thebigsort.com/maps.php>
- hi-crime neighb next to hi-crime neighb
- poor states next to poor states (Miss, Alab, etc)
- poor countries cluster together, too: Africa, Lat Am, etc

the first law of geography (Waldo Tobler)

- “Everything is related to everything else,
but near things are more related than distant things”
- almost always true!
- do you see this in your research?

outline

intuition

spatial weights

using spatial weights: spatial auto-correlation

TODO: K-means, medians etc

spatial weights—the first step

- the first step before producing spatial auto-corr
- is to produce spatial weights
or spatially lag a variable


spatially lag var (like time lag)

- https://www.google.com/search?q=time++lag+variable&client=firefox-b-1-d&sca_esv=967cb4d33a83a1c2&udm=2&biw=1439&bih=1449&sxsrfr=ADLYWIIJ9CzRKGiuiQgClhLdRPammoCUzEg%3A1732285549166&ei=bZRAZ_PqCabdptQPrJSjyAM&ved=0ahUKEwiz1brGkvCJAxWmrokEHSzKCDkQ4dUDCA8&uact=5&oq=time++lag+variable&gs_lp=EgNpbWciEnRpbWUgIGxhZyB2YXJpYWJsZUgAUABYAHAAeACsclient=img
- time lag allows analysis of temporal precedence
- eg corr/effect of unemployment last year on this year's pov

spatial lag

- want to know the relationship of a place to its neighbors
- spatially lagged var just avg of vals for its neighbors

Spatial Lag Example



Average Neighbor Land Values

$$1/4 \times 50200 + 1/4 \times 45000 + 1/4 \times 34200 + 1/4 \times 64600$$

Copyright © 2004-2007 by Luc Anselin, All Rights Reserved

2 ways

- contiguity based (we'll just do these):
 - neighbor of place A touches on place A
- distance based: neighbor of place A is within some distance of place A

2 types of contiguity weights

- usually just pick queen contiguity—neighbor is any place that neighbors our place
 - at least must share a vertex, say North, North-East, etc
- can do rook: must share a border, not just vertex
 - so *not* North-East

rook v queen



- Rook: only 2,4,6, 8; Queen: all (i.e. 1-8)

order of contiguity

- can be higher orders: neighbors of my neighbors are my neighbors
- we'll just do 1st order

outline

intuition

spatial weights

using spatial weights: spatial auto-correlation


TODO: K-means, medians etc

positive v negative spatial autocorrelation


- note: auto-correlation
- correlate values of a var with values of the same var
- corr the variable with its spatial lag (avg for neighbors)
- positive if similar values next to each other
- negative if dissimilar values next to each other
- can already see in plain thematic maps

pos and neg

POSITIVE : Pattern of Similarity



NEGATIVE : Pattern of Dissimilarity



negative correlation is even more interesting

- uncommon: more interesting
- if a dog bites a man its no news,
if a man bites dog, that's news
- eg see rich area in the middle of poverty

application: my paper about happiness in Europe

- <https://theaok.github.io/docs/gesis3.pdf>
- see histogram and maps
- positive spatial autocorrelation
- clusters of happy and unhappy provinces
- and they span across country boundaries
- it is interesting to identify them and formally test

Moran's I

- most basic spatial stat
- just like regular corr: -1 to 1
- see Moran's I scatter in

<https://theaok.github.io/docs/gesis3.pdf>

just a thematic map

- already see spatial auto-correlation in thematic maps
- just have a close look, and think about it, discuss in ps

so what?

- Moran's I and LISA help make sense of thematic maps
 - they identify patterns, clusters, outliers
 - very useful! eg is poverty concentrated?
 - can already see from thematic maps but Moran's I and LISA add precision beyond eye-balling choropleths
- always: don't forget about interpretation
 - (don't ever show anything that you don't interpret)

so what?

- and it does matter where in the cluster one is located
- eg being poor in the middle of poverty may be better
- than being poor next to rich
- <https://academic.oup.com/qje/article/120/3/963/1841496>
- <https://www.jstor.org/stable/10.1086/603534>
- <https://journals.sagepub.com/doi/abs/10.1177/1078087418755515>

outline

intuition

spatial weights

using spatial weights: spatial auto-correlation

TODO: K-means, medians etc

DEFINITELY DO NEXT TIME