descriptive statistics 1-1: relationships: summarizing more than one variable: crosstabs and correlation, (Wheelan, 2013, ch3,4)

Adam Okulicz-Kozaryn adam.okulicz.kozaryn@gmail.com

this version: Tuesday 30<sup>th</sup> November, 2021 14:22

#### ps1; fa21

- great ideas, but do get actual data! just google it; and produce some stats
- and do read and cite literature (just put your research question into google scholar), and literature will also tell you about data
- https://www.policymap.com/newmaps may be useful
- for many of you i commented, do before-after
- discuss quickly; and for elaboration in few weeks res\_des.pdf
- check out redlining maps
   https://dsl.richmond.edu/panorama/redlining

# ps1: great ideas, but start working on it asap! o just start writing!

- (can do free-writing, dump all the ideas on paper, worry later about organization)
- few discussed specific data and literature
- narrow down, be focused on sth specific,be specific, eg how would you measure 'fairness'
- measurment is the key! email listserv about finding data!
- use tools from class on your data asap! ps1-1.pdf
- great to kill 2 birds with one stone: internship, etc
- o and study something you are passionate about!
- again, 2 keys to succes: start early, ask questions!!
- let's do one-on-one zooms :)

#### howto describe data?

- depends on lev of measuroment! cat v num q&a
- numbers
- graphs (always better unless very few ua, say <5)</li>
   humans recognize patterns in graphs better and faster
- break it up into subsets/subsamples! dig deeper!
- say see hist/tab for males and females separately
- say corr or crosstab for low and hi val separately that's a quick way to see nonlinear relationship!
   eg may rise and fall, eg swb and place size in china
- whiteboard

### few categories / categorical

- use contingency tab / cross-tab (bc you cross-tab dat)
- use percents, not counts: usually clearer
- o so what's the relationship: age and being a student?

What is your	Are you a student?			
age?	Yes - Full Time	Yes - Part Time	No	Total
15 and under	88%	12%	-	8
16 - 18	95%	-	5%	42
19 - 23	68%	12%	20%	205
24 - 29	16%	10%	74%	353
30 - 35	5%	9%	86%	192
36 - 45	4%	8%	88%	165
over 45	1%	7%	92%	129

http://www.custominsight.com/articles/crosstab-sample.asp

#### crosstabs: row percents v col percents All % Row % Col % ort: Cols ▼ Count Rows \*

#### Number of Employees at Company 26-100 1-25

101-999

24.4% 14.1% 26.9%

21.3%

20.4%

21.8%

17.2% ≥

Row %

26-100

0.8%

7.9%

16.4%

51.6%

23.2% ≥

100%

1,000-3,000

19.2%

22.6%

21.3%

17.0%

101-999

1.5%

7.1%

18.1%

50.3%

23.0%

100%

Col %

12.8%

6.3%

7.0%

5.0%

1,000-3,000

2.2%

7.2%

50.8%

18.9%

20.9%

100%

7.7% ^

> 3000

21.8%

21.5%

21.8%

17.6%

13.0%

> 3000

Total

100%

100%

100%

100%

100%

1.5%

9.3%

20.4%

48.4%

20.5%

100%

6/17

ob Satisfaction Hate my job

'm not happy in my job

enjoy going to work

Cols ▼

ob Satisfaction

I'm not happy in my job

l enjoy going to work

Hate my iob

It's a paycheck

Love my job

Total

Rows v

t's a paycheck

Love my job

ort:

27.6%

32.3%

47.8%

Count

1-25

0.8%

6.6%

12.6%

43.3%

36.7%

100%

31.6%

All %

Number of Employees at Company

#### crosstabs covid example

https://www.cdc.gov/mmwr/volumes/70/wr/ mm7037e1.htm#T1 down

## percentage change v percentage point change


- say good school's dropout rate increases from 2% to 4%
- $\circ$  percentage point increase is 4-2=2
- percentage increase is  $(\frac{4-2}{2}) * 100 = 100$
- say bad school's dropout rate increases from 50% to 75%
- $\circ$  percentage point increase is 75-50=25
- $\circ$  percentage increase is  $(\frac{75-50}{50})*100 = 50$
- if you start from low base (eg 2), then small percentage point increase is huge percent increase!
- o and it matters! eg racism in Scandinavia

### many categories / continuous data: corr and


#### scatterplots

- just plot data in scatterplot; identify outliers!
- ex: outliers cops/1k and crime (note dc and camden)
- o correlation range: -1 to 1
- o < |4| low
- $\circ$  |.4 .6| moderate
- $\circ > |.7|$  strong
- again, keep in mind causation v correlation

#### correlations for different scenarios




#### scatterplot



- O also see http://www.socialresearchmethods.net/kb/statcorr.php
- next slide: https://danley.camden.rutgers.edu/2017/04/13/ who-suspends-the-highest-percentage-of-camden-students-freedom-prep/
- o red: charter/renaissance; black: Camden schools

#### **Suspension Data**



#### do scatterplots

- it is useful to produce a scatterplot
- you'd see outliers—
- o and whether the relationship is due to them
- blackboard: relationships biased due to outliers
- say marriage rate and divorce rate and that one state where really a lot of people get divorced (and married)

#### calculate it!

- there are formulas in wheelan and trochim
- but can just calc with software :)
- $\circ$  lets see trochim's example of height and weight from syl
- o can do it excel or google sheets etc
- o but it's 21st century, so lets do it in Python :)

### Wheelan in ch11 mentions Whitehall studies

- high status causes better health!
- great book 'Status Syndrome' by m marmot
- eg nobel or oscar boosts one's health and longevity
- o these successful folks live longer and in better health
- than exact same people (income, lifestyle, etc) but without status
- https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2566175/
- Table 2A: correlations
- o esp 'Decision latitude' (scroll down)
- o conclusions?

### **Nudge by Thaler**

- use bus tools for pub pol and adm
- ...

#### wrap-up

- end every class discussing what we covered and quick look at next week
- end with a review Q&A,
- give some examples (essp in pub pol and pub adm) for concepts covered
- students will discuss concepts from the class
- •
- quick look at next class

# bibliography I

WHEELAN, C. (2013): Naked statistics: stripping the dread from the data, WW Norton & Company.