```
Protocol Length Info
No.
       Time
                                             Destination
                       Source
    76 2.432116
                       192.168.0.101
                                             128.119.245.12
                                                                   HTTP
                                                                            534
                                                                                   GET /wireshark-labs/HTTP-wireshark-file1.html
HTTP/1.1
Frame 76: 534 bytes on wire (4272 bits), 534 bytes captured (4272 bits) on interface
\Device\NPF {93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de)
Internet Protocol Version 4, Src: 192.168.0.101, Dst: 128.119.245.12
Transmission Control Protocol, Src Port: 54628, Dst Port: 80, Seq: 1, Ack: 1, Len: 480
Hypertext Transfer Protocol
   GET /wireshark-labs/HTTP-wireshark-file1.html HTTP/1.1\r\n
        [Expert Info (Chat/Sequence): GET /wireshark-labs/HTTP-wireshark-file1.html HTTP/1.1\r\n]
            [GET /wireshark-labs/HTTP-wireshark-file1.html HTTP/1.1\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Request Method: GET
        Request URI: /wireshark-labs/HTTP-wireshark-file1.html
        Request Version: HTTP/1.1
   Host: gaia.cs.umass.edu\r\n
   Connection: keep-alive\r\n
   Upgrade-Insecure-Requests: 1\r\n
   User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/83.0.4103.97 Safari/
537.36 Edg/83.0.478.45\r\n
   Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange; v=b3; q=0.9\r\n
   Accept-Encoding: gzip, deflate\r\n
   Accept-Language: en-US,en;q=0.9\r\n
    [Full request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file1.html]
    [HTTP request 1/2]
    [Response in frame: 91]
    [Next request in frame: 95]
       Time
                       Source
                                                                   Protocol Length Info
                                             Destination
                                                                                   HTTP/1.1 200 OK (text/html)
    91 2.545820
                       128.119.245.12
                                             192.168.0.101
                                                                   HTTP
                                                                            539
Frame 91: 539 bytes on wire (4312 bits), 539 bytes captured (4312 bits) on interface
\Device\NPF {93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.0.101
Transmission Control Protocol, Src Port: 80, Dst Port: 54628, Seq: 1, Ack: 481, Len: 485
Hypertext Transfer Protocol
   HTTP/1.1 200 OK\r\n
        [Expert Info (Chat/Sequence): HTTP/1.1 200 OK\r\n]
            [HTTP/1.1 200 OK\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Response Version: HTTP/1.1
        Status Code: 200
        [Status Code Description: OK]
        Response Phrase: OK
   Date: Sun, 07 Jun 2020 23:40:20 GMT\r\n
   Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.6 mod_perl/2.0.11 Perl/v5.16.3\
   Last-Modified: Sun, 07 Jun 2020 05:59:02 GMT\r\n
   ETag: "80-5a77830f0759b"\r\n
   Accept-Ranges: bytes\r\n
   Content-Length: 128\r\n
   Keep-Alive: timeout=5, max=100\r\n
    Connection: Keep-Alive\r\n
   Content-Type: text/html; charset=UTF-8\r\n
    \r\n
    [HTTP response 1/2]
    [Time since request: 0.113704000 seconds]
    [Request in frame: 76]
    [Next request in frame: 95]
    [Next response in frame: 106]
    [Request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file1.html]
   File Data: 128 bytes
Line-based text data: text/html (4 lines)
       Time
                                                                   Protocol Length Info
                       Source
                                             Destination
    95 2.591127
                       192.168.0.101
                                             128.119.245.12
                                                                   HTTP
                                                                            466
                                                                                   GET /favicon.ico HTTP/1.1
Frame 95: 466 bytes on wire (3728 bits), 466 bytes captured (3728 bits) on interface
\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: HonHaiPr 93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT b2:4c:de (7c:8b:ca:b2:4c:de)
Internet Protocol Version \overline{4}, Src: 192.168.0.101, Dst: 128.119.245.12
Transmission Control Protocol, Src Port: 54628, Dst Port: 80, Seq: 481, Ack: 486, Len: 412
Hypertext Transfer Protocol
   GET /favicon.ico HTTP/1.1\r\n
```

```
[Expert Info (Chat/Sequence): GET /favicon.ico HTTP/1.1\r\n]
            [GET /favicon.ico HTTP/1.1\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Request Method: GET
        Request URI: /favicon.ico
        Request Version: HTTP/1.1
   Host: gaia.cs.umass.edu\r\n
   Connection: keep-alive\r\n
   User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/83.0.4103.97 Safari/
537.36 Edg/83.0.478.45\r\n
   Accept: image/webp,image/apng,image/*,*/*;q=0.8\r\n
   Referer: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file1.html\r\n
   Accept-Encoding: gzip, deflate\r\n
   Accept-Language: en-US,en;q=0.9\r\n
    \r\n
    [Full request URI: http://gaia.cs.umass.edu/favicon.ico]
    [HTTP request 2/2]
    [Prev request in frame: 76]
    [Response in frame: 106]
No.
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   106 2.706052
                      128.119.245.12
                                             192.168.0.101
                                                                   HTTP
                                                                            537
                                                                                   HTTP/1.1 404 Not Found (text/html)
Frame 106: 537 bytes on wire (4296 bits), 537 bytes captured (4296 bits) on interface
\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.0.101
Transmission Control Protocol, Src Port: 80, Dst Port: 54628, Seq: 486, Ack: 893, Len: 483
Hypertext Transfer Protocol
   HTTP/1.1 404 Not Found\r\n
        [Expert Info (Chat/Sequence): HTTP/1.1 404 Not Found\r\n]
            [HTTP/1.1 404 Not Found\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Response Version: HTTP/1.1
        Status Code: 404
        [Status Code Description: Not Found]
        Response Phrase: Not Found
   Date: Sun, 07 Jun 2020 23:40:21 GMT\r\n
   Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.6 mod_perl/2.0.11 Perl/v5.16.3\r\n
   Content-Length: 209\r\n
   Keep-Alive: timeout=5, max=99\r\n
   Connection: Keep-Alive\r\n
   Content-Type: text/html; charset=iso-8859-1\r\n
    \r\n
    [HTTP response 2/2]
    [Time since request: 0.114925000 seconds]
    [Prev request in frame: 76]
    [Prev response in frame: 91]
    [Request in frame: 95]
    [Request URI: http://gaia.cs.umass.edu/favicon.ico]
   File Data: 209 bytes
Line-based text data: text/html (7 lines)
       Time
                       Source
                                             Destination
                                                                   Protocol Length Info
   220 10.963337
                       192.168.0.101
                                             128.119.245.12
                                                                   HTTP
                                                                            645
                                                                                   GET /wireshark-labs/HTTP-wireshark-file1.html
HTTP/1.1
Frame 220: 645 bytes on wire (5160 bits), 645 bytes captured (5160 bits) on interface
\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b), Dst: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de)
Internet Protocol Version 4, Src: 192.168.0.101, Dst: 128.119.245.12
Transmission Control Protocol, Src Port: 54627, Dst Port: 80, Seq: 1, Ack: 1, Len: 591
Hypertext Transfer Protocol
   GET /wireshark-labs/HTTP-wireshark-file1.html HTTP/1.1\r\n
        [Expert Info (Chat/Sequence): GET /wireshark-labs/HTTP-wireshark-file1.html HTTP/1.1\r\n]
            [GET /wireshark-labs/HTTP-wireshark-file1.html HTTP/1.1\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Request Method: GET
        Request URI: /wireshark-labs/HTTP-wireshark-file1.html
        Request Version: HTTP/1.1
   Host: gaia.cs.umass.edu\r\n
   Connection: keep-alive\r\n
   Cache-Control: max-age=0\r\n
   Upgrade-Insecure-Requests: 1\r
   User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/83.0.4103.97 Safari/
537.36 Edg/83.0.478.45\r\n
```

```
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange; v=b3; q=0.9 r n
   Accept-Encoding: gzip, deflate\r\n
   Accept-Language: en-US,en;q=0.9\r\n
   If-None-Match: "80-5a77830f0759b"\r\n
   If-Modified-Since: Sun, 07 Jun 2020 05:59:02 GMT\r\n
   [Full request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file1.html]
    [HTTP request 1/1]
   [Response in frame: 224]
No.
                      Source
                                             Destination
                                                                   Protocol Length Info
       Time
   224 11.085315
                      128.119.245.12
                                             192.168.0.101
                                                                   HTTP
                                                                            292
                                                                                   HTTP/1.1 304 Not Modified
Frame 224: 292 bytes on wire (2336 bits), 292 bytes captured (2336 bits) on interface
\Device\NPF_{93DF5BA3-6DF2-41A0-8F80-385CAAF6BF13}, id 0
Ethernet II, Src: Tp-LinkT_b2:4c:de (7c:8b:ca:b2:4c:de), Dst: HonHaiPr_93:ff:4b (90:32:4b:93:ff:4b)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.0.101
Transmission Control Protocol, Src Port: 80, Dst Port: 54627, Seq: 1, Ack: 592, Len: 238
Hypertext Transfer Protocol
   HTTP/1.1 304 Not Modified\r\n
        [Expert Info (Chat/Sequence): HTTP/1.1 304 Not Modified\r\n]
            [HTTP/1.1 304 Not Modified\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Response Version: HTTP/1.1
       Status Code: 304
        [Status Code Description: Not Modified]
        Response Phrase: Not Modified
   Date: Sun, 07 Jun 2020 23:40:29 GMT\r\n
   Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.6 mod_perl/2.0.11 Perl/v5.16.3\r\n
   Connection: Keep-Alive\r\n
   Keep-Alive: timeout=5, max=100\r\n
   ETag: "80-5a77830f0759b"\r\n
    \r\n
    [HTTP response 1/1]
    [Time since request: 0.121978000 seconds]
    [Request in frame: 220]
    [Request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file1.html]
```