
Programming Assignment 3: Two player Checker Game

Problem Description

A two player checker game is designed with placement of coins on triangular structures arranged as shown in Figure 1. Each player has 10 coins in the beginning. The coins appear on the board arranged randomly for both players. A player can move in at most 6 directions always following a straight line. A coin can move to its neighboring vacant circle protecting itself from being wiped out from the board by the opponent (Type 1 move). Each player can also jump after an opponent's coin in its neighborhood and wipe out the crossed over coin from the board (Type 2 move). The jump is feasible only if there is a vacant circle [Fig. 2]. Also, a player cannot jump over its own coin. The player, who wipes out more coins than those of opponent's before the termination of the game, wins. The maximum branching factor is 120 considering maximum possible 12 moves by one coin, for initial 10 coins on the board. As the coins are wiped out, the branching factor reduces.



The game terminates if one player's all coins are wiped out (making the other player win with points equal to the number of coins on board) or both players are not able to move anywhere in two consecutive turns. In the case, no player is able to move any coin in two consecutive turns, the player with more coins on board wins by the difference in points compared with the one

whose less coins remain on the board. The terminating states are those with exclusively one, two, ...or ten coins of player 1 in any combination. Similarly of player 2 with exclusively one, two, ...or ten coins of player 2 in any combination. Also, the terminating states are the states when no player is able to move in two consecutive turns. This also involves all possible combinations appropriately.





Figure 2. Moves illustration

The corners are safe as no coin can jump over opponent's coins placed in any of these 6 corners as depicted using red circles in Figure 3. However, any coin placed in the corner is free to move in other directions.



Represent the problem as state space search problem to compute a strategy for the intelligent agent (player 2: Intelligent agent) to win. A strategy consists of finding the initial move for player 2, next move of player 2 based on a move by player 1, next move of player 2 based on another move by player 1, and so on till the end of the game. Students must understand that if the board is not represented as a state and the problem is not represented as state space search problem, then no credit will be given mere on solving the problem. Identify the terminal states and associate utility values as discussed in the class. Implement Minimax algorithm and Alpha Beta pruning to solve the above problem.

Implementation

Use Python version 2.7.13 (Windows 10) for implementing your solution. Only standard Python libraries should be used. Support from external sources or libraries such as github will not be accepted in your submissions. Each student must design own solution and write own code. [Refer handout to understand the malpractice policies.]

Modules

Implement the following modules. The names are self explanatory and refer to the class discussions.

- 1. Initial state generator()
- 2. Successor_function(state s) returns a state.
- 3. Terminal_test(Hashtable H, state s) returns a boolean value. [Hint:Use hashing]
- 4. Utility_value(Hashtable H, state s) returns a number. [Hint: Use hashing for O(1) time complexity]
- 5. MIN_VALUE(state s) returns utility_value.
- 6. MAX_VALUE(state s) returns utility_value.
- 7. Minimax algorithm
- 8. Alpha Beta pruning algorithm along with its Min_value() and Max_value () functions equivalent.

You are free to write functions to generate combinations of the terminal states to be populated in the hashtable H as above while you are also free to work out the combinations manually and populate the hash table appropriately.

Driver

The driver must integrate all functionalities and execute the functions appropriately using these options

Option 1: Display the empty board

Option 2: Play the game using Minimax algorithm

Option 3: Play the game using Alpha Beta pruning

Writeup, evaluation and submission

Write up details will be made available one day before the submission date. Evaluation will be out of 16 marks (8% weight). Students are advised to inform me immediately if any discrepancy exists in this document. The assignment is due for submission on October 20, 2018 (Saturday) by

Artificial Intelligence (BITS F444/ CS F407)

2018

6:30 p.m. The total duration of the assignment is 10 days after excluding the mid semester test duration. Students are advised to work out the details of the solution, discuss with me their complete understanding of the concepts individually and plan the implementation appropriately.

In case of any difficulty, please feel free to contact me.

Vandana October 1, 2018