## MATH401 Homework 7

James Zhang\*

October 23, 2023

<sup>\*</sup>Email: jzhang72@terpmail.umd.com

1. Problem 6.7 from the text

a. 
$$T = \begin{bmatrix} 0.70 & 0.05 & 0.03 \\ 0.28 & 0.85 & 0.02 \\ 0.02 & 0.10 & 0.95 \end{bmatrix}$$

$$Tx_0 = \begin{bmatrix} 0.0970 \\ 0.0480 \\ 0.8570 \end{bmatrix}$$

$$T^2v_0 = \begin{bmatrix} 0.0959 \\ 0.0834 \\ 0.8207 \end{bmatrix}$$

$$T^5v_0 = \begin{bmatrix} 0.0975 \\ 0.0160 \\ 0.7415 \end{bmatrix}$$

- c. After normalization, the steady state is 0.2829
- d. Using Matlab, the smallest value of k is k = 66
- 2. In the homework

a. 
$$T = \begin{bmatrix} 0.95 & 0.45 \\ 0.05 & 0.55 \end{bmatrix}$$

a. 
$$T = \begin{bmatrix} 0.95 & 0.45 \\ 0.05 & 0.55 \end{bmatrix}$$
  
b.  $T^3 = \begin{bmatrix} 0.9125 & 0.7875 \\ 0.0825 & 0.2125 \end{bmatrix} \implies 91.25\%$  three days from now c.  $\lim T^k = \begin{bmatrix} 0.9 & 0.9 \\ 0.1 & 0.1 \end{bmatrix} \implies 10\%$ 

c. 
$$\lim T^k = \begin{bmatrix} 0.9 & 0.9 \\ 0.1 & 0.1 \end{bmatrix} \implies 10\%$$

- d. Using Matlab once more, we obtain 5 days
- 3. In the homework

a) 
$$T = \begin{bmatrix} 0 & 0 & 0 & 0.5 & 0 \\ 0.5 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0.5 & 0 \\ 0.5 & 0 & 0.5 & 0 & 0 \\ 0 & 1 & 0.5 & 0 & 0 \end{bmatrix}$$

- b) T is not regular because there are entries that are 0 and for example, a mouse in room 2 cannot get to mouse 3.
- c) P(room 5 = 0) and P(room 2 = 1)
- d) P(room 5 = 1) and P(room 2 = 0)
- e) An example probability vector is  $\begin{bmatrix} 0.7 \\ 0 \\ 0 \end{bmatrix}$  because there will never be a

steady state since mice in rooms 2 and 5 will forever alternative.

4. In the homework

a) 
$$T = \begin{bmatrix} 0 & 0 & 0 & 0.5 & 0 \\ 0.5 & 0 & 0 & 0 & 0.5 \\ 0 & 0 & 0 & 0.5 & 0 \\ 0.5 & 0 & 0.5 & 0 & 0.5 \\ 0 & 1 & 0.5 & 0 & 0 \end{bmatrix}$$

- b) Yes, a state can reach every other state and itself within 5 or less states so it is regular.
- c) The probabilities are

$$P(1) = \frac{2}{15}, P(2) = \frac{3}{15}, P(3) = \frac{2}{15}, P(4) = \frac{4}{15}, P(5) = \frac{4}{15}$$

- 5. In the homework
  - a) P(ANVAN|A) = 1 \* 0.7 \* 0.65 \* 1 = 0.455
  - b) P(NPCVP) = 0.1 \* 0.15 \* 0.15 \* 0.1 = 0.000225
  - c) Their difference suggests that ANVAN is more likely to occur than NVCVP
  - d) Noun followed by article TWO words later is  $T^2 \implies 0.605$
  - e) Noun followed by article FOUR words later is  $T^4 \implies 0.6422$
  - f) The associated probabilities are

$$N \approx 0.3310, V \approx 0.2703, P \approx 0.0438, A \approx 0.2481, C \approx 1.1068$$