

R³

(Reduce Reuse Recycle)

Technical Presentation

Patapsco Middle School - 6th Grade

Designed by: The RoboKnights

2017-2018

Harini Devireddy

Pragna Yalamanchili

Srinidhi Akella

Venya Karri

Project Objective

Core Objective : Develop a device to efficiently identify recyclable items to reduce landfill Recyclables and minimize environment pollution.

Problem statement : Currently lot of recyclable items are being thrown into the trash and being sent to landfills everyday, this creates toxic chemicals that heat up the earth and contributes to global warming. Another issue with recyclable items in landfills is that they don't biodegrade quickly. In fact, it takes an average plastic water bottle 500 years to completely biodegrade.



About Our Client

- Gemma Evans

Experience:

- Planning Specialist
- Recycling Coordinator
- Assistant Manager
- Schoolyard Habits Intern
- Assistant Director of Special Events

Education:

Warren Wilson
College

Honors/Awards:

Employee of The
Year for October
2010

*Accepting the award is Branch
Manager, Susan Stonesifer (Middle).
Presented by MRN Vice President
Gemma Evans and MRN Awards
Chair, Bob Stumpf.*



Client Requirements

Client needs:

- Need a tool to identify recyclable items and restrict recyclable items to be intermixed with the trash
- Efficient Proximity sensing of recyclable items
- Needs to be weatherproof and avoid damage from trash inside the container
- Needs to have display panel for friendly usability and buzzer prompting
- Scope is limited for home usage - Needs further improvements for commercial usage


Constraints:

- The object should not be more than 8mm away from the proximity sensor on the device.
- The trash should not be filled over the device, which is attached inside the trash bin.
- The user has to check the power supply (batteries) on a regular basis.



Engineering Design Process

- We followed standard engineering design process as our methodology with steps that includes
 - ASK → IMAGINE → PLAN → CREATE → IMPROVE → SHARE solution
 - Engineering standard: 3-5-ETS1-2 ; 3-5-ETS1-3
 - Program Coding standards for arduino e.g.naming convention, single line comments etc.



- We did some background research if there any products in market that can efficiently identify recyclable items to avoid intermixing trash, to minimize recyclable items in landfills, and reduce generation of toxic chemicals
- We did some brainstorming and came up with 3 different solutions and decided on one final solution
- The selected solution for device design has been split into 3 different modules- metal detector, motion detector, and Display Panel
- We first built and tested the 3 modules separately then integrated them and tested the integrated device
- We had a couple of bugs along the way with both the separate modules and the integrated device which we persevered to fix then test again

Major challenges and correlating solutions

Currently there is no single device in the market that can efficiently identify all recyclable items from trash and user friendly.

- We considered the following solution choices for prototype and selected option 1
 - Option 1: A device to identify trash and recyclable items throwing into the trash bin with lid
 - Option 2: A device to identify recyclable items throwing into (free flow) the trash bin without lid
 - Option 3: A device to identify recyclable items from the settled items of the trash bin

But after our brainstorm discussions, we found it is practically difficult to identify settled recyclable items from trash bin and also for free flow items without lid. So finally we chose option 1 as viable solution.


- We considered the following capabilities for this iteration but it has foundational framework that can be extendable
 - Identification of few selected recyclable items - metal detection scope only, individual loading of the items in trash bin, LCD display for prompts along with buzzer, Lid auto open/close, residential usage only.

Modules Implementation

Design and development work has been split into 3 modules:

- 1. Metal Detector : Metal Detector is the inductive proximity sensor for detecting the metal items. Metal detector module upon identification of metal sends signals in a serial fashion to the code deployed on the arduino board and LCD.
- 2. Motion Detector : Motion Detector is an Ultrasonic sensor to detect the motion of objects within proximity of 2 cm to 400 cm and sends serial signals to the arduino board that is programmed to open /close the lid.
- 3. Display Panel : Based on signals received from metal detector module Liquid Crystal Display (LCD) panel displays “Please Recycle” prompts, if metal is detected and produces buzzing sound.

R3 Flow Diagram






Materials Needed

Materials Finalized:

- 1 Arduino Mega ATmega2560
- 1 Inductive Proximity Sensor(NPN type)
- 1 Ultrasonic Sensor (HC-SR04)
- 1 Liquid Crystal Display (HC1624 LCD)
- 1 Device holding box
- 1 Battery holder
- 1 Trash bin for prototype
- 1 Buzzer
- 1 DC Servo (LS-0009AF digital)
- 6V battery (Quantity 4)

Prototype Demonstration



Testing approach and Results

We have conducted testing for our prototype in two phases:

➤ Unit Testing

- Tested each of the modules separately soon after the module code is developed and the corresponding circuit is completed.
-

➤ Integration Testing

- Once all modules are passed unit testing, we integrated code for two Metal Detector module and LCD Panel module with the corresponding integrated circuit and then conducted testing.
- Next we integrated Motion Detector module with the already above integrated modules along with the code and the circuit and finally conducted the integrated system testing.
- Few of the Test Scenarios are as below:
 - Placed a metal soda tin in front of the device and the trash lid did not open with the message 'Please Recycle' on the LCD display panel.
 - Placed a non-metal soda tin in front of the device and the trash can lid was opened. No prompting to recycle with the text message on LCD display panel


MESA *Mathematics
Engineering
Science
Achievement*

JOHNS HOPKINS UNIVERSITY APPLIED PHYSICS LABORATORY

key features:

- Limitations:** Metal detection only, individual loading of the items in trash bin, inductive proximity sensor range is low

- Reduction of chemical toxic gases generation from Landfills
- Increased Opportunity on recycling and saves energy





Next Steps / Recommendations

Enabling below capabilities are been considered for future enhancements for multi iteration releases for full blown product:

- ❖ Can be enhanced with Plastic, paper and glass identification capabilities with corresponding sensors.
- ❖ Notification to user's phone with for each recycled item is a nice to have future.
- ❖ Extend product capabilities from residential to community common usage.
- ❖ Monthly reports to user telling them how much they have recycled

Any Questions?

