Importing libraries

In [62]:

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sn
from sklearn.model_selection import train_test_split
from sklearn.metrics import classification_report
from sklearn.tree import DecisionTreeClassifier
from sklearn import metrics
from sklearn.naive_bayes import GaussianNB
```

Reading dataset

In [28]:

```
df=pd.read_csv("covid_symptoms.csv")
df
```

Out[28]:

	cough	fever	sore_throat	shortness_of_breath	head_ache	corona_result	age_60_and_above	gen
0	1.0	0.0	0.0	0.0	0.0	0.0	No	N
1	1.0	1.0	0.0	0.0	0.0	0.0	No	N
2	0.0	1.0	0.0	0.0	0.0	0.0	Yes	N
3	1.0	1.0	0.0	0.0	0.0	1.0	Yes	N
4	1.0	0.0	0.0	0.0	0.0	0.0	Yes	Fen
					•••			
211424	0.0	1.0	0.0	0.0	0.0	1.0	Yes	N
211425	0.0	0.0	0.0	0.0	0.0	1.0	No	N
211426	0.0	0.0	0.0	0.0	0.0	1.0	No	I
211427	0.0	0.0	0.0	0.0	0.0	1.0	No	Fen
211428	0.0	0.0	0.0	0.0	0.0	1.0	No	Fen

211429 rows × 9 columns

1

In [29]:

df.head(20)

Out[29]:

	cough	fever	sore_throat	shortness_of_breath	head_ache	corona_result	age_60_and_above	gender
0	1.0	0.0	0.0	0.0	0.0	0.0	No	Male
1	1.0	1.0	0.0	0.0	0.0	0.0	No	Male
2	0.0	1.0	0.0	0.0	0.0	0.0	Yes	Male
3	1.0	1.0	0.0	0.0	0.0	1.0	Yes	Male
4	1.0	0.0	0.0	0.0	0.0	0.0	Yes	Female
5	1.0	1.0	0.0	0.0	0.0	1.0	Yes	Male
6	0.0	0.0	0.0	0.0	0.0	0.0	No	Male
7	1.0	1.0	1.0	0.0	1.0	0.0	No	Female
8	1.0	0.0	1.0	0.0	0.0	0.0	No	Female
9	1.0	1.0	1.0	1.0	0.0	0.0	No	Female
10	1.0	0.0	0.0	0.0	0.0	0.0	No	Male
11	1.0	0.0	0.0	0.0	0.0	0.0	No	Female
12	1.0	0.0	0.0	0.0	0.0	0.0	No	Female
13	0.0	0.0	0.0	0.0	0.0	0.0	No	Male
14	0.0	0.0	0.0	0.0	0.0	0.0	No	Female
15	0.0	0.0	0.0	0.0	0.0	0.0	No	Male
16	1.0	1.0	0.0	1.0	0.0	0.0	No	Male
17	0.0	1.0	0.0	0.0	0.0	1.0	No	Female
18	0.0	1.0	0.0	0.0	0.0	1.0	No	Female
19	0.0	0.0	0.0	0.0	0.0	0.0	No	Female

Data Preprocessing

Removing null values

```
In [30]:
```

```
df.isnull().sum()
Out[30]:
cough
                         243
fever
                         243
sore_throat
                         243
shortness_of_breath
                         243
head_ache
                         243
corona_result
                         243
age_60_and_above
                         243
                        5371
gender
test_indication
                         243
dtype: int64
In [31]:
df=df.dropna()
```

In [32]:

```
df.isnull().sum()
```

Out[32]:

cough 0 fever 0 sore_throat 0 shortness_of_breath 0 head_ache 0 corona_result 0 age_60_and_above 0 gender 0 test_indication 0 dtype: int64

There are no null values

```
In [33]:
```

```
np.shape(df)
```

Out[33]:

(206058, 9)

Replacing categorical variables with numbers

```
In [34]:
```

```
df=df.replace(to_replace="No", value=0.0)
df=df.replace(to_replace="Yes", value=1.0)
```

In [35]:

```
df=df.replace(to_replace="Male", value=0.0)
df=df.replace(to_replace="Female", value=1.0)
```

In [36]:

```
df=df.replace(to_replace="Other", value=1.0)
df=df.replace(to_replace="Abroad", value=2.0)
df=df.replace(to_replace="Contact with confirmed",value=3.0)
```

In [37]:

```
df.head(10)
```

Out[37]:

	cough	fever	sore_throat	shortness_of_breath	head_ache	corona_result	age_60_and_above	gender
0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	1.0	0.0	0.0	0.0	0.0	1.0	0.0
3	1.0	1.0	0.0	0.0	0.0	1.0	1.0	0.0
4	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
5	1.0	1.0	0.0	0.0	0.0	1.0	1.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	1.0	1.0	1.0	0.0	1.0	0.0	0.0	1.0
8	1.0	0.0	1.0	0.0	0.0	0.0	0.0	1.0
9	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0
4								•


Distribution of positive and negative results

In [38]:

```
sn.countplot(df["corona_result"])
plt.show()
```

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

FutureWarning




Checking for relationship among variables

In [39]:

```
plt.figure(figsize=(9,6))
c=df.corr()
sn.heatmap(c,xticklabels=c.columns,yticklabels=c.columns,annot=True)
c
```

Out[39]:

	cough	fever sore_throat		shortness_of_breath	head_ache	corona_result	age
cough	1.000000	0.405062	0.202896	0.195795	0.220778	0.377659	
fever	0.405062	1.000000	0.160196	0.180182	0.247458	0.437327	
sore_throat	0.202896	0.160196	1.000000	0.150116	0.282549	0.264471	
shortness_of_breath	0.195795	0.180182	0.150116	1.000000	0.162358	0.222676	
head_ache	0.220778	0.247458	0.282549	0.162358	1.000000	0.330164	
corona_result	0.377659	0.437327	0.264471	0.222676	0.330164	1.000000	
age_60_and_above	0.000766	0.073613	-0.032025	0.032874	-0.045978	0.051769	
gender	-0.039114	-0.087300	0.035454	-0.000051	0.019952	-0.066191	
test_indication	0.301624	0.241511	0.175073	0.112905	0.217364	0.540474	



Train-Test split

Naive Bayes

```
In [58]:
    naives_model = GaussianNB()
    naives_model.fit(X_train,y_train)

Out[58]:
GaussianNB(priors=None, var_smoothing=1e-09)

In [59]:

Y_hat = naives_model.predict(X_test)
Y_hat

Out[59]:
array([1., 1., 0., ..., 0., 0., 0.])

In [60]:

model_acc = accuracy_score(y_test, Y_hat)
print('The accuracy of our naive model is: %0.2f'% model_acc)
```

The accuracy of our naive model is: 0.83

Decision Tree

In [63]:


```
training_accuracy = []
test_accuracy = []
max_dep = range(1,15)

for md in max_dep:
    tree = DecisionTreeClassifier(max_depth=md,random_state=0)
    tree.fit(X_train,y_train)
    training_accuracy.append(tree.score(X_train, y_train))
    test_accuracy.append(tree.score(X_test, y_test))

plt.plot(max_dep,training_accuracy, label='Accuracy of the training set')
plt.ylabel('Accuracy')
plt.xlabel('Max_Depth')
plt.legend()
```

Out[63]:

<matplotlib.legend.Legend at 0x7fca4560bb90>



In [70]:

```
tree = DecisionTreeClassifier(max_depth=3,random_state=0)
tree.fit(X_train,y_train)
```

Out[70]:

In [71]:

```
tree.score(X_test, y_test)
```

Out[71]:

0.8432301271474328

Gradient Boosting

```
In [44]:
from sklearn.ensemble import GradientBoostingClassifier
clf=GradientBoostingClassifier()
In [45]:
clf.fit(X_train,y_train)
Out[45]:
GradientBoostingClassifier(ccp_alpha=0.0, criterion='friedman_mse', init=N
one,
                           learning_rate=0.1, loss='deviance', max_depth=
3,
                           max_features=None, max_leaf_nodes=None,
                           min_impurity_decrease=0.0, min_impurity_split=N
one,
                           min_samples_leaf=1, min_samples_split=2,
                           min_weight_fraction_leaf=0.0, n_estimators=100,
                           n_iter_no_change=None, presort='deprecated',
                           random_state=None, subsample=1.0, tol=0.0001,
                           validation fraction=0.1, verbose=0,
                           warm_start=False)
In [46]:
pred_gb=clf.predict(X_test)
In [47]:
from sklearn.metrics import accuracy_score
accuracy_score(y_test,pred_gb)
Out[47]:
0.8617878287877317
In [48]:
confusion matrix(y test,pred gb)
```

Out[48]:

```
array([[22342, 2202], [4918, 22053]])
```

In [49]:

```
0.0
                    0.82
                               0.91
                                          0.86
                                                   24544
         1.0
                    0.91
                               0.82
                                          0.86
                                                   26971
                                          0.86
                                                   51515
    accuracy
                                          0.86
                    0.86
                               0.86
                                                   51515
   macro avg
weighted avg
                    0.87
                               0.86
                                          0.86
                                                   51515
```

RandomForest Classifier

```
In [50]:
```

```
from sklearn.ensemble import RandomForestClassifier
rfc=RandomForestClassifier(max_depth=2)
```

In [51]:

```
rfc.fit(X_train,y_train)
```

Out[51]:

In [52]:

```
pred_rfc=rfc.predict(X_test)
```

In [53]:

```
accuracy_score(y_test,pred_rfc)
```

Out[53]:

0.8467630787149374

In [54]:

```
confusion_matrix(y_test,pred_rfc)
```

Out[54]:

```
array([[21602, 2942], [ 4952, 22019]])
```

In [55]:

print(classification_report(y_test,pred_rfc))

support	f1-score	recall	precision	
24544	0.85	0.88	0.81	0.0
26971	0.85	0.82	0.88	1.0
51515	0.85			accuracy
51515	0.85	0.85	0.85	macro avg
51515	0.85	0.85	0.85	weighted avg

Accuracy Results

- Naive Bayes- 83%
- Decision Tree- 84.3%
- Gradient Boosting- 86.27%
- RandomForest Classifier- 84.58%

Gradient boosting gives the best results