

# Development Economics: Project Analysis

## Contents

<b>1</b>	<b>Setup</b>	<b>4</b>
<b>2</b>	<b>Data</b>	<b>4</b>
2.1	Loading . . . . .	4
<b>3</b>	<b>Descriptive Evidence</b>	<b>5</b>
3.1	Summary Statistics . . . . .	5
3.2	Raw Data Graphs . . . . .	6
3.3	Graphs with Drought Dummy . . . . .	17
3.4	Graphs with Drought Dummy and Quartiles . . . . .	18
<b>4</b>	<b>TWFE Regressions</b>	<b>21</b>
4.1	Data . . . . .	21
4.1.1	Data Choice Selection . . . . .	21
4.2	Regression . . . . .	22
4.2.1	Estimation Loop . . . . .	22
4.3	Dependent Variable: income . . . . .	25
4.3.1	Regressed on: SPEI . . . . .	25
4.3.2	Regressed on: Share . . . . .	25
4.3.3	Regressed on: AgricStress . . . . .	26
4.3.4	Regressed on: Temperature . . . . .	26
4.4	Dependent Variable: agric_income . . . . .	27
4.4.1	Regressed on: SPEI . . . . .	27
4.4.2	Regressed on: Share . . . . .	27
4.4.3	Regressed on: AgricStress . . . . .	28
4.4.4	Regressed on: Temperature . . . . .	28
4.5	Dependent Variable: agric_output . . . . .	29
4.5.1	Regressed on: SPEI . . . . .	29
4.5.2	Regressed on: Share . . . . .	29
4.5.3	Regressed on: AgricStress . . . . .	30

4.5.4	Regressed on: Temperature . . . . .	30
4.6	Dependent Variable: fdcons . . . . .	31
4.6.1	Regressed on: SPEI . . . . .	31
4.6.2	Regressed on: Share . . . . .	31
4.6.3	Regressed on: AgricStress . . . . .	32
4.6.4	Regressed on: Temperature . . . . .	32
4.7	Dependent Variable: grains_harvest . . . . .	33
4.7.1	Regressed on: SPEI . . . . .	33
4.7.2	Regressed on: Share . . . . .	33
4.7.3	Regressed on: AgricStress . . . . .	34
4.7.4	Regressed on: Temperature . . . . .	34
4.8	Dependent Variable: vegetables_harvest . . . . .	35
4.8.1	Regressed on: SPEI . . . . .	35
4.8.2	Regressed on: Share . . . . .	35
4.8.3	Regressed on: AgricStress . . . . .	36
4.8.4	Regressed on: Temperature . . . . .	36
4.9	Dependent Variable: fruits_harvest . . . . .	37
4.9.1	Regressed on: SPEI . . . . .	37
4.9.2	Regressed on: Share . . . . .	37
4.9.3	Regressed on: AgricStress . . . . .	38
4.9.4	Regressed on: Temperature . . . . .	38
4.10	Dependent Variable: potatoes_harvest . . . . .	39
4.10.1	Regressed on: SPEI . . . . .	39
4.10.2	Regressed on: Share . . . . .	39
4.10.3	Regressed on: AgricStress . . . . .	40
4.10.4	Regressed on: Temperature . . . . .	40
4.11	Dependent Variable: output_per_field_grains . . . . .	41
4.11.1	Regressed on: SPEI . . . . .	41
4.11.2	Regressed on: Share . . . . .	41
4.11.3	Regressed on: AgricStress . . . . .	42
4.11.4	Regressed on: Temperature . . . . .	42
4.12	Dependent Variable: output_per_field_vegetables . . . . .	43
4.12.1	Regressed on: SPEI . . . . .	43
4.12.2	Regressed on: Share . . . . .	43
4.12.3	Regressed on: AgricStress . . . . .	44
4.12.4	Regressed on: Temperature . . . . .	44

4.13	Dependent Variable: output_per_field_fruits . . . . .	45
4.13.1	Regressed on: SPEI . . . . .	45
4.13.2	Regressed on: Share . . . . .	45
4.13.3	Regressed on: AgricStress . . . . .	46
4.13.4	Regressed on: Temperature . . . . .	46
4.14	Dependent Variable: output_per_field_potatoes . . . . .	47
4.14.1	Regressed on: SPEI . . . . .	47
4.14.2	Regressed on: Share . . . . .	47
4.14.3	Regressed on: AgricStress . . . . .	48
4.14.4	Regressed on: Temperature . . . . .	48

# 1 Setup

```
rm(list=ls())
require(tinytex) #LaTeX
require(ggplot2) #plots
require(haven) #load data
require(dplyr) #data management
require(lubridate) #data dates management
require(zoo) #for lagging
require(jtools) #tables
require(huxtable) #tables
require(lmtest) #reg tests
require(data.table) #for data filtering
require(sandwich) #regression errors
require(readxl) #for reading excel data
require(tidyr) #data
require(tidyverse) #data
require(fixest) #TWFE regression
require(purrr) #for looping plots
require(kableExtra) #for nice tables
options(scipen=999)

latex_format = TRUE

getwd()
setwd("../")
set.seed(123)
```

## 2 Data

### 2.1 Loading

```
load("final_data.Rdata")
load("final_data_quartiles.Rdata")
load("final_data_deciles.Rdata")
load("final_data_household.Rdata")
```

## 3 Descriptive Evidence

### 3.1 Summary Statistics

```
var_names <- c(
  "income"           = "Household Income",
  "agric_income"     = "Household Agricultural Income",
  "agric_output"     = "Gross Agricultural Output",
  "fdcons"           = "Household food Consumption",
  "poverty"          = "Rate of households in poverty",
  "urban"            = "Rate of households in urban areas",
  "spei"             = "SPEI (Drought Index)",
  "share"            = "Share of observations of SPEI above +1",
  "agric_stress"     = "Agricultural Stress",
  "Total_Rainfall"   = "Total Rainfall",
  "output_per_field_fruits" = "Fruits Yield",
  "output_per_field_grains" = "Grains Yield",
  "output_per_field_vegetables" = "Vegetables Yield",
  "output_per_field_potatoes" = "Potatoes Yield",
  "grains_harvest"    = "Grains Harvest",
  "vegetables_harvest" = "Vegetables Harvest",
  "fruits_harvest"    = "Fruits Harvest",
  "potatoes_harvest"  = "Potatoes Harvest",
  "temperature"      = "Temperature (C)",
  "district"         = "District",
  "year"             = "Year")

summary_stats_data <- dataset %>%
  pivot_longer(cols = c(income, agric_income, agric_output, fdcons, poverty,
                        urban, spei, share,
                        fruits_harvest, grains_harvest, potatoes_harvest,
                        output_per_field_fruits, output_per_field_grains, output_per_field_potatoes),
               names_to = "Variable",
               values_to = "value")

summary_stats_metric <- summary_stats_data %>%
  group_by(Variable) %>%
  summarize(Mean = mean(value, na.rm = TRUE),
            SD = sd(value, na.rm = TRUE),
            Median = median(value, na.rm = TRUE),
            Min = min(value, na.rm = TRUE),
            Max = max(value, na.rm = TRUE)) %>%
  ungroup() %>%
  mutate(Variable = factor(Variable,
                           levels = names(var_names),
                           labels = var_names)) %>%
  arrange(Variable)

if (latex_format) { format <- "latex" } else { format <- "html" }
summary_stats <- summary_stats_metric %>%
  kable(format = format, digits = 2,
        caption = "Summary Statistics", booktabs = TRUE) %>%
```

```

kable_styling(
  latex_options = c("striped", "condensed", "hold_position"),
  full_width = FALSE,
  position = "center")
if (latex_format) {save_kable(summary_stats, file = "figures/summary_stats.tex")}
summary_stats

```

Table 1: Summary Statistics

Variable	Mean	SD	Median	Min	Max
Household Income	174691.18	87785.61	151666.73	43655.19	429931.04
Household Agricultural Income	39837.36	30467.86	30956.55	0.00	161496.48
Gross Agricultural Output	75.97	47.23	69.05	4.90	225.10
Household food Consumption	13102.63	6403.40	12615.93	1931.74	40376.19
Rate of households in poverty	0.24	0.09	0.24	0.02	0.43
Rate of households in urban areas	0.59	0.22	0.50	0.31	1.00
SPEI (Drought Index)	0.06	0.51	0.05	-1.03	1.31
Share of observations of SPEI above +1	0.19	0.16	0.15	0.00	0.64
Fruits Yield	6.53	4.19	5.08	0.41	18.16
Grains Yield	2.55	0.98	2.55	0.00	4.87
Potatoes Yield	20.12	7.40	19.02	4.44	39.69
Grains Harvest	35332.81	33626.56	26200.00	0.00	157500.00
Fruits Harvest	27519.59	31090.43	12150.00	1000.00	115100.00
Potatoes Harvest	48996.39	63787.63	28350.00	400.00	325700.00

## 3.2 Raw Data Graphs

```

plot_data <- dataset %>%
  pivot_longer(cols = c(income, agric_income, agric_output, fdcons, poverty,
                        spei, share, agric_stress, Total_Rainfall,
                        output_per_field_fruits,output_per_field_grains),
    names_to = "metric",
    values_to = "value" )

all_metrics <- unique(plot_data$metric)

plot_list_by_metric <- map(all_metrics, function(met) {
  pretty_name <- var_names[met]
  plot_data <- plot_data %>%
    filter(metric == met)
  p <- ggplot(plot_data, aes(x = year, y = value)) +
    geom_line() +
    geom_point(size = 0.5) +
    facet_wrap(~ district, scales = "free_y", ncol = 3) +
    labs(title = paste("Evolution of:", pretty_name),x = "Year",y = "Value") +
    theme_light() +
    theme(plot.title = element_text(face = "bold", size = 14, hjust = 0.5),
          plot.subtitle = element_text(size = 12, hjust = 0.5),

```


```

plot.caption = element_text(color = "grey50", face = "italic"),
strip.text = element_text(face = "bold", color = "black", hjust = 0),
strip.background = element_rect(fill = "grey90", color = NA),
axis.title = element_text(size = 11),
axis.text.x = element_text(angle = 45, hjust = 1, size = 9),
axis.text.y = element_text(size = 9),
panel.grid.minor = element_blank() )


print(p)
if (latex_format) {
  ggsave(filename = paste0("plot_", met, ".png"), path = "figures/",
    plot = p, width = 12, height = 10) }
return(p) } )

```

## Evolution of: Household Income




## Evolution of: Household Agricultural Income







## Evolution of: Gross Agricultural Output




## Evolution of: Household food Consumption




## Evolution of: Rate of households in poverty




## Evolution of: SPEI (Drought Index)




## Evolution of: Share of observations of SPEI above +1




## Evolution of: Agricultural Stress



## Evolution of: Total Rainfall




## Evolution of: Fruits Yield





## Evolution of: Grains Yield




### 3.3 Graphs with Drought Dummy

```
# Compute, for each years, the mean of agricultural output between districts
# that experience drought vs no drought
agric_plot <- dataset %>%
  group_by(year, drought_dummy) %>%
  summarise(mean_agric = mean(agric_output, na.rm = TRUE), n_district = n())

ggplot(agric_plot, aes(x = year, y = mean_agric,
  color = factor(drought_dummy), group = factor(drought_dummy))) +
  geom_line(linewidth = 0.8) +
  geom_point(size = 1.2) +
  scale_color_manual(values = c("0" = "#0072B2", "1" = "#D55E00"),
    labels = c("No Drought", "Drought")) +
  labs(x = "Year", y = "Mean Agricultural Output", color = "Drought Status",
    title = "Impact of Drought on Agricultural Output") +
  theme_minimal() +
  theme(legend.position = "top",
    axis.text.x = element_text(size = 5),
    axis.text.y = element_text(size = 5),
    plot.title = element_text(size = 14, face = "bold"),
    strip.text = element_text(size = 4, face = "bold"))
```

## Impact of Drought on Agricultural Output



### 3.4 Graphs with Drought Dummy and Quartiles

```
# Data Prep
dataset_prepped_q <- dataset_quartiles %>%
  mutate(drought_status = factor(drought_dummy,
    levels = c(0, 1),
    labels = c("No Drought Event", "Drought Event")),
    income_quartile = factor(national_quartile,
    levels = c(1, 2, 3, 4),
    labels = c("Q1 (Poorest)", "Q2", "Q3", "Q4 (Richest)")))


# A1. Aggregate the data: Find the mean income for each year and quartile
plot1_data_q <- dataset_prepped_q %>%
  group_by(year, income_quartile) %>%
  summarize(avg_income = mean(income, na.rm = TRUE),
    avg_agr_income = mean(agric_income, na.rm = TRUE), .groups = 'drop')

# A2. Create the plot q
ggplot(plot1_data_q, aes(x = year, y = avg_income, color = income_quartile, group = income_quartile)) +
  geom_line(linewidth = 1.2, alpha = 0.8) +
  geom_point(size = 2) +
  scale_y_continuous(labels = scales::comma) +
  scale_color_brewer(palette = "RdYlBu", direction = -1) +
```

```
labs(title = "Average Income by Income Quartile Over Time",
     subtitle = "Averaged across all districts",
     x = "Year",
     y = "Average Annual Income",
     color = "Income Quartile") +
theme_minimal() + theme(legend.position = "bottom",
  axis.text.x = element_text(size = 5),
  axis.text.y = element_text(size = 5),
  plot.title = element_text(size = 14, face = "bold"),
  strip.text = element_text(size = 4, face = "bold"))
```

## Average Income by Income Quartile Over Time

Averaged across all districts



*# B1. Aggregate data: Mean income by year, quartile, AND drought status*

```
plot2_data_q <- dataset_prepped_q %>%
  group_by(year, income_quartile, drought_status) %>%
  summarize(avg_income = mean(income, na.rm = TRUE),
            avg_agr_income = mean(agric_income, na.rm = TRUE), .groups = 'drop')
```

*# B2. Create the faceted plot q*

```
ggplot(plot2_data_q, aes(x = year, y = avg_income, color = drought_status, group = drought_status)) +
  geom_line(linewidth = 1.1, alpha = 0.9) +
  # Create 4 separate plots, one for each 'income_quartile'
  facet_wrap(~ income_quartile, scales = "free_y") +
  scale_y_continuous(labels = scales::comma) +
  scale_color_manual(values = c("No Drought Event" = "#0072B2", "Drought Event" = "#D55E00")) +
```


```

labs(title = "Impact of Drought Events on Income, by Income Quartile",
      subtitle = "Average income trends faceted by income group",
      x = "Year",
      y = "Average Annual Income",
      color = "Drought Status") +
theme_bw() +
theme(legend.position = "top",
      axis.text.x = element_text(size = 5),
      axis.text.y = element_text(size = 5),
      plot.title = element_text(size = 14, face = "bold"),
      strip.background = element_rect(fill = "grey90"),
      strip.text = element_text(face = "bold"))

```

## Impact of Drought Events on Income, by Income Quartile

Average income trends faceted by income group



## 4 TWFE Regressions

### 4.1 Data

#### 4.1.1 Data Choice Selection

```
# Select TRUE for having dependent variables in logs
dependent_in_logs <- TRUE

# Select TRUE to exclude "Yerevan" district from analysis
exclude_yerevan <- FALSE

# Select TRUE to focus on, on average, more rural districts
more_rural <- FALSE

# Select TRUE to focus on, on average, districts with more poverty
more_poverty <- FALSE

# Select TRUE to have up to 10 lags for all independent variables
more_lags <- FALSE

# Base case
twfe_data = dataset

# Dependent variables
dependent_vars <- c("income", "agric_income", "agric_output", "fdcons",
                    "grains_harvest", "vegetables_harvest", "fruits_harvest",
                    "potatoes_harvest", "output_per_field_grains",
                    "output_per_field_vegetables", "output_per_field_fruits",
                    "output_per_field_potatoes")

# Logs implementation
if (dependent_in_logs) {
  for (col in dependent_vars) {
    twfe_data[[col]] <- log(twfe_data[[col]]) }
  cat("Dependent variables are in logs.") }

## Dependent variables are in logs.

# Excluding Yerevan implementation
if (exclude_yerevan) {
  twfe_data = subset(twfe_data, district != "Yerevan")
  cat("Excluding Yerevan district from sample.") }

# Selecting majority-rural districts implementation
if (more_rural) {
  twfe_data = subset(twfe_data, urban < 0.5)
  cat("Focusing on districts with higher rural population, on average.")}

# Selecting poorer regions implementation
if (more_poverty) {
```

```

twfe_data = subset(twfe_data, poverty > 0.3)
cat("Focusing on districts with higher rates of poverty, on average.") }

# Selecting a certain timeframe
#twfe_data = subset(twfe_data, year > 2015)

# Selecting the poorest income decile
#twfe_data = subset(dataset_deciles, national_decile == 1)

# Selecting the poorest income quartile
#twfe_data = subset(dataset_quartiles, national_quartile == 1)

```

## 4.2 Regression

### 4.2.1 Estimation Loop

```

# For numbering of captions to make it easier to find ourselves in latex
section_base <- 4
dv_counter <- 2

# Define independent variables as a list of groups
if (more_lags) {
  iv_groups <- list(
    "SPEI" = c(
      "spei",
      "spei + spei_lag1",
      "spei + spei_lag1 + spei_lag2",
      "spei + spei_lag1 + spei_lag2 + spei_lag3",
      "spei + spei_lag1 + spei_lag2 + spei_lag3 + spei_lag4",
      "spei + spei_lag1 + spei_lag2 + spei_lag3 + spei_lag4 + spei_lag5",
      "spei + spei_lag1 + spei_lag2 + spei_lag3 + spei_lag4 + spei_lag5 + spei_lag6"),
    "Share" = c(
      "share",
      "share + share_lag1",
      "share + share_lag1 + share_lag2",
      "share + share_lag1 + share_lag2 + share_lag3",
      "share + share_lag1 + share_lag2 + share_lag3 + share_lag4",
      "share + share_lag1 + share_lag2 + share_lag3 + share_lag4 + share_lag5",
      "share + share_lag1 + share_lag2 + share_lag3 + share_lag4 + share_lag5 + share_lag6"),
    "AgricStress" = c(
      "agric_stress",
      "agric_stress + agric_stress_lag1",
      "agric_stress + agric_stress_lag1 + agric_stress_lag2",
      "agric_stress + agric_stress_lag1 + agric_stress_lag2 + agric_stress_lag3",
      "agric_stress + agric_stress_lag1 + agric_stress_lag2 + agric_stress_lag3 +
        agric_stress_lag4",
      "agric_stress + agric_stress_lag1 + agric_stress_lag2 + agric_stress_lag3 +
        agric_stress_lag4 + agric_stress_lag5",
      "agric_stress + agric_stress_lag1 + agric_stress_lag2 + agric_stress_lag3 +
        agric_stress_lag4 + agric_stress_lag5 + agric_stress_lag6"),
    "Temperature" = c(

```

```

      "temperature",
      "temperature + temperature_lag1",
      "temperature + temperature_lag1 + temperature_lag2",
      "temperature + temperature_lag1 + temperature_lag2 + temperature_lag3",
      "temperature + temperature_lag1 + temperature_lag2 + temperature_lag3 +
        temperature_lag4",
      "temperature + temperature_lag1 + temperature_lag2 + temperature_lag3 +
        temperature_lag4 + temperature_lag5",
      "temperature + temperature_lag1 + temperature_lag2 + temperature_lag3 +
        temperature_lag4 + temperature_lag5 + temperature_lag6") )
model_names <- c(
  "Model 1: 0 Lags",
  "Model 2: 1 Lag",
  "Model 3: 2 Lags",
  "Model 4: 3 Lags",
  "Model 5: 4 Lags",
  "Model 6: 5 Lags",
  "Model 7: 6 Lags")
} else {
  iv_groups <- list(
    "SPEI" = c(
      "spei",
      "spei + spei_lag1",
      "spei + spei_lag1 + spei_lag2"),
    "Share" = c(
      "share",
      "share + share_lag1",
      "share + share_lag1 + share_lag2"),
    "AgricStress" = c(
      "agric_stress",
      "agric_stress + agric_stress_lag1",
      "agric_stress + agric_stress_lag1 + agric_stress_lag2"),
    "Temperature" = c(
      "temperature",
      "temperature + temperature_lag1",
      "temperature + temperature_lag1 + temperature_lag2") )
  model_names <- c(
    "Model 1: 0 Lags",
    "Model 2: 1 Lag",
    "Model 3: 2 Lags") }

# Pretty names
create_lag_labels <- function(base_code, base_pretty, n_lags = 6) {
  labels <- setNames(base_pretty, base_code)
  for (i in 1:n_lags) {
    code <- paste0(base_code, "_lag", i)
    pretty <- paste0(base_pretty, " (Lag ", i, ")")
    labels[code] <- pretty
  }
  return(labels)}

var_dict <- c(
  var_names,
  create_lag_labels("spei", "SPEI"),

```

```

create_lag_labels("share", "SPEI Share"),
create_lag_labels("agric_stress", "Agric. Stress"),
create_lag_labels("temperature", "Temp.))

# Loop for each dependent variable for each group of independent variables
for (dv in dependent_vars) {
  dv_counter <- dv_counter + 1
  # Create a latex version of the dv name
  dv_safe <- gsub("_", "\\_", dv)
  cat(paste0("\n\n\\subsection{Dependent Variable: ", dv_safe, "}\n\n"))
  iv_counter <- 0

  for (group_name in names(iv_groups)) {
    iv_counter <- iv_counter + 1
    section_str <- paste(section_base, dv_counter, iv_counter, sep = ".")
    cat(paste0("\n\n\\subsubsection{Regressed on: ", group_name, "}\n\n"))
    models_list <- list()
    current_iv_formulas <- iv_groups[[group_name]]

    for (i in 1:length(current_iv_formulas)) {
      fml_string <- sprintf("%s ~ %s | district + year",
                            dv,
                            current_iv_formulas[i])
      models_list[[i]] <- feols(
        as.formula(fml_string),
        data = twfe_data,
        cluster = ~ district) }
      names(models_list) <- model_names

      clean_group <- gsub(" ", "", group_name)
      file_path <- paste0("figures/reg_", dv, "_", clean_group, ".tex")

      if (latex_format) {
        etable(models_list,
          label = paste0("table", section_str),
          fixef_sizes = TRUE,
          fitstat = c("n", "r2", "wr2"),
          tex = latex_format,
          file = file_path,
          dict = var_dict,
          replace = TRUE) }

      print(etable(
        models_list,
        fixef_sizes = TRUE,
        fitstat = c("n", "r2", "wr2"),
        tex = latex_format,
        dict = var_dict))) } }

```



### 4.3 Dependent Variable: income

#### 4.3.1 Regressed on: SPEI

Dependent Variable:	Household Income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI	0.0260 (0.0266)	0.0263 (0.0252)	0.0254 (0.0264)
SPEI (Lag 1)		-0.0201 (0.0505)	-0.0199 (0.0496)
SPEI (Lag 2)			-0.0174 (0.0522)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R <sup>2</sup>	0.95771	0.95775	0.95778
Within R <sup>2</sup>	0.00175	0.00273	0.00344
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.3.2 Regressed on: Share

Dependent Variable:	Household Income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	-0.1165 (0.0908)	-0.1618 (0.1105)	-0.1685 (0.1155)
SPEI Share (Lag 1)		-0.2229 (0.1517)	-0.2596 (0.1846)
SPEI Share (Lag 2)			-0.2104 (0.1685)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R <sup>2</sup>	0.95781	0.95839	0.95888
Within R <sup>2</sup>	0.00413	0.01776	0.02941
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.3.3 Regressed on: AgricStress

Dependent Variable:	Household Income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-0.0047 (0.0666)	-0.0222 (0.0622)	-0.0228 (0.0612)
Agric. Stress (Lag 1)		0.0717 (0.0819)	0.0743 (0.0736)
Agric. Stress (Lag 2)			-0.0202 (0.1024)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R <sup>2</sup>	0.95764	0.95776	0.95777
Within R <sup>2</sup>	$1.42 \times 10^{-5}$	0.00285	0.00300

*Clustered (District) standard-errors in parentheses*  
*Signif. Codes: \*\*\*: 0.01, \*\*: 0.05, \*: 0.1*

#### 4.3.4 Regressed on: Temperature

Dependent Variable:	Household Income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	0.0971 (0.0676)	0.0944 (0.0684)	0.0955 (0.0698)
Temp. (Lag 1)		0.0133 (0.0326)	-0.0002 (0.0205)
Temp. (Lag 2)			0.0150 (0.0230)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R <sup>2</sup>	0.95785	0.95791	0.95798
Within R <sup>2</sup>	0.00499	0.00633	0.00809

*Clustered (District) standard-errors in parentheses*  
*Signif. Codes: \*\*\*: 0.01, \*\*: 0.05, \*: 0.1*

#### 4.4 Dependent Variable: agric\_income

##### 4.4.1 Regressed on: SPEI

Dependent Variable: Model:	Household Agricultural Income		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI	0.2773 (0.2633)	0.2786 (0.2720)	0.2814 (0.2893)
SPEI (Lag 1)		0.0586 (0.2790)	0.0572 (0.2737)
SPEI (Lag 2)			0.0400 (0.2727)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	197	197	197
R <sup>2</sup>	0.71669	0.71680	0.71685
Within R <sup>2</sup>	0.00952	0.00992	0.01009
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

##### 4.4.2 Regressed on: Share

Dependent Variable: Model:	Household Agricultural Income		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	-0.3389 (0.4318)	-0.3282 (0.4687)	-0.3893 (0.4920)
SPEI Share (Lag 1)		0.0552 (0.7967)	-0.1080 (0.8750)
SPEI Share (Lag 2)			-0.8570* (0.4538)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	197	197	197
R <sup>2</sup>	0.71444	0.71445	0.71667
Within R <sup>2</sup>	0.00166	0.00170	0.00946
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.4.3 Regressed on: AgricStress

Dependent Variable:	Household Agricultural Income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-0.1955 (0.5152)	-0.2022 (0.5525)	-0.1393 (0.6256)
Agric. Stress (Lag 1)		1.055 (0.9886)	1.193 (0.9930)
Agric. Stress (Lag 2)			-1.510 (0.8763)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	197	197	197
R <sup>2</sup>	0.71419	0.71963	0.72936
Within R <sup>2</sup>	0.00080	0.01981	0.05383
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.4.4 Regressed on: Temperature

Dependent Variable:	Household Agricultural Income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	0.1293 (0.2379)	0.1306 (0.2456)	0.1360 (0.2339)
Temp. (Lag 1)		-0.0064 (0.0712)	0.1104* (0.0564)
Temp. (Lag 2)			-0.1301** (0.0544)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	197	197	197
R <sup>2</sup>	0.71409	0.71410	0.71610
Within R <sup>2</sup>	0.00045	0.00047	0.00748
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

## 4.5 Dependent Variable: agric\_output

### 4.5.1 Regressed on: SPEI

Dependent Variable: Model:	Gross Agricultural Output		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI	0.0578 (0.0556)	0.0597 (0.0519)	0.0666 (0.0544)
SPEI (Lag 1)		0.0986 (0.0580)	0.0994* (0.0545)
SPEI (Lag 2)			0.1435* (0.0744)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.97508	0.97550	0.97640
Within R <sup>2</sup>	0.00561	0.02268	0.05855
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.5.2 Regressed on: Share

Dependent Variable: Model:	Gross Agricultural Output		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	0.1182 (0.1120)	0.1643 (0.1325)	0.1763 (0.1352)
SPEI Share (Lag 1)		0.2021 (0.1329)	0.2415 (0.1372)
SPEI Share (Lag 2)			0.1923 (0.1527)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.97502	0.97522	0.97540
Within R <sup>2</sup>	0.00316	0.01144	0.01864
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.5.3 Regressed on: AgricStress

Dependent Variable:	Gross Agricultural Output		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	0.3104 (0.1892)	0.2930 (0.1719)	0.2932 (0.1746)
Agric. Stress (Lag 1)		0.2321 (0.1415)	0.2317 (0.1351)
Agric. Stress (Lag 2)			0.0070 (0.1898)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.97572	0.97617	0.97617
Within R <sup>2</sup>	0.03148	0.04908	0.04909
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.5.4 Regressed on: Temperature

Dependent Variable:	Gross Agricultural Output		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	0.0568 (0.0720)	0.0550 (0.0775)	0.1154* (0.0588)
Temp. (Lag 1)		-0.0235 (0.1200)	0.0049 (0.1205)
Temp. (Lag 2)			0.2403*** (0.0733)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.97497	0.97497	0.97548
Within R <sup>2</sup>	0.00120	0.00140	0.02182
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

## 4.6 Dependent Variable: fdcons

### 4.6.1 Regressed on: SPEI

Dependent Variable:	Household food Consumption		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI	0.0400 (0.0943)	0.0407 (0.0950)	0.0393 (0.0952)
SPEI (Lag 1)		-0.0648 (0.0517)	-0.0645 (0.0522)
SPEI (Lag 2)			-0.0296 (0.1102)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R <sup>2</sup>	0.90580	0.90611	0.90617
Within R <sup>2</sup>	0.00133	0.00465	0.00531
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.6.2 Regressed on: Share

Dependent Variable:	Household food Consumption		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	-0.0860 (0.1944)	-0.1811 (0.2304)	-0.1932 (0.2334)
SPEI Share (Lag 1)		-0.4673 (0.2695)	-0.5340* (0.2667)
SPEI Share (Lag 2)			-0.3819 (0.3588)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R <sup>2</sup>	0.90574	0.90757	0.90875
Within R <sup>2</sup>	0.00073	0.02016	0.03261
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.6.3 Regressed on: AgricStress

Dependent Variable:	Household food Consumption		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-0.0214 (0.2026)	0.0082 (0.1772)	0.0074 (0.1811)
Agric. Stress (Lag 1)		-0.1217 (0.1475)	-0.1182 (0.1280)
Agric. Stress (Lag 2)			-0.0270 (0.1968)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R <sup>2</sup>	0.90568	0.90593	0.90594
Within R <sup>2</sup>	$9.36 \times 10^{-5}$	0.00274	0.00283
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.6.4 Regressed on: Temperature

Dependent Variable:	Household food Consumption		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	0.0666 (0.2338)	0.0762 (0.2367)	0.0787 (0.2407)
Temp. (Lag 1)		-0.0469 (0.0307)	-0.0776** (0.0302)
Temp. (Lag 2)			0.0341 (0.0259)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R <sup>2</sup>	0.90574	0.90626	0.90654
Within R <sup>2</sup>	0.00076	0.00621	0.00917
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			



## 4.7 Dependent Variable: grains\_harvest

### 4.7.1 Regressed on: SPEI

Dependent Variable:	Grains Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI	-0.4503*** (0.1064)	-0.4573*** (0.1065)	-0.4691*** (0.1071)
SPEI (Lag 1)		-0.2992** (0.1010)	-0.3025** (0.1207)
SPEI (Lag 2)			-0.2425* (0.1214)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R <sup>2</sup>	0.94570	0.94719	0.94817
Within R <sup>2</sup>	0.05653	0.08245	0.09939
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.7.2 Regressed on: Share

Dependent Variable:	Grains Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	-0.7772** (0.2690)	-0.9705*** (0.2807)	-1.008*** (0.2698)
SPEI Share (Lag 1)		-0.8358** (0.3403)	-1.012** (0.3457)
SPEI Share (Lag 2)			-0.9098** (0.4027)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R <sup>2</sup>	0.94375	0.94509	0.94660
Within R <sup>2</sup>	0.02257	0.04590	0.07212
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.7.3 Regressed on: AgricStress

Dependent Variable:	Grains Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-1.178*** (0.3036)	-1.127*** (0.2822)	-1.148*** (0.2822)
Agric. Stress (Lag 1)		-0.8049* (0.4269)	-0.7895* (0.4338)
Agric. Stress (Lag 2)			-0.5241 (0.4429)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R <sup>2</sup>	0.94656	0.94848	0.94914
Within R <sup>2</sup>	0.07144	0.10475	0.11627
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.7.4 Regressed on: Temperature

Dependent Variable:	Grains Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	-0.1116 (0.2034)	-0.1260 (0.2061)	-0.2292 (0.2332)
Temp. (Lag 1)		-0.1923 (0.3123)	-0.2413 (0.3223)
Temp. (Lag 2)			-0.4141 (0.2432)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R <sup>2</sup>	0.94249	0.94262	0.94320
Within R <sup>2</sup>	0.00077	0.00298	0.01312
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

## 4.8 Dependent Variable: vegetables\_harvest

### 4.8.1 Regressed on: SPEI

Dependent Variable: Model:	Vegetables Harvest		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI	-0.1150 (0.0697)	-0.1191 (0.0697)	-0.1240 (0.0725)
SPEI (Lag 1)		-0.2078 (0.1572)	-0.2084 (0.1617)
SPEI (Lag 2)			-0.1035 (0.0929)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.95674	0.95738	0.95753
Within R <sup>2</sup>	0.00428	0.01891	0.02251
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.8.2 Regressed on: Share

Dependent Variable: Model:	Vegetables Harvest		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	-0.1733 (0.1950)	-0.2713 (0.1901)	-0.2927 (0.1953)
SPEI Share (Lag 1)		-0.4297 (0.3137)	-0.5002 (0.3758)
SPEI Share (Lag 2)			-0.3438 (0.2918)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.95661	0.95693	0.95712
Within R <sup>2</sup>	0.00131	0.00854	0.01298
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.8.3 Regressed on: AgricStress

Dependent Variable:	Vegetables Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-0.4713 (0.4783)	-0.4391 (0.4584)	-0.4430 (0.4604)
Agric. Stress (Lag 1)		-0.4302 (0.5232)	-0.4229 (0.5081)
Agric. Stress (Lag 2)			-0.1363 (0.3874)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.95716	0.95767	0.95771
Within R <sup>2</sup>	0.01401	0.02568	0.02661
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.8.4 Regressed on: Temperature

Dependent Variable:	Vegetables Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	-0.1386 (0.1596)	-0.1443 (0.1766)	-0.1537 (0.2011)
Temp. (Lag 1)		-0.0755 (0.2847)	-0.0799 (0.3077)
Temp. (Lag 2)			-0.0372 (0.2512)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.95662	0.95663	0.95664
Within R <sup>2</sup>	0.00138	0.00178	0.00187
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

## 4.9 Dependent Variable: fruits\_harvest

### 4.9.1 Regressed on: SPEI

Dependent Variable:	Fruits Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI	0.2105 (0.1612)	0.2145 (0.1631)	0.2239 (0.1622)
SPEI (Lag 1)		0.2010 (0.1169)	0.2022* (0.1042)
SPEI (Lag 2)			0.1975 (0.1402)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.91392	0.91480	0.91565
Within R <sup>2</sup>	0.01062	0.02073	0.03042
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.9.2 Regressed on: Share

Dependent Variable:	Fruits Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	0.6161 (0.3458)	0.8515** (0.2807)	0.8986** (0.2913)
SPEI Share (Lag 1)		1.033** (0.3621)	1.188** (0.4138)
SPEI Share (Lag 2)			0.7552* (0.4113)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.91406	0.91675	0.91813
Within R <sup>2</sup>	0.01223	0.04308	0.05892
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.9.3 Regressed on: AgricStress

Dependent Variable: Model:	Fruits Harvest		
	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	0.6220** (0.2250)	0.5760*** (0.1782)	0.5885** (0.1992)
Agric. Stress (Lag 1)		0.6142* (0.3383)	0.5907* (0.3034)
Agric. Stress (Lag 2)			0.4338 (0.3242)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.91457	0.91610	0.91670
Within R <sup>2</sup>	0.01802	0.03561	0.04253
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.9.4 Regressed on: Temperature

Dependent Variable: Model:	Fruits Harvest		
	(1)	(2)	(3)
<i>Variables</i>			
Temp.	0.1117 (0.3286)	0.1123 (0.3298)	0.1934 (0.3155)
Temp. (Lag 1)		0.0076 (0.1958)	0.0458 (0.2025)
Temp. (Lag 2)			0.3225* (0.1467)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.91306	0.91306	0.91352
Within R <sup>2</sup>	0.00066	0.00067	0.00591
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

## 4.10 Dependent Variable: potatoes\_harvest

### 4.10.1 Regressed on: SPEI

Dependent Variable: Model:	Potatoes Harvest		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI	-0.0864 (0.0585)	-0.0913 (0.0683)	-0.0931 (0.0699)
SPEI (Lag 1)		-0.2477 (0.1406)	-0.2479 (0.1438)
SPEI (Lag 2)			-0.0391 (0.0848)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.97357	0.97447	0.97449
Within R <sup>2</sup>	0.00395	0.03787	0.03871
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.10.2 Regressed on: Share

Dependent Variable: Model:	Potatoes Harvest		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	-0.3500 (0.2041)	-0.5348* (0.2540)	-0.5406* (0.2604)
SPEI Share (Lag 1)		-0.8109** (0.3189)	-0.8300** (0.3329)
SPEI Share (Lag 2)			-0.0928 (0.2677)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.97369	0.97481	0.97482
Within R <sup>2</sup>	0.00872	0.05073	0.05126
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.10.3 Regressed on: AgricStress

Dependent Variable:	Potatoes Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-0.0492 (0.2602)	-0.0179 (0.2506)	-0.0237 (0.2470)
Agric. Stress (Lag 1)		-0.4188 (0.3375)	-0.4078 (0.3346)
Agric. Stress (Lag 2)			-0.2020 (0.1600)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.97347	0.97395	0.97403
Within R <sup>2</sup>	0.00025	0.01831	0.02162
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.10.4 Regressed on: Temperature

Dependent Variable:	Potatoes Harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	0.0188 (0.1026)	0.0361 (0.1132)	0.1030 (0.1501)
Temp. (Lag 1)		0.2291 (0.1470)	0.2607 (0.1665)
Temp. (Lag 2)			0.2664 (0.1743)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.97346	0.97362	0.97383
Within R <sup>2</sup>	$4.14 \times 10^{-5}$	0.00597	0.01387
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			



## 4.11 Dependent Variable: output\_per\_field\_grains

### 4.11.1 Regressed on: SPEI

Dependent Variable:	Grains Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI	-0.2324*** (0.0584)	-0.2349*** (0.0563)	-0.2379*** (0.0524)
SPEI (Lag 1)		-0.1082 (0.0719)	-0.1090 (0.0768)
SPEI (Lag 2)			-0.0598 (0.0758)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R <sup>2</sup>	0.78380	0.78558	0.78612
Within R <sup>2</sup>	0.03533	0.04328	0.04569
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.11.2 Regressed on: Share

Dependent Variable:	Grains Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	-0.4843** (0.2120)	-0.4983** (0.2098)	-0.5060** (0.2134)
SPEI Share (Lag 1)		-0.0607 (0.2006)	-0.0972 (0.1848)
SPEI Share (Lag 2)			-0.1884 (0.2824)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R <sup>2</sup>	0.78048	0.78055	0.78114
Within R <sup>2</sup>	0.02055	0.02084	0.02348
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.11.3 Regressed on: AgricStress

Dependent Variable:	Grains Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-0.7051** (0.2239)	-0.7082** (0.2265)	-0.7031** (0.2256)
Agric. Stress (Lag 1)		0.0484 (0.2655)	0.0446 (0.2562)
Agric. Stress (Lag 2)			0.1299 (0.2151)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R <sup>2</sup>	0.78933	0.78940	0.78977
Within R <sup>2</sup>	0.06004	0.06032	0.06198
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.11.4 Regressed on: Temperature

Dependent Variable:	Grains Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	0.0868 (0.1574)	0.0847 (0.1513)	-0.0005 (0.1551)
Temp. (Lag 1)		-0.0277 (0.2003)	-0.0682 (0.2072)
Temp. (Lag 2)			-0.3419* (0.1569)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R <sup>2</sup>	0.77612	0.77615	0.77978
Within R <sup>2</sup>	0.00110	0.00121	0.01743
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

## 4.12 Dependent Variable: output\_per\_field\_vegetables

### 4.12.1 Regressed on: SPEI

Dependent Variable: Model:	Vegetables Yield		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI	0.0175 (0.0438)	0.0145 (0.0492)	0.0092 (0.0508)
SPEI (Lag 1)		-0.1505 (0.1425)	-0.1512 (0.1481)
SPEI (Lag 2)			-0.1108 (0.1046)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.81793	0.82015	0.82134
Within R <sup>2</sup>	0.00016	0.01235	0.01890
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.12.2 Regressed on: Share

Dependent Variable: Model:	Vegetables Yield		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	0.0835 (0.1599)	0.0650 (0.1552)	0.0650 (0.1582)
SPEI Share (Lag 1)		-0.0810 (0.1714)	-0.0810 (0.2072)
SPEI Share (Lag 2)			$-5.39 \times 10^{-5}$ (0.2109)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.81799	0.81806	0.81806
Within R <sup>2</sup>	0.00048	0.00089	0.00089
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.12.3 Regressed on: AgricStress

Dependent Variable:	Vegetables Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-0.3306 (0.3666)	-0.3029 (0.3502)	-0.3043 (0.3528)
Agric. Stress (Lag 1)		-0.3705 (0.4208)	-0.3679 (0.4132)
Agric. Stress (Lag 2)			-0.0483 (0.2269)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.81989	0.82240	0.82243
Within R <sup>2</sup>	0.01094	0.02469	0.02487
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.12.4 Regressed on: Temperature

Dependent Variable:	Vegetables Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	-0.0371 (0.1581)	-0.0314 (0.1647)	-0.0282 (0.1701)
Temp. (Lag 1)		0.0757 (0.1271)	0.0772 (0.1386)
Temp. (Lag 2)			0.0129 (0.1257)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.81793	0.81804	0.81805
Within R <sup>2</sup>	0.00016	0.00079	0.00080
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

### 4.13 Dependent Variable: output\_per\_field\_fruits

#### 4.13.1 Regressed on: SPEI

Dependent Variable: Model:	Fruits Yield		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI	0.1856 (0.1434)	0.1887 (0.1457)	0.1952 (0.1438)
SPEI (Lag 1)		0.1567 (0.1054)	0.1575 (0.0973)
SPEI (Lag 2)			0.1367 (0.1568)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.79919	0.80052	0.80152
Within R <sup>2</sup>	0.00881	0.01538	0.02034
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.13.2 Regressed on: Share

Dependent Variable: Model:	Fruits Yield		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	0.5624 (0.3438)	0.7888** (0.2894)	0.8309** (0.3019)
SPEI Share (Lag 1)		0.9934** (0.3737)	1.132** (0.4357)
SPEI Share (Lag 2)			0.6764 (0.4382)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.79960	0.80578	0.80853
Within R <sup>2</sup>	0.01088	0.04136	0.05493
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.13.3 Regressed on: AgricStress

Dependent Variable:	Fruits Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	0.5254*** (0.1508)	0.4862*** (0.1244)	0.4959*** (0.1335)
Agric. Stress (Lag 1)		0.5233* (0.2771)	0.5052* (0.2487)
Agric. Stress (Lag 2)			0.3352 (0.2826)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.80018	0.80294	0.80384
Within R <sup>2</sup>	0.01374	0.02737	0.03178
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.13.4 Regressed on: Temperature

Dependent Variable:	Fruits Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	0.1055 (0.2922)	0.1050 (0.2914)	0.1634 (0.2703)
Temp. (Lag 1)		-0.0068 (0.1793)	0.0207 (0.1890)
Temp. (Lag 2)			0.2323 (0.1724)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.79753	0.79753	0.79812
Within R <sup>2</sup>	0.00063	0.00063	0.00354
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.14 Dependent Variable: output\_per\_field\_potatoes

##### 4.14.1 Regressed on: SPEI

Dependent Variable: Model:	Potatoes Yield		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI	-0.0961* (0.0434)	-0.1006 (0.0607)	-0.1018 (0.0622)
SPEI (Lag 1)		-0.2282 (0.1451)	-0.2283 (0.1473)
SPEI (Lag 2)			-0.0243 (0.0680)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.80594	0.81511	0.81521
Within R <sup>2</sup>	0.00795	0.05479	0.05532
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

##### 4.14.2 Regressed on: Share

Dependent Variable: Model:	Potatoes Yield		
	(1)	(2)	(3)
<i>Variables</i>			
SPEI Share	-0.1459 (0.1639)	-0.2399 (0.1776)	-0.2216 (0.1901)
SPEI Share (Lag 1)		-0.4124* (0.2125)	-0.3520* (0.1922)
SPEI Share (Lag 2)			0.2948 (0.2023)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.80487	0.80833	0.81003
Within R <sup>2</sup>	0.00247	0.02015	0.02882
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.14.3 Regressed on: AgricStress

Dependent Variable:	Potatoes Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Agric. Stress	-0.2087 (0.1711)	-0.1706 (0.1614)	-0.1728 (0.1598)
Agric. Stress (Lag 1)		-0.5089 (0.3339)	-0.5048 (0.3311)
Agric. Stress (Lag 2)			-0.0758 (0.1075)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.80581	0.81430	0.81445
Within R <sup>2</sup>	0.00730	0.05069	0.05145
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			

#### 4.14.4 Regressed on: Temperature

Dependent Variable:	Potatoes Yield		
Model:	(1)	(2)	(3)
<i>Variables</i>			
Temp.	-0.0084 (0.0602)	0.0049 (0.0696)	0.0456 (0.0968)
Temp. (Lag 1)		0.1761 (0.1118)	0.1953 (0.1248)
Temp. (Lag 2)			0.1621 (0.1202)
<i>Fixed-effects</i>			
District (11)	Yes	Yes	Yes
Year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R <sup>2</sup>	0.80439	0.80550	0.80644
Within R <sup>2</sup>	$1.36 \times 10^{-5}$	0.00571	0.01047
<i>Clustered (District) standard-errors in parentheses</i>			
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>			