

The Clean Thesis Style

Ricardo Langner

August 26, 2015
Version: My First Draft

Clean Thesis Style University

Clean**Thesis**

Department of Clean Thesis Style

Institut for Clean Thesis Dev

Clean Thesis Group (CTG)

Documentation

The Clean Thesis Style

Ricardo Langner

- | | |
|--------------------|--|
| <i>1. Reviewer</i> | Jane Doe
Department of Clean Thesis Style
Clean Thesis Style University |
| <i>2. Reviewer</i> | John Doe
Department of Clean Thesis Style
Clean Thesis Style University |
| <i>Supervisors</i> | Jane Doe and John Smith |

August 26, 2015

Ricardo Langner

The Clean Thesis Style

Documentation, August 26, 2015

Reviewers: Jane Doe and John Doe

Supervisors: Jane Doe and John Smith

Clean Thesis Style University

Clean Thesis Group (CTG)

Institut for Clean Thesis Dev

Department of Clean Thesis Style

Street address

Postal Code and City

Abstract

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Abstract (different language)

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Acknowledgement

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Contents

1	Introduction	1
1.1	Postcards: My Address	2
1.2	Motivation and Problem Statement	2
1.3	Results	3
1.3.1	Some References	3
1.4	Thesis Structure	3
2	Related Work	7
2.1	Related Work Section 1	7
2.2	Related Work Section 2	8
2.3	Related Work Section 3	9
2.4	Conclusion	11
3	System	15
3.1	System Section 1	15
3.2	System Section 2	16
3.3	System Section 3	18
3.4	Conclusion	20
4	Concepts: This text is here to test a very long title, to simulate the line break behavior, to show that an extremely long tilte also works	23
4.1	Concepts Section 1	24
4.2	Concepts Section 2	24
4.3	Concepts Section 3	26
4.4	Conclusion	27
5	A swap curve for insurance risk management, based on no arbitrage short-rate models	31
5.1	Context	31
5.2	Curve construction and extrapolation	34
5.2.1	Curve explicit analytical expressions	36
5.2.2	Piecewise-constant long-term mean parameter $b(t)$	37
5.2.3	Calibration of the model	39
5.3	Forecasting with Functional PCA	44
5.4	Numerical examples	46

5.4.1	Curve calibration	47
5.4.2	Curve extrapolation on data from [AB13]	52
5.4.3	12-months ahead forecast on historical IRS + CRA	55
5.4.4	6-months and 36-months ahead forecast on longer historical data	58
5.5	Conclusion	62
5.6	Appendix	63
5.6.1	Data from [AP10]	64
5.6.2	Data from [And07]	64
5.6.3	Data from [HW06]	65
5.6.4	Data from [AB13]	66
6	Conclusion	69
6.1	System Section 1	69
6.2	System Section 2	70
6.3	Future Work	71
	Bibliography	73

Introduction

“ You can’t do better design with a computer, but you can speed up your work enormously.

— Wim Crouwel

(Graphic designer and typographer)

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.1 Postcards: My Address

Ricardo Langner

Alfred-Schrapel-Str. 7

01307 Dresden

Germany

1.2 Motivation and Problem Statement

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of

the original language. There is no need for special content, but the length of words should match the language.

[Jür00; Jür95; Mie11a; KJUM11; App10a; App10b; App10c]

1.3 Results

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.3.1 Some References

[@Fre10; @Mie11b]

1.4 Thesis Structure

Chapter 2

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Chapter 3

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Chapter 4

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Chapter 4

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Chapter 6

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Related Work

“ *A picture is worth a thousand words. An interface is worth a thousand pictures.*

— **Ben Shneiderman**
(Professor for Computer Science)

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.1 Related Work Section 1

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words

should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.2 Related Work Section 2

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the

alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.3 Related Work Section 3

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like

at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like

“Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.4 Conclusion

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written

in of the original language. There is no need for special content, but the length of words should match the language.

System

” *Innovation distinguishes between a leader and a follower.*

— **Steve Jobs**
(CEO Apple Inc.)

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.1 System Section 1

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of

the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.



Fig. 3.1: Figure example: (a) example part one, (c) example part two; (c) example part three

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.2 System Section 2

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the

alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.



Fig. 3.2: Another Figure example: (a) example part one, (c) example part two; (c) example part three

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of

the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.3 System Section 3

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look.

This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.4 Conclusion

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Concepts: This text is here to test a very long title, to simulate the line break behavior, to show that an extremely long title also works

” *Users do not care about what is inside the box, as long as the box does what they need done.*

— **Jef Raskin**

about Human Computer Interfaces

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4.1 Concepts Section 1

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4.2 Concepts Section 2

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4.3 Concepts Section 3

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4.4 Conclusion

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the

alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

A swap curve for insurance risk management, based on no arbitrage short-rate models

5.1 Context

The new Solvency II directive defines the calculation of European insurers' technical provisions as the sum of two components, the Best Estimate Liabilities (BEL) and the Risk Margin (RM). The Best Estimate Liabilities (BEL) are defined as the average discounted value of the insurer's future cash-flows, weighted by their probability of occurrence. The Risk Margin is a supplemental amount required for covering the non-hedgeable risks, by involving a capital lockup.

In order to discount the cash-flows relevant in the calculation of the BEL and Risk Margin, an *appropriate* term structure of discount factors is needed. From the no arbitrage pricing theory developed by [HP81], and widely used in insurance *market consistent* pricing of liabilities, the zero rates related to the stochastic discount factors have to be *risk-free*. That is, free from any counterparty credit risk.

There is no easy answer to the question of defining such a *risk-free* rate for insurance liabilities. It could be related the insurer's own assets return, where the liabilities are *perfectly* backed by the assets. But in a *market consistent* approach as required in Solvency II, since not every liability is perfectly backed by the assets, a more fundamental *risk-free* rate also needs to be derived. Deriving such a *common risk-free* rate from market-quoted instruments is also aimed at increasing transparency and comparability of balance sheets across European countries.

For years, in banking, the construction of a term structure of *risk-free* discount factors was based on the assumption that banks are not subject to counterparty credit risk when lending to each other, and liquidity was not an issue. In this context, interbank rates (loosely called LIBOR hereafter) were seen as the best proxies for *risk-free* rates.

From the 2007-2008 financial crisis onwards, the spreads between swaps rates with different tenors started to widen, partly due to the increased reticence of banks to

lend to each other. Today, LIBOR is no longer considered as a proxy for *risk-free* rates, and market operators have increasingly started to use Overnight Interest Swaps (OIS) discounting (see [HW12] for example).

Comparatively in the European Insurance market, throughout the quantitative impact studies (the QIS) leading to Solvency II, the questions of *risk-free* term structure construction for valuation have been tackled for years by the CEIOPS and later by the EIOPA (see [CC10] for example). The difficulty in defining a fundamental *risk-free* rate for the insurance market, mainly arises from the fact that a pure market *risk-free* rate could introduce a lot of unwanted market volatility into the insurer's balance sheet. Hence, this discount curve has been adjusted with different spreads through the QIS, and until its most recent specification, making it somewhat, less *consistent* with the market.

As of June 2015 (see [EIO15]), the term structure of discount factors for insurers' liability cash-flows is indeed derived from LIBOR EUR swap (IRS hereafter) rates, as the market for vanilla swaps is considered as 'Deep, Liquid, and Transparent' (the DLT assumption). A credit risk adjustment (CRA) is prescribed by the directive, consisting in a parallel shift applied to LIBOR swap rates. The parallel shift shall not be lower than -35bps or greater than -10 bps. Furthermore, a matching adjustment and a volatility adjustment are other optional parallel shifts which could be applied to the constructed curve.

The volatility adjustment is designed to be used in case of a crisis, causing the widening of sovereign or corporate bonds spreads. On the other hand, the matching adjustment is used in cases where the liabilities are predictable, that is, almost *perfectly* backed. In this paper, we focus on discount curve construction. The matching premium and the volatility adjustment are not further discussed.

Beyond the data and curve adjustments concerns, and considering curve construction methods, [AB13] distinguish between two types of methods: *best fit* methods, and *exact fit* methods. Best fit methods, such as [NS87] and [Sve94] are widely used by central banks. Exact fit methods such as cubic splines methods on the other hand, generally have at least as much parameters as input market products, and provide an exact fit to market data.

While the latter type of methods would be adapted for no arbitrage pricing and trading, the former type are useful for forecasting the yield curve in real world probability (see [DL06] for example). They fit the curve parsimoniously with a few parameters; in an attempt to mimic the factors explaining the variance of the yield curve changes (see [Lit+91] for details). There is another class of models,

which combine the idea of using a factors structure, which is the absence of dynamic arbitrages in the curve diffusion, see [Chr+11] for example.

The extrapolation of the constructed curve is also an important subject matter for insurers and pension funds. Indeed, some of their liability cash-flows may have very long maturities, spanning beyond the longest liquid maturities available for market-quoted instruments. The question is, how would spot rates for such long maturities be determined?

As of 2016 in Solvency II, the construction and extrapolation of the swap curve is made by using the Smith-Wilson method described in [SW01] and in the technical specifications [EIO15]. The Smith-Wilson method constructs the swap curve by exactly fitting the market IRS rates adjusted from a CRA. After a chosen maturity - the last liquid point (LLP), equal to 20 years -, the forward rate is forced by regulatory rules, to converge at an exogenously specified speed to a fixed long term level called the Ultimate Forward Rate (UFR). The UFR is derived as the sum of expected Euro inflation and expected real rates. As of 2016, it is equal to 4.2%.

For discount curve construction and extrapolation, we propose a method which relies on closed-form formulas for discount factors available in exogenous (or no arbitrage) short-rate model. It could be both an *exact fit* and *best fit* method, depending on the data at hand, and on how the curve is calibrated to these data. In this framework, the time-varying function ensuring an exact fit to market implied discount factors in exogenous short-rate models is considered to be a piecewise constant function, whose steps become model's parameters. The interpolation of the curve at dates comprised between quoted maturities directly comes from the properties of the model. Pseudo-discount curves can also be constructed in a dual curve environment, by using our method, along with the techniques described for example in [Whi12] and [AB13].

The static discount curve calibrated to market data can then be extrapolated to longer, unobserved maturities, with the forward rates converging to an *ultimate forward rate*. Extrapolation is done by using the same model that the one used for interpolation. On this particular point, our model is hence closer to the [SW01] model than to models which use different methods for interpolation and extrapolation (such as cubic splines for interpolation, and a modified version of [NS87] for extrapolation). We describe ways to either derive an UFR from the data, or to constraint the model to converge to a given UFR.

When it comes to forecasting and/or simulation, if one is interested in no arbitrage pricing, then she can use simulations under a risk neutral probability of the corresponding, consistent (in the sense of [BC99]) exogenous short-rate model. Otherwise, forecasts of the yield curve under the historical probability can be obtained by making use of a functional principal components analysis on the model parameters. Functional principal components analysis is described in [RD91] and [RS05]. It has been applied to forecasting mortality rates by [HU07], and in finance, it has been applied for example in [Benko2007Functional].

The advantage of the model presented in this paper, is that, it reconciles in some sense models like [DL06] or [SW01]. Its direct link with an exogenous short-rate model (consistency in the sense of [BC99]) and the possibility of achieving an *exact fit* to swap data means that it could be used as an input for pricing in a risk neutral probability. In addition, although it could be less interpretable than models like [DL06] (in terms of level, slope, and curvature), it could also be used for forecasting the yield curve parsimoniously in historical probability, as demonstrated in sections 5.4.3 and 5.4.4.

In the next sections, we describe the model proposed for discount curve construction and extrapolation, and explain how it could be calibrated to market data. Then, we explain how to obtain forecast of the discount curve, by using the model's parameters. To finish, some numerical examples based on [HW06], [And07], [AP10], [AB13] are presented.

5.2 Curve construction and extrapolation

The class of models proposed for discount curve construction and extrapolation relies on short-rate models with a time-varying mean-reversion parameter: exogenous short-rate models. In this section, we provide details on how they are derived.

In the sequel, let Y denote a Lévy process and W a standard brownian motion. We assume that all introduced processes are defined with respect to a stochastic basis $(\Omega, \mathcal{F}, \mathbb{F}, \mathbb{Q})$. For every considered Lévy process Y , its cumulant function is denoted by κ , i.e., $\kappa(\theta) = \log \mathbb{E} \left[e^{\theta Y_1} \right]$. As a matter of example, some cumulant functions are given in Table 5.1 for the Brownian motion and for two class of Lévy subordinators parametrized by a single variable λ which inversely controls the jump size of the Lévy process. We refer the reader to [Cont2003] for more details on Lévy processes. We assume that, under a risk-neutral probability measure \mathbb{Q} , the short-term interest

	Lévy measure	Cumulant
Brownian motion	$\rho(dx) = 0$	$\kappa(\theta) = \frac{\theta^2}{2}$
Gamma process	$\rho(dx) = \frac{e^{-\lambda x}}{x} 1_{x>0} dx$	$\kappa(\theta) = -\log\left(1 - \frac{\theta}{\lambda}\right)$
Inverse Gaussian process	$\rho(dx) = \frac{1}{\sqrt{2\pi x^3}} \exp\left(-\frac{1}{2}\lambda^2 x\right) 1_{x>0} dx$	$\kappa(\theta) = \lambda - \sqrt{\lambda^2 - 2\theta}$

Tab. 5.1: Examples of Lévy measures and cumulants

rate is either governed by an extended Lévy-driven Ornstein-Uhlenbeck process (Lévy-driven OU)

$$dX_t = a(b(t) - X_t)dt + \sigma dY_{ct}, \quad (5.1)$$

or an extended CIR process

$$dX_t = a(b(t) - X_t)dt + \sigma\sqrt{X_t}dW_t, \quad (5.2)$$

where the long-term mean parameter b is assumed to be a deterministic function of time, a is a positive parameter which controls the speed of mean-reversion and σ is a positive volatility parameter. Concerning the Lévy-driven OU specification 5.1, we use an additional positive parameter c which appears as an increasing change of time $t \rightarrow ct$. This parameter can also be interpreted as a volatility parameter but, contrarily to σ , it controls jump frequency (an increase of c makes the underlying Lévy process jumps more frequently). Let X_0 be the value at time t_0 of the process X . The use of Lévy processes as a driver of short rate or default intensity dynamics stems from the fact that processes driven by some Lévy processes could provide better fit on time series of bond returns than when driven by a Brownian motion. For more details on term structure modeling with Lévy processes, the reader is referred for instance to [Cariboni2004; Crepey2012; Eberlein1999; Kluge2005].

Remark: Specification 5.1 corresponds to a Lévy Hull-White extended Vasicek model. However, in the seminal Hull-White approach (see [HW90]), the initial term-structure is given as a model input and the function b is defined in such a way that the input term-structure is reproduced by the model. In our approach, contrarily to the Hull and White framework, the deterministic function b is *directly* calibrated on market quotes of interest-rate products.

Under the previous short-rate models, arbitrage-free prices of zero-coupon bonds can be expressed analytically.

5.2.1 Curve explicit analytical expressions

We rely on a standard pricing framework where, in absence of arbitrage opportunity, the value at time t_0 of a default-free zero-coupon bond with maturity time t is given by

$$P(t_0, t) = \mathbb{E}_{\mathbb{Q}} \left[\exp \left(- \int_{t_0}^t X_u du \right) \mid \mathcal{F}_{t_0} \right], \quad (5.3)$$

where \mathcal{F} is the natural filtration of the short-rate process X .

When the mean-reverting level b is a deterministic function of time, the following proposition, which is a classical result in the theory of affine term-structure models, gives an analytical expression for $P(t_0, t)$ in the class of Lévy-driven OU models.

Proposition: In the Lévy-driven OU model (5.1), the value at time t_0 of a default-free zero-coupon bond with maturity t is given by

$$P(t_0, t) = \exp \left(-\phi(t - t_0)X_0 - a \int_{t_0}^t b(u)\phi(t - u)du - c\psi(t - t_0) \right) \quad (5.4)$$

where the functions ϕ and ψ are defined by

$$\phi(s) := \frac{1}{a} (1 - e^{-as}), \quad (5.5)$$

$$\psi(s) := - \int_0^s \kappa(-\sigma\phi(s - \theta)) d\theta. \quad (5.6)$$

Proof. Using Itô's lemma, the Lévy-driven OU process is such that, for any $t > t_0$

$$X_t = e^{-a(t-t_0)} X_0 + a \int_{t_0}^t b(\theta) e^{-a(t-\theta)} d\theta + \sigma \int_{t_0}^t e^{-a(t-\theta)} dY_{c\theta}. \quad (5.7)$$

and, using (5.1) and (5.7), the integral $\int_{t_0}^t X_u du$ can be reformulated as

$$\int_{t_0}^t X_u du = \phi(t - t_0)X_0 + a \int_{t_0}^t b(u)\phi(t - u)du + \sigma \int_{t_0}^t \phi(t - u) dY_{cu}. \quad (5.8)$$

Expression (5.4) is obtained from (5.3) and (5.8) and by using Lemma 3.1 in [Eberlein1999]. \square

Remark: Note that the function ϕ does not depend on the Lévy process specification. Moreover, for most Lévy processes, the integral of the cumulant transform in (5.6) has no simple closed-form solution but can be easily computed numerically. The reader is referred to [Hainaut2007] for examples of Lévy processes for which the function ψ defined by (5.6) admits a closed-form expression.

Similar analytical expressions are available under model specification 5.2 where the underlying short-rate process follows an extended CIR process with deterministic long-term mean parameter b . **proposition** In the extended CIR model (5.2), the value at time t_0 of a zero-coupon bond with maturity t is given by

$$P(t_0, t) = \exp \left(-X_0 \varphi(t - t_0) - a \int_{t_0}^t \varphi(t - u) b(u) du \right) \quad (5.9)$$

where φ is given by

$$\varphi(s) := \frac{2(1 - e^{-hs})}{h + a + (h - a)e^{-hs}} \quad (5.10)$$

and $h := \sqrt{a^2 + 2\sigma^2}$.

Proof. For any maturity date t , thanks to the Feynman-Kac formula, the function \tilde{P} defined for any u such that $t_0 \leq u \leq t$ by

$$\tilde{P}(u, x) := \mathbb{E}_{\mathbb{Q}} \left[\exp \left(- \int_u^t X_u du \right) \mid X_u = x \right]$$

is solution of the following PDE

$$\frac{\partial \tilde{P}(u, x)}{\partial u} + a(b(u) - x) \frac{\partial \tilde{P}(u, x)}{\partial x} + \frac{1}{2} \sigma^2 x \frac{\partial^2 \tilde{P}(u, x)}{\partial x^2} - \tilde{P}(u, x) = 0, \quad (5.11)$$

with the final condition $\tilde{P}(t, x) = 1$, for all x . It is straightforward to check that the function \tilde{P} defined by

$$\tilde{P}(u, x) = \exp \left(-x \varphi(t - u) - a \int_u^t \varphi(t - s) b(s) ds \right)$$

with φ given by (5.10) is solution of PDE (5.11).

□

Depending on the chosen term-structure model, Proposition 5.2.1 or Proposition 5.2.1 can be used to compute present values of market instruments involved in the curve construction.

5.2.2 Piecewise-constant long-term mean parameter $b(t)$

Typically, in order to obtain an *exact* fit in the Hull-White extended Vasicek model (that is, a model from class 5.1 with $c = 1$ and a Brownian motion as Lévy driver), we have to choose:

$$b(t) = \frac{1}{a} \frac{df^M}{dt}(0, t) - f^M(0, t) + \frac{1}{2} \frac{\sigma^2}{a^3} (1 - e^{-2at}) \quad (5.12)$$

where $t \mapsto f^M(0, t)$ are the market implied instantaneous forward rates. In our framework, the market-implied discount curve $P^M(0, t)$ at date $t_0 = 0$ is constructed by considering a piecewise constant function $t \mapsto b(t)$, whose steps are derived from vanilla (IRS) or overnight swaps (OIS) cash-flows. We let T_1, \dots, T_n , be the maturities of market quoted IRS, with Credit Risk Adjustment (CRA), or OIS. We assume that the function $t \mapsto b(t)$ is piecewise-constant, with:

$$b(t) = b_i, \text{ for } T_{i-1} \leq t < T_i, \quad i = 1, \dots, n \quad (5.13)$$

$$b(t) = b_{n+1}, \text{ for } t \geq T_n \quad (5.14)$$

and $T_0 = t_0 = 0$.

Under this specification of the long-term mean parameter, closed-form formulas can be obtained for the discount factors. Under model class 5.1 and given that $t_0 = 0$, the integral term in equation (5.4) becomes

$$I_{n+1}(t) = \sum_{k=1}^n b_k (\xi(t - T_{k-1} \wedge t) - \xi(t - T_k \wedge t)) \quad (5.15)$$

for any $t \leq T_n$ and

$$I_{n+1}(t) = \sum_{k=1}^n b_k (\xi(t - T_{k-1}) - \xi(t - T_k)) + b_{n+1} \xi(t - T_n) \quad (5.16)$$

for $t > T_n$ where ξ is defined as

$$\xi(s) := s - \phi(s), \quad s \geq 0. \quad (5.17)$$

Under model class 5.2 and given that $t_0 = 0$, the integral term in equation (5.9) becomes

$$I_{n+1}(t) = \sum_{k=1}^n b_k (\eta(t - T_{k-1} \wedge t) - \eta(t - T_k \wedge t)) \quad (5.18)$$

for any $t \leq T_n$ and

$$I_{n+1}(t) = \sum_{k=1}^n b_k (\eta(t - T_{k-1}) - \eta(t - T_k)) + b_{n+1} \eta(t - T_n) \quad (5.19)$$

for $t > T_n$ where η is defined as

$$\eta(s) := 2 \left[\frac{s}{h+a} + \frac{1}{\sigma^2} \log \frac{h+a+(h-a)e^{-hs}}{2h} \right]. \quad (5.20)$$

The previous result can also be found in [Bielecki2014] under a more general form. [Schlogl2000] also consider an extended CIR model with piecewise-constant

parameter in order to construct initial yield-curves but prices of zero-coupon bonds are given under a recursive form.

Recall that our aim is to construct a discount curve by fitting the mean-reversion function b on quoted swaps observed for different standard maturities. The interpolation of the curve at intermediary dates between quoted swaps maturities directly comes from the properties of the model. Contrarily to the Hull-White approach where an exogenous term-structure is given as a model input, in our approach, the fitted risk-neutral short-rate model is, by construction, consistent in the sense of [BC99].

In the next section, we explain how model parameters can be calibrated in different situations, for the construction of OIS and IRS (with CRA) discount curves. We focus our presentation on the particular extended Vasicek short-rate model

$$dX_t = a(b(t) - X_t)dt + \sigma dW_t. \quad (5.21)$$

This model belongs to class 5.1 with $c = 1$ and with a Brownian motion as Lévy driver. However, the presented calibration method can easily be adapted to other mean-reverting models of class 5.1 and 5.2. Pseudo-discount curves could also be constructed in a dual curve environment, by using this method along with the techniques described for example in [AB13] and [Whi12].

5.2.3 Calibration of the model

This section is about the calibration of our model. Section 5.2.3 discusses the calibration of the liquid part of the curve to swaps, 5.2.3 is about calibration by using swaps, caps and swaptions, and 5.2.3 describes curve extrapolation. Section 5.3 describes another way of choosing the parameters, by applying cross-validation to forecasts under the historical measure.

Calibration of the liquid part

Considering that there are N quoted swaps used for constructing the discount curve as of today, and at most M coupon payment dates for all the swaps, we let V be the vector of current values for the market swaps with length equal to N . C is the $N \times M$ matrix containing in each row, the swaps' coupon payments. P is the vector of discount factors that we are trying to derive, having a length equal to M .

Three methods might be envisaged for calibrating the model, depending on the data at hand:

- A method to be used **if an exact fit is required**, and can be found. That is, if we require $V = CP$
- A method to be used **if an exact fit cannot necessarily be found**, but approximated
- A method to be used **when the dataset is noisy, and a smooth curve is required**

These three methods are described hereafter, and numerical examples can be found in section 5.4.

- **If an exact fit is required**, then it is possible to guess *reasonable* values for a and σ (say, a between 0.05 and 1, and σ between 1% and 5%), and use an iterative curve calibration (also known as *bootstrapping*, but different from statistical bootstrap resampling) to solve $V = CP$. On figure 5.1, we can observe that the discount rates obtained for 1000 values of $a \in [0.1, 10]$ and $\sigma \in [0, 0.1]$ do not exhibit particular differences at quoted swaps maturities. The corresponding forward rates in figure 5.2 exhibit more differences.

This type of method was used for any vanilla swap before the 2007 crisis, no matter its tenor. It is relevant only for extracting discount factors from OIS which are considered to be perfectly collateralized, or in Solvency II context. As of 2016, single curve construction in Solvency II, is applied to IRS, along with a parallel CRA, comprised between 10bps and 35bps.

In order to describe the curve's calibration procedure, we will use a formulation similar to the one in [AP10]. We let $T_1 < \dots < T_n$ be the maturity dates of OIS or IRS minus CRA, with the same currency on both legs. The swap payment dates occur at dates t_j , with a frequency belonging to $\{1 \text{ month}, 3 \text{ months}, 6 \text{ months}, 1 \text{ year}\}$.

The single curve construction, in the specific Hull & White-consistent case treated in this paper, is made as follows:

1. Guess a and σ : any *reasonable* values for a and σ will produce an *exact* fit for discount factors and discount rates (cf. figure 5.1)

2. *Loop on i*: At each step T_i corresponding to the i^{th} input swap maturity, suppose that the discount factors and b_j s are known for any $t_j < T_i$
 3. Make a guess for b_i
 4. Use results from section 5.2.2, to derive the discount factors at intermediate swap payment dates: $T_{i-1} \leq t_j \leq T_i$. No interpolation is required.
 5. Calculate V_i , the value of the i^{th} swap. While $V_i \neq 0$ return to point 2. Typically, the points 3 to 5 are solved iteratively with a root search algorithm.
- **If no solution is available for equation $V = CP$** by iterative curve calibration, then similarly to [And07], it is possible to search for P minimizing:

$$\frac{1}{2N} (V - CP)^T W^2 (V - CP) \quad (5.22)$$

W , a diagonal matrix of weights is used. These weights are based on inverse duration, such as proposed by [Bli97]; with elements:

$$w_j = \frac{1/d_j}{\sum_{j=1}^N 1/d_j} \quad (5.23)$$

Weights such as w_j 's are commonly used to give more importance to the short end of the curve, which is hence fitted more accurately. But other weighting schemes might be envisaged.

- **If the swaps data are noisy, or if one is interested in fitting smoothly noisy bonds data** a third method could be envisaged. It consists in penalizing the possibly large changes in forward rates' (approximate) second derivatives and/or in b_i s. The objective function to be minimized is:

$$\frac{1}{2N} (V - CP)^T W^2 (V - CP) + \lambda_1 \sum_{i=1}^N (f_i'' - f_{i-1}'')^2 + \lambda_2 \sum_{i=1}^N (b_i - b_{i-1})^2 \quad (5.24)$$

where f_i'' is the approximate second derivative (using finite differences) of the discrete forward rates at time T_i . Typically, λ_1 and λ_2 can be found by cross-validation. An example can be found in section 5.4.




Fig. 5.1: Discount rates obtained for 1000 values of $a \in [0.1, 10]$ and $\sigma \in [0, 0.1]$




Fig. 5.2: Forward rates obtained for 1000 values of $a \in [0.1, 10]$ and $\sigma \in [0, 0.1]$

Calibration using derivatives

Another way for picking a and σ might be to calibrate the underlying short-rate model to a set of caps and swaptions. The optimization procedure would involve the following steps: choosing a and σ , construct the initial curve with an *exact fit* using the results described in section 5.2.3; use it as an input for theoretical caps and swaptions prices formulas implied by the underlying short-rate model, until a and σ which minimize the difference between theoretical and market prices for caps and swaptions are found.

Curve extrapolation

Using the Hull and White extended Vasicek model, it is possible to derive the instantaneous forward rates from the discount factors formula. We can write:

$$f(0, t) = -\frac{\partial \log(P(0, t))}{\partial t} = X_0 e^{-at} + a \int_0^t e^{-a(t-u)} b(u) du - \frac{\sigma^2}{2} \phi^2(t) \quad (5.25)$$

Hence, in our framework, using the fact that $t \mapsto b(t)$ is piecewise constant, we can also write:

$$f^M(0, t) = X_0 e^{-at} + a \sum_{i=1}^n b_i [\phi(t - T_{i-1} \wedge t) - \phi(t - T_i \wedge t)] + a b_{n+1} \phi(t - T_n \wedge t) - \frac{\sigma^2}{2} \phi^2(t) \quad (5.26)$$

This formula directly provides an input for the simulation of Hull & White short-rate, with parameters a , σ and b_1, \dots, b_n previously calibrated to market data.

Hence, let t grow to ∞ , we have:

$$f^M(0, \infty) = b_{n+1} - \frac{\sigma^2}{2a^2} \quad (5.27)$$

If we assume that the UFR is exogenously chosen, and denote it by f_∞ , we are able to derive the parameter b_{n+1} as:

$$b_{n+1} = f_\infty + \frac{\sigma^2}{2a^2} \quad (5.28)$$

This enables to re-write equation (5.19), when extrapolation is required, as:

$$I_{n+1}(t) = \sum_{k=1}^n b_k (\xi(t - T_{k-1} \wedge t) - \xi(t - T_k \wedge t)) + \left(f_\infty + \frac{\sigma^2}{2a^2} \right) \xi(t - T_n \wedge t) \quad (5.29)$$

If a **fixed *ultimate forward rate* (UFR) is defined exogenously**, one can increase or decrease the parameter a , to achieve a convergence of $f^M(0, t)$ to f_∞ at a pre-specified maturity. A period of convergence τ_{cv} after the *Last Liquid Point* (LLP) is defined. Starting from a low value such as $a = 0.1$, a is increased until:

$$f^M(0, LLP + \tau_{cv}) = f_\infty$$

or

$$|f^M(0, LLP + \tau_{cv}) - f_\infty| < tol$$

for a given σ , and a given numerical tolerance tol .

Otherwise, an ***ultimate forward rate* (UFR) can be derived from market data**. A static discount curve is fitted to a fraction of the quoted swaps available, called the *training* set. After the construction of the curve on this fraction of the data, we

evaluate how well, when extrapolated to a given exogenous UFR, it would price the remaining swaps in a *test* set.

The LLP provided by the prudential authority (as of 2016, a maturity 20 years), could be used to define the frontier between the *training* and *test* set. Otherwise, one can define a percentage of the swaps data to be used as a *training* dataset, for example 80% or 90% of the available swaps.

Both of these methods for curve extrapolation are applied in the numerical examples, in section 5.4.

5.3 Forecasting with Functional PCA

The idea that a few principal components explain a major part of the changes in bonds returns originates from [Lit+91]. This idea is now well accepted and applied to yield curve forecasting; the interested reader could refer to [DL06] or [Chr+11] for example.

We use a similar rationale, but apply it somewhat differently. The changes in the swap curve over time, are explained by the changes observed in the calibrated parameters b_i s over time. Considering the fact that our model for fitting each cross section of yields is already *overparametrized* (as it uses at least as much parameters as swap rates available in the input dataset), the use of models such as an unrestricted Vector Autoregressive (VAR) to predict the b_i s could lead to poor forecasts, with high variance.

Functional Principal Components Analysis in the spirit of [RD91] and [RS05], and more precisely Functional Principal Components Regression, was hence seen as one of the most immediate candidate to achieve a reduction of the problem's dimension. This method is used for example by [HU07] for forecasting log mortality rates. It has also been applied in finance, for example in [Benko2007Functional].

We consider functional data of the form:

$$b_x^{a,\sigma}(t) \tag{5.30}$$

These are the parameters b_i s obtained by fitting each cross section of swap rates; observed at increasing times $t \in \{t_1, \dots, t_N\}$, for increasing maturities $x \in \{x_1, \dots, x_p\}$.

The calibration method is the one described in section 5.2.3, with a and σ kept fixed over time.

Finding the Functional Principal Components

Using the approach described in details in [RS05], we let \mathbf{B} be the matrix containing at line i and column j :

$$\mathbf{B}_{i,j} = b_{x_j}^{a,\sigma}(t_i) \quad (5.31)$$

With $i = 1, \dots, N$ and $j = 1, \dots, n$, $n > p$. For each cross section of b_i s calibrated at time t_i , a cubic spline interpolation is applied to $x \mapsto b_x^{a,\sigma}(t_i)$, so that the b_i s values are now equally spaced on a larger grid of maturities spanning $[x_1, x_p]$. Let w be the fixed interpolation step applied to $x \mapsto b_x^{a,\sigma}(t_i)$ on $[x_1, x_p]$, and:

$$\mathbf{V} = \frac{1}{N} \mathbf{B}^T \mathbf{B} \quad (5.32)$$

\mathbf{V} is the covariance matrix of the b_i 's, when we consider that the columns of \mathbf{B} have been centered. We are then looking for the vectors $\xi^{a,\sigma}$, the (approximate) functional principal components, verifying:

$$w \mathbf{V} \xi^{a,\sigma} = \rho \xi^{a,\sigma} \quad (5.33)$$

This is equivalent to searching the eigenvalues and eigenvectors of \mathbf{V} , so that:

$$\mathbf{V} u = \lambda u \quad (5.34)$$

and $\rho = w\lambda$. This problem of finding eigenvalues and eigenvectors of \mathbf{V} is typically solved by using the Singular Value Decomposition (SVD) of \mathbf{B} , and taking the normalized right singular vectors as functional principal components. The interested reader can refer to [jolliffe2002principal] and [RS05] for details. Another interesting resource on Functional Principal Component Analysis is [shang2014survey].

Forecasting using Principal Components regression

Having obtained the functional principal components, a least squares regression of the cross sections of b_i s is carried out. The b_i s are expressed as a linear combination of the previously constructed functional principal components, plus an error term:

$$\forall t \in \{t_1, \dots, t_N\}, b_x^{a,\sigma}(t) = \beta_{t,0} + \sum_{k=1}^K \beta_{t,k} \xi_k^{a,\sigma}(x) + \epsilon_t(x) \quad (5.35)$$

K is the number of functional principal components. These functional principal components are not highly correlated by construction, so that we can use univariate time series forecasts for each of the $K + 1$ time series, and h -step ahead forecasts of the b_i s as:

$$\hat{b}_x^{a,\sigma}(t+h) = \hat{\beta}_{t+h|t,0} + \sum_{k=1}^K \hat{\beta}_{t+h|t,k} \xi_k^{a,\sigma}(x) \quad (5.36)$$

Once the forecasts $\hat{b}_x^{a,\sigma}(t+h)$ are obtained, they can be plugged into formulae from section 5.2.2 to deduce h -step ahead forecasts for the discount factors and discount rates.

For choosing *good* values for a , σ and K , we typically used a cross-validation on grids of values for these three parameters, and rolling origin estimation/forecasting, as described in section 5.4.

5.4 Numerical examples

In order to illustrate how the methods described in the previous sections work, we use IRS and OIS data from [And07], [AP10], [AB13], an example of bonds data from [HW06]; *a curve where all cubic splines produce negative forward rates*. For forecasting the curves, we use market EUR 6M IRS data, (from which we give detailed summaries) with a CRA adjustment equal to 10bps.

For the data from [AP10], we assume that the swaps cash-flows payments occur on an annual basis as for OIS. From [AB13], we consider mid quotes from Eonia OIS and 6-month Euribor IRS as of December 11, 2012. These data sets are all reproduced in the appendices.

In section 5.4.1, four calibration methods are tested to illustrate section 5.2.3. The method proposed in this paper ¹ is denoted by CMN. It is compared to two iterative curve calibration methods, with linear (LIN) and natural cubic splines (SPL) interpolation on missing dates, and the [SW01] method (SW). Section 5.4.1 also illustrates 5.2.3. We use a dataset from [And07]; a direct *bootstrapping* without regularization produces wiggly spot and forward rates. The effects of the regularization of approximate second derivative for forward rates and calibrated b_i 's is illustrated. Such a regularization could also be applied to noisy bonds data.

¹Actually applied to Hull & White model, but which can be applied to other short-rate models.

In section 5.4.1, the interpolation method is tested on a *curve where all cubic methods produce negative forward rates*, from [HW06]. Section 5.4.2 illustrates the possible extrapolation methods described in section 5.2.3. 5.4.3 illustrates the curves' forecasting method introduced in section 5.3.

The discount factors usually display no particular subtleties, so they are deliberately omitted. We present discount rates and discrete forwards instead, and the discrete forwards are taken to be 3-month forward rates.

5.4.1 Curve calibration

On swaps data from [AP10]

Below on figures 5.3, 5.4, 5.5, 5.6, are the discount rates and discrete forwards obtained for the four methods described in the previous section; two *bootstrapping* methods, with linear (LIN) and natural cubic splines (SPL) interpolation on missing dates, the [SW01] method (SW), and the method described in 5.2.3 with an exact fit, denoted as CMN. The discount rates are presented as a dashed line, and the forward rates as a plain colored line.




Fig. 5.3: Bootstrapping with linear interpolation **Fig. 5.4:** CMN applied to Hull and White extended Vasicek

As demonstrated on figures 5.3, 5.4, 5.5 and 5.6, the discount rates produced by the four methods are quite similar. The discrete forward rates better exhibit the differences between them.




Fig. 5.5: Smith-Wilson method




Fig. 5.6: Natural cubic spline

Curve construction with linear interpolation between quoted swaps maturities (on figure 5.3), produces a saw-tooth like forward curve, which might not be desirable, and the other methods produce more regular forward curves.

For the method described in this paper - denoted as CMN on figure 5.4 - and applied to the extended Vasicek model, the discrete forwards (with an exact fit required, as described in section 5.2.3) reflect the fact that the discount factors' construction relies on a piece-wise constant function, with slight changes in first derivatives at quoted swap maturities. This effect remains very reasonable however, as the discrete forward curve is highly similar to those produced by the other models, and doesn't exhibit large changes at quoted swap maturities.

With $a=0.2557$, $\sigma=0.1636$, the parameters b_i s from table 5.2 are obtained. They are presented along with the parameters ξ_i s obtained by the method in [SW01], with $a=0.1$. $a=0.1$ is actually given as default parameter by Solvency II's technical specifications, and using the notations from QIS5 technical specifications.

On noisy swaps data

This section illustrates what may happen if the method from section 5.2.3 is applied directly to noisy data, without regularization of the parameters. We use data from [And07].

Tab. 5.2: Parameters obtained for CMN and Smith-Wilson

Maturity	b_i	ξ_i
1	0.0661	-16.680
2	0.1894	23.556
3	0.2523	-0.8413
5	0.2523	-8.9116
7	0.2523	3.3552
10	0.2806	7.9600
12	0.2523	-14.098
15	0.2089	3.9119
20	0.2553	3.4828
25	0.2616	-1.9497

Figure 5.7 on the left describes the discount and forward rates obtained without regularization, with $a = 0.3655$ and $\sigma = 0.0037$. On the right, figure 5.8 describes the discount and forward rates obtained by minimizing the objective function in equation (5.24), and using the parameters $\lambda_1 = 1e-08$ and $\lambda_2 = 1e-05$, $a = 9.8891$ and $\sigma = 0.3957$.




Fig. 5.7: Curve calibration without regularization **Fig. 5.8:** Curve calibration with regularization

In order to pick λ_1 and λ_2 , we make a grid search on couples (λ_1, λ_2) . For each (λ_1, λ_2) , a minimization based on derivatives is applied, with multiple restarts of the minimization algorithm. Multiple restarts avoid getting trapped into local minima.

Tab. 5.3: Parameters obtained for unregularized and regularized CMN

Maturity	unregularized b_i	regularized b_i
0.5	0.0253	0.0281
1	0.1100	0.0363
1.5	-0.0078	0.0383
2	0.0929	0.0383
2.5	-0.0005	0.0380
3	-0.1360	0.0352
4	0.2901	0.0358
5	0.1975	0.0478
7	0.1654	0.0497
10	-0.0056	0.0515
12	0.1315	0.0533
15	0.1392	0.0554
20	0.0688	0.0553
30	0.039	0.0491

Table 5.3 contains both the unregularized and regularized b_i s. The unregularized ones naturally exhibit a higher variance, because an exact fit to each swap rate in the noisy dataset is required. The regularized b_i s exhibit a lower variance, at the expense of a higher bias in the fitting of the data from [And07].

On a curve where all cubic methods produce negative forward rates, with data from [HW06]

The dataset from this section is used in [HW06], and is described as *a curve where all cubic methods produce negative forward rates*. It is reproduced in the appendices.

Figure 5.9 illustrates the discount rates (dashed line), and discrete forward rates (plain coloured line) obtained with a linear interpolation of the bond yields. The discrete forward remain positive on all maturities, but again exhibit a sawtooth profile. As expected, the natural cubic spline on figure 5.10 produces negative discrete forward rates on this dataset.

Figures 5.11 and 5.12 present the results obtained on data from [HW06]. Figure 5.12 presents the sign of discrete forward rates as a function of a and σ . We consider that discrete forward rates' sign is negative if a least one discrete forward rate is negative. We observe on both figures 5.11 and 5.12 that a low value of a might produce negative forward rates on maturities comprised between 15 and 20. But a high value always produces positive forward rates.




Fig. 5.9: Linear interpolation on a curve where all cubic methods produce negative forward rates




Fig. 5.10: Natural cubic spline interpolation on a curve where all cubic methods produce negative forward rates




Fig. 5.11: CMN interpolation on a curve where all cubic methods produce negative forward rates




Fig. 5.12: Sign of discrete forwards for CMN as function of a and σ , on a curve where all cubic methods produce negative forward rates

This is explained by what we saw in section 5.2.3: in the Hull and White extend Vasicek case, a controls the speed of convergence of forward rates to the UFR: the higher the a , the faster the convergence of forward rates to the UFR on long-term maturities. The parameters obtained by CMN interpolation (for producing figure 5.11), with $a = 0.71$ and $\sigma = 0.0062$ are presented in table 5.4.

Tab. 5.4: Parameters obtained CMN with $a = 0.71$ and $\sigma = 0.0062$ on [HW06] data

Maturity	b_i
0.1	0.0718
1	0.0351
4	0.0018
9	0.1162
20	0.0011
30	0.0114

5.4.2 Curve extrapolation on data from [AB13]

In this section, we use the extrapolation methods described in 5.2.3, on OIS and IRS (with CRA adjustment equal to 10bps) data from [AB13].

With Solvency II technical specifications, on IRS + CRA

Extrapolation to a fixed UFR equal to 4.2% is tested, using CMN and the Smith-Wilson method. For both methods, the Last Liquid Point (LLP) is equal to 20 years, and convergence to the UFR is forced to 40 years after the LLP.

For the CMN method, the parameters are $a = 0.174$ and $\sigma = 0.0026$, and for the Smith-Wilson method, $a = 0.125$. The resulting discount and forward curves are presented in figures 5.13 and 5.14, and the parameters b_i s and ξ_i s in table 5.5.

The discount and forward curves produced by both methods are similar, as seen on figures 5.13 and 5.14. The convergence of the Smith-Wilson method to the UFR seems to be slightly faster. This is caused by the fact that for CMN, we use instantaneous forward rates to assess the convergence to the UFR, whereas for the Smith-Wilson method, we use discrete forwards.

With OIS data, and a data driven UFR

For this example, we use OIS data from [AB13] presented in the appendices. A training set containing 14 swap rates (90% of the dataset) with increasing maturities starting at 1 and ending at 20 is made up.

Tab. 5.5: Parameters for CMN (b_i) and Smith-Wilson (ξ_i) extrapolation

Maturity	b_i	ξ_i
1	0.0019	-2.5888
2	0.0112	0.7585
3	0.0266	0.1415
4	0.0352	1.3153
5	0.0438	0.4726
6	0.0378	-0.8809
7	0.0399	1.2010
8	0.0387	-0.8965
9	0.0338	-0.3536
10	0.0376	0.7268
11	0.0363	-0.1582
12	0.0353	1.2852
13	0.0312	-1.9866
14	0.0239	0.4161
15	0.0285	0.7056
16	0.0211	-0.7112
17	0.0208	-1.7105
18	0.0182	1.9922
19	0.0248	-1.5542
20	0.0172	0.5125
21	0.0272	1.0148
22	0.0189	-2.1158
23	0.0025	3.4051
24	0.0021	-3.7822
25	0.0020	2.7013
26	0.0239	-2.8668
27	0.0195	2.2513
28	0.0274	-0.8877
29	0.0202	-7.1463
30	0.0326	8.5322




Fig. 5.13: Extrapolation to $UFR = 4.2\%$ with CMN




Fig. 5.14: Extrapolation to $UFR = 4.2\%$ with Smith-Wilson

This training set is used to construct the discount curve, which is then extrapolated to 30-year maturity and beyond, using different values for the UFR. The two remaining swaps, with maturities equal to 25 and 30, are placed into the test set.




Fig. 5.15: Out-of-sample RMSE on swap val ues, as a function of UFR




Fig. 5.16: Extrapolation of OIS curve to a data driven $UFR = 0.0226$

Figure 5.15 presents the out-of-sample RMSE obtained on swaps values from the test set, as a function of UFR. This error decreases until $UFR = 0.0226$ (notice that this value would depend on the step chosen on the grid of UFRs), and then, starts to increase again. Figure 5.16 displays the discount curve constructed on the training set, extrapolated to a 80-year maturity with an UFR equal to 0.0226 (the one minimizing the out-of-sample RMSE on the chosen grid of UFRs) is presented.

5.4.3 12-months ahead forecast on historical IRS + CRA

In this section, we apply ideas from section 5.3 to real world IRS data observed monthly from december 2013 to april 2016, adjusted from a CRA equal to 10bps.

Figure 5.17 and table 5.6 are to be read together. They contain the informations on the spot rates derived from the IRS data adjusted from a CRA, using CMN with $a = 0.3655$ and $\sigma = 0.0037$ (other values than $a = 0.3655$ and $\sigma = 0.0037$ would produce the same results as the fitting is exact for many different values of these parameters).

The static curves are generally upward sloping, and as time passes, lower and lower spot rates are encountered. In addition, negative rates are observed in table 5.6; which is coherent with the current context.




Fig. 5.17: Spot rates observed from december 2013 to april 2016

Tab. 5.6: Descriptive statistics for the spot rates observed from december 2013 to april 2016

Maturity	Min.	1st Qrt	Median	Mean	3rd Qrt	Max.
1	-0.0026	-0.0008	0.0000	0.0003	0.0019	0.0031
3	-0.0023	0.0002	0.0009	0.0013	0.0028	0.0065
5	-0.0008	0.0017	0.0030	0.0037	0.0056	0.0117
10	0.0046	0.0059	0.0090	0.0101	0.0132	0.0211
15	0.0063	0.0097	0.0127	0.0141	0.0179	0.0258
20	0.0069	0.0113	0.0144	0.0157	0.0199	0.0272
30	0.0071	0.0118	0.0155	0.0164	0.0208	0.0270

Tab. 5.7: Average out-of-sample error on real world IRS data + CRA

Method	Parameters	Avg. OOS error
CMN - auto.arima	$K = 5, a = 1, \sigma = 0.1555$	0.0031
CMN - ets	$K = 5, a = 1, \sigma = 0.2$	0.0037
NS - auto.arima	$\lambda = 1.8889$	0.0031
NS - ets	$\lambda = 1.8889$	0.0035
NSS - auto.arima	$\lambda_1 = 21, \lambda_2 = 21$	0.0027
NSS - ets	$\lambda_1 = 7, \lambda_2 = 3$	0.0035

Benchmarking the model

Benchmarks are subjective. The one presented in this section does not aim at showing that one method is always superior to the other. It aims at showing that the method presented in this paper produces forecasts which are (more than) reasonable, and actually close to other well-known methods forecasts (on this given dataset).

Forecasts from the model presented in section 5.3 are hence compared to those of two other models constructed in the spirit of by the [DL06]. The cross sections of yields described by figure 5.17 and table 5.6 are fitted by the [NS87] model (NS), and its extension by [Sve94] (NSS). The formulas for the spot rates from these models are respectively:

$$R^M(t, T) = \beta_{t,1} + \beta_{t,2} \left[\frac{1 - e^{-T/\lambda}}{T/\lambda} \right] + \beta_{t,3} \left[\frac{1 - e^{-T/\lambda}}{T/\lambda} - e^{-T/\lambda} \right] \quad (5.37)$$

and

$$R^M(t, T) = \beta_{t,1} + \beta_{t,2} \left[\frac{1 - e^{-T/\lambda_1}}{T/\lambda_1} \right] + \beta_{t,3} \left[\frac{1 - e^{-T/\lambda_1}}{T/\lambda_1} - e^{-T/\lambda_1} \right] \quad (5.38)$$

$$+ \beta_{t,4} \left[\frac{1 - e^{-T/\lambda_2}}{T/\lambda_2} - e^{-T/\lambda_2} \right] \quad (5.39)$$

Forecasts $\hat{R}^M(t+h, T)$ are obtained by fitting univariate time series to the parameters $\beta_{t,i}, i = 1, \dots, 4$ with automatic ARIMA (`auto.arima`) and exponential smoothing (`ets`) models from [HK08]. This automatic selection is done only for the sake of the benchmarking exercise, and in order to conduct the experience in fairly similar conditions for all the methods. In practice, a visual inspection and an actual study of the univariate time series would of course be required.

For all the methods the six methods, CMN, NS, NSS with `auto.arima` and `ets`, we obtain 12-months ahead forecasts, from rolling estimation windows of a fixed 6 months length, starting in december 2013. That is, the models are trained on 6 months data, and predictions are made on 12 months data; successively. The average out-of-sample RMSE are then calculated for each method, on the whole surface of observed and forecasted yields.

The *best* parameters for CMN are obtained by cross-validation, with $K \in \{2, 3, 4, 5, 6\}$, 5 values of a comprised between 0.9 and 1, and 10 values of σ comprised between 0 and 0.2. For NS and NSS, λ_1 and λ_2 are chosen by cross-validation, using the rolling estimation/forecasting we have just described.

Bootstrap simulation of 12-months ahead spot rates

In this section, we use the last 12 months of the dataset to construct the functional principal components. Using 12 months as the length of the fixed window for estimation, we get an average out-of-sample RMSE of 0.0026 (on a smaller number of testing samples than the 6 months estimation window, of course).

An AR(1) is fitted to the observed univariate time series $(\beta_{t,i})_t, i = 0, \dots, K$, with $a = 1$, $\sigma = 0.0089$, and $K = 3$ chosen by cross-validation. The three functional principal components' characteristics are summarized in table 5.8. We notice that the first functional principal component explains already 99.2415% of the changes in b_i s, and the first three functional principal components selected by cross-validation explain 99.9220%.

Tab. 5.8: Importance of Principal components

Indicator	PC1	PC2	PC3
Standard deviation	0.1286	0.2461	0.2246
Proportion of variance (in %)	99.2415	0.5489	0.1315
Cumulative Proportion (in %)	99.2415	99.7904	99.9220

Figure 5.18 presents the autocorrelation functions of the residuals of AR(1) fitted to $(\beta_{t,i})$, $i = 0, \dots, 3$ from april 2015 to april 2016. The residuals from AR(1) fitted to $(\beta_{t,i})$, $i = 1, \dots, 3$ could be considered as stationary, but those from the AR(1) fitted to $(\beta_{t,0})$ seems to be closer to an AR(4).

We denote these residuals by $(\epsilon_{t,i})$, $i = 0, \dots, 3$. In order to obtain simulations for the $(\beta_{t,i})$, $i = 0, \dots, 3$, it is possible to use a Gaussian hypothesis on the residuals. We choose to create one thousand bootstrap resamples with replacement of the $(\epsilon_{t,i})$, $i = 0, \dots, 3$ ², denoted as $(\epsilon_{t,i}^*)$, $i = 0, \dots, 3$, and create new pseudo values for $(\beta_{t,i})$, $i = 0, \dots, 3$:

$$\beta_{t,i}^* = \beta_{t,i} + \epsilon_{t,i}^*, \quad i = 0, \dots, 3$$

Having done this, AR(1) forecasts $\beta_{t+h|t,i}^*$ can be obtained, in order to construct:

$$\hat{b}_x^{a,\sigma,*}(t+h) = \hat{\beta}_{t+h|t,0}^* + \sum_{k=1}^K \hat{\beta}_{t+h|t,k}^* \xi_k^{a,\sigma}(x) \quad (5.40)$$

The $\hat{b}_x^{a,\sigma,*}(t+h)$ can then be plugged into formulae ?? and 5.19 to deduce simulations of h-step ahead forecasts for the discount factors and discount rates.

The simulations (1000) of 12-months ahead discount rates are presented in figures 5.19 and 5.20.

5.4.4 6-months and 36-months ahead forecast on longer historical data

In this second example, we use interest rate swaps data from the Federal Reserve Bank of St Louis website³ observed monthly, from july 2000 to september 2016, with maturities equal to 1, 2, 3, 4, 5, 7, 10, 30, and a tenor equal to three months.

²Even if for $\epsilon_{t,0}$, considering figure 5.18, this makes a strong stationarity assumption on the residuals.

³Available at <https://fred.stlouisfed.org/categories/32299>




Fig. 5.18: Autocorrelation functions for the residuals of univariate time series(AR(1)) on $\beta_0, \beta_1, \beta_2, \beta_3$




Fig. 5.19: Curves simulated with principal components from april 2015 to april 2016, and bootstrap resampling of the residuals




Fig. 5.20: Min., Max., and quantiles around the median curve for the simulations

Tab. 5.9: Descriptive statistics for fitted parameters b_i s from april 2015 to april 2016

Maturity	Min.	1st Qrt	Median	Mean	3rd Qrt	Max.
1	-0.0026	-0.0021	-0.0010	-0.0013	-0.0004	-0.0003
3	0.0000	0.0026	0.0040	0.0035	0.0048	0.0058
5	0.0025	0.0076	0.0030	0.0092	0.0108	0.0143
10	0.0115	0.0174	0.0090	0.0188	0.0208	0.0230
15	0.0122	0.0168	0.0127	0.0192	0.0220	0.0228
20	0.0117	0.0148	0.0144	0.0171	0.0195	0.0211
30	0.0080	0.0116	0.0155	0.0134	0.0150	0.0178

In figure 5.21, we represent the eight time series of swap rates, observed for each maturity 1, 2, 3, 4, 5, 7, 10, 30, between july 2000 and september 2016. The swap rates for different maturities generally exhibit a decreasing trend, and are nearly equal to 0 by the end of 2016 for the shortest maturities.

Starting in 2006, the spreads between swap rates with different maturities start to narrow, until the end of 2007, and swap rates for short maturities are relatively high. This is the period corresponding to the Liquidity and Credit Crunch 2007-2008. Table 5.10 below presents the descriptive statistics for the data.




Fig. 5.21: Swap rates data (in %) from St Louis Federal Reserve Bank, at maturities 1, 2, 3, 4, 5, 7, 10, 30

Tab. 5.10: Descriptive statistics for St Louis Federal Reserve data

Maturity	Min.	1st Qrt	Median	Mean	3rd Qrt	Max.
1	0.0026	0.0050	0.0134	0.0211	0.0336	0.0705
2	0.0037	0.0078	0.0182	0.0239	0.0390	0.0712
3	0.0046	0.0108	0.0236	0.0269	0.0422	0.0714
4	0.0060	0.0134	0.0280	0.0296	0.0439	0.0715
5	0.0078	0.0167	0.0316	0.0319	0.0456	0.0717
7	0.0119	0.0215	0.0368	0.0354	0.0483	0.0720
10	0.0139	0.0261	0.0419	0.0388	0.0502	0.0724
30	0.0175	0.0327	0.0465	0.0440	0.0537	0.0720

We transformed these swap rates into zero rates by using a single curve calibration (that is, ignoring the counterparty credit risk) with linear interpolation between the maturities; one of the methods used in section 5.4.1. Then, as in the previous section, NS, NSS, CMN are used for fitting and forecasting the curves, with `auto.arima` applied to the factors.

We obtain 6-months and 36-months ahead forecasts, from rolling training/testing windows (as in the last section) with respectively, a fixed 6 and 36 months length. The average out-of-sample RMSE are then calculated for each method, on the whole set of observed and forecasted yields.

The *best* hyperparameters - associated with the lowest out-of-sample average RMSE - for each model are obtained through a search on a grid of values. For a 6-months horizon, they are (using the notations from section 5.4.3):

- NS: $\lambda = 1.6042$
- NSS: $\lambda_1 = 1.6250$ $\lambda_2 = 1.6250$
- CMN: $a = 177.8279$, $\sigma = 3.9473e - 04$, $K = 6$

and for a 36-months horizon:

- NS: $\lambda = 1.4271$
- NSS: $\lambda_1 = 1.575$ $\lambda_2 = 1.575$
- CMN: $a = 14.6780$, $\sigma = 0.0011$, $K = 4$

The following results are obtained for the out-of-sample average RMSE:

Tab. 5.11: Descriptive statistics for out-of-sample RMSE, for training window = 6 months, and testing window = 6 months

Method	Min.	1st Qrt	Median	Mean	3rd Qrt	Max.	Std. Dev
NS	0.00101	0.00269	0.00409	0.00481	0.00595	0.01530	0.00296
NSS	0.00102	0.00269	0.00411	0.00481	0.00595	0.01537	0.00296
CMN	0.00115	0.00256	0.00396	0.00468	0.00580	0.01600	0.00302

Tab. 5.12: Descriptive statistics for out-of-sample RMSE, for training window = 36 months, and testing window = 36 months

Method	Min.	1st Qrt	Median	Mean	3rd Qrt	Max.	Std. Dev
NS	0.00356	0.00703	0.01044	0.01489	0.01609	0.21500	0.0213
NSS	0.00300	0.00690	0.01114	0.01484	0.01689	0.21570	0.0201
CMN	0.00402	0.00945	0.01279	0.01452	0.01917	0.03710	0.0070

Using tables 5.11, 5.12 and figures 5.22 and 5.23, we observe that CMN give results which are close to those from NS and NSS, with a lower average out-of-sample RMSE in both cases. For a training window equal to six months, and testing window of six months, the results obtained by the three methods are pretty similar, and the same performance is observed for the three during the financial crisis. For a training and testing window of thirty six months length, CMN has a lower mean and standard deviation for out-of-sample RMSE overall, but doesn't perform the best in the period of financial crisis 2007-2009.

5.5 Conclusion

In this paper, we introduced a method for swap discount curve construction and extrapolation. This method relies on the closed form formulas for discount factors available in exogenous short-rate models. We presented different ways to calibrate and extrapolate the model on different data sets from the existing literature. Moreover, we showed that the model's parameters contain a certain predictive power, enabling to obtain swap curves' forecasts, with predictive distribution.




Fig. 5.22: $\log(\text{out-of-sample RMSE})$ for training window = 6 months, and testing window = 6 months




Fig. 5.23: $\log(\text{out-of-sample RMSE})$ for training window = 36 months, and testing window = 36 months

5.6 Appendix

5.6.1 Data from [AP10]

Maturity	Swap Par Rate
1	4.20%
2	4.30%
3	4.70%
5	5.40%
7	5.70%
10	6.00%
12	6.10%
15	5.90%
20	5.60%
25	5.55%

5.6.2 Data from [And07]

Maturity	Swap Par Rate
0.5	2.75%
1	3.10%
1.5	3.30%
2	3.43%
2.5	3.53%
3	3.30%
4	3.78%
5	3.95%
7	4.25%
10	4.50%
12	4.65%
15	4.78%
20	4.88%
30	4.85%

5.6.3 Data from [HW06]

Maturity	Continuous yield
0.1	8.10%
1	7.00%
4	4.40%
9	7.00%
20	4.00%
30	3.00%

5.6.4 Data from [AB13]

Maturity	EUR6M IRS	Eonia OIS
1	0.286%	0.000%
2	0.324%	0.036%
3	0.424%	0.127%
4	0.576%	0.274%
5	0.762%	0.456%
6	0.954%	0.647%
7	1.135%	0.827%
8	1.303%	0.996%
9	1.452%	1.147%
10	1.584%	1.280%
11	1.703%	1.404%
12	1.809%	1.516%
13	1.901%	-
14	1.976%	-
15	2.037%	1.764%
16	2.086%	-
17	2.123%	-
18	2.150%	-
19	2.171%	-
20	2.187%	1.939%
21	2.200%	-
22	2.211%	-
23	2.220%	-
24	2.228%	-
25	2.234%	2.003%
26	2.239%	-
27	2.243%	-
28	2.247%	-
29	2.251%	-
30	2.256%	2.038%
35	2.295%	-
40	2.348%	-
50	2.421%	-
60	2.463%	-

Conclusion

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

6.1 System Section 1

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look.

This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

6.2 System Section 2

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

6.3 Future Work

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look.

This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Bibliography

- [AB13] Ferdinando M Ametrano and Marco Bianchetti. „Everything you always wanted to know about multiple interest rate curve bootstrapping but were afraid to ask“. In: *Available at SSRN 2219548* (2013) (cit. on pp. 32–34, 39, 46, 52, 66).
- [And07] Leif Andersen. „Discount curve construction with tension splines“. In: *Review of Derivatives Research* 10.3 (2007), pp. 227–267 (cit. on pp. 34, 41, 46, 48, 50, 64).
- [AP10] Leif BG Andersen and Vladimir V Piterbarg. *Interest rate modeling*. Atlantic Financial Press, 2010 (cit. on pp. 34, 40, 46, 47, 64).
- [BC99] Tomas Björk and Bent Jesper Christensen. „Interest rate dynamics and consistent forward rate curves“. In: *Mathematical Finance* 9 (1999), pp. 323–348 (cit. on pp. 34, 39).
- [Bli97] Robert R Bliss. „Testing Term Structure Estimation Methods“. In: *Advances in Futures and Options Research* 9 (1997), pp. 197–231 (cit. on p. 41).
- [CC10] CFOForum and CROForum. „QIS 5 Technical Specification Risk-free interest rates“. In: (2010) (cit. on p. 32).
- [Chr+11] Jens HE Christensen, Francis X Diebold, and Glenn D Rudebusch. „The affine arbitrage-free class of Nelson–Siegel term structure models“. In: *Journal of Econometrics* 164.1 (2011), pp. 4–20 (cit. on pp. 33, 44).
- [DL06] Francis X Diebold and Canlin Li. „Forecasting the term structure of government bond yields“. In: *Journal of econometrics* 130.2 (2006), pp. 337–364 (cit. on pp. 32, 34, 44, 56).
- [EIO15] EIOPA. „Technical documentation of the methodology to derive EIOPA’s risk-free interest rate term structures“. In: <https://eiopa.europa.eu/Publications> (2015) (cit. on pp. 32, 33).
- [HK08] Robin Hyndman and Yeasmin Khandakar. „Automatic time series forecasting: The forecast Package for R“. In: *Journal of Statistical Software* 27.3 (2008), pp. 1–22 (cit. on p. 57).
- [HP81] J Michael Harrison and Stanley R Pliska. „Martingales and stochastic integrals in the theory of continuous trading“. In: *Stochastic processes and their applications* 11.3 (1981), pp. 215–260 (cit. on p. 31).
- [HU07] Rob J Hyndman and Md Shahid Ullah. „Robust forecasting of mortality and fertility rates: a functional data approach“. In: *Computational Statistics & Data Analysis* 51.10 (2007), pp. 4942–4956 (cit. on pp. 34, 44).

- [HW06] Patrick S Hagan and Graeme West. „Interpolation methods for curve construction“. In: *Applied Mathematical Finance* 13.2 (2006), pp. 89–129 (cit. on pp. 34, 46, 47, 50, 52, 65).
- [HW12] John Hull and Alan White. „The FVA debate“. In: *Risk magazine* 25.8 (2012), pp. 83–85 (cit. on p. 32).
- [HW90] J. Hull and A. White. „Pricing interest-rate derivative securities“. In: *The Review of Financial Studies* 3.4 (1990), pp. 573–592 (cit. on p. 35).
- [Jür00] Manuela Jürgens. *LaTeX: eine Einführung und ein bisschen mehr*. FernUniversität Gesamthochschule in Hagen, 2000 (cit. on p. 3).
- [Jür95] Manuela Jürgens. *LaTeX: Fortgeschrittene Anwendungen*. FernUniversität Gesamthochschule in Hagen, 1995 (cit. on p. 3).
- [KJUM11] Markus Kohm and Jens-Uwe-Morawski. *KOMA-Script: Die Anleitung*. 2011 (cit. on p. 3).
- [Lit+91] Robert B Litterman, José Scheinkman, and Laurence Weiss. „Volatility and the yield curve“. In: *The Journal of Fixed Income* 1.1 (1991), pp. 49–53 (cit. on pp. 32, 44).
- [Mie11a] André Miede. *A Classic Thesis Style: An Homage to The Elements of Typographic Style*. 2011 (cit. on p. 3).
- [NS87] Charles R Nelson and Andrew F Siegel. „Parsimonious modeling of yield curves“. In: *Journal of business* (1987), pp. 473–489 (cit. on pp. 32, 33, 56).
- [RD91] James O Ramsay and CJ Dalzell. „Some tools for functional data analysis“. In: *Journal of the Royal Statistical Society. Series B (Methodological)* (1991), pp. 539–572 (cit. on pp. 34, 44).
- [RS05] JO Ramsay and BW Silverman. „Springer Series in Statistics“. In: *Functional data analysis*. Springer, 2005 (cit. on pp. 34, 44, 45).
- [Sve94] Lars EO Svensson. *Estimating and interpreting forward interest rates: Sweden 1992-1994*. Tech. rep. National Bureau of Economic Research, 1994 (cit. on pp. 32, 56).
- [SW01] A Smith and T Wilson. „Fitting yield curves with long term constraints“. In: *London: Bacon and Woodrow* (2001) (cit. on pp. 33, 34, 46–48).
- [Whi12] Richard White. „Multiple Curve Construction“. In: *Quantitative research, OpenGamma* (2012) (cit. on pp. 33, 39).
- [App10a] Apple Inc. *Keynote '09 User Guide*. Apple Inc., 2010 (cit. on p. 3).
- [App10b] Apple Inc. *Numbers '09 User Guide*. Apple Inc., 2010 (cit. on p. 3).
- [App10c] Apple Inc. *Pages '09 User Guide*. Apple Inc., 2010 (cit. on p. 3).

Webseiten

- [@Mie11b] André Miede. *A Classic Thesis Style by André Miede*. 2011. URL: <http://www.miede.de/index.php?page=classicthesis> (visited on May 27, 2011) (cit. on p. 3).
- [@Fre10] Free Software Foundation, Inc. *GNU General Public License*. 2010. URL: <http://www.gnu.org/licenses/gpl.html> (visited on May 27, 2011) (cit. on p. 3).

List of Figures

3.1	Figure example: (a) example part one, (c) example part two; (c) example part three	16
3.2	Another Figure example: (a) example part one, (c) example part two; (c) example part three	17
5.1	Discount rates obtained for 1000 values of $a \in [0.1, 10]$ and $\sigma \in [0, 0.1]$	42
5.2	Forward rates obtained for 1000 values of $a \in [0.1, 10]$ and $\sigma \in [0, 0.1]$.	42
5.3	<i>Bootstrapping</i> with linear interpolation	47
5.4	CMN applied to Hull and White extended Vasicek	47
5.5	Smith-Wilson method	48
5.6	Natural cubic spline	48
5.7	Curve calibration without regularization	49
5.8	Curve calibration with regularization	49
5.9	Linear interpolation on a curve where all cubic methods produce negative forward rates	51
5.10	Natural cubic spline interpolation on a curve where all cubic methods produce negative forward rates	51
5.11	CMN interpolation on a curve where all cubic methods produce negative forward rates	51
5.12	Sign of discrete forwards for CMN as function of a and σ , on a curve where all cubic methods produce negative forward rates	51
5.13	Extrapolation to $UFR = 4.2\%$ with CMN	54
5.14	Extrapolation to $UFR = 4.2\%$ with Smith-Wilson	54
5.15	Out-of-sample RMSE on swap values, as a function of UFR	54
5.16	Extrapolation of OIS curve to a data driven $UFR = 0.0226$	54
5.17	Spot rates observed from december 2013 to april 2016	55
5.18	Autocorrelation functions for the residuals of univariate time series(AR(1)) on $\beta_0, \beta_1, \beta_2, \beta_3$	59
5.19	Curves simulated with principal components from april 2015 to april 2016, and bootstrap resampling of the residuals	59
5.20	Min., Max., and quartiles around the median curve for the simulations	59
5.21	Swap rates data (in %) from St Louis Federal Reserve Bank, at maturities 1, 2, 3, 4, 5, 7, 10, 30	60

5.22	log(out-of-sample RMSE) for training window = 6 months, and testing window = 6 months	63
5.23	log(out-of-sample RMSE) for training window = 36 months, and testing window = 36 months	63

List of Tables

5.1	Examples of Lévy measures and cumulants	35
5.2	Parameters obtained for CMN and Smith-Wilson	49
5.3	Parameters obtained for unregularized and regularized CMN	50
5.4	Parameters obtained CMN with $\alpha = 0.71$ and $\sigma = 0.0062$ on [HW06] data	52
5.5	Parameters for CMN (b_i) and Smith-Wilson (ξ_i) extrapolation	53
5.6	Descriptive statistics for the spot rates observed from december 2013 to april 2016	56
5.7	Average out-of-sample error on real world IRS data + CRA	56
5.8	Importance of Principal components	58
5.9	Descriptive statistics for fitted parameters b_i s from april 2015 to april 2016	60
5.10	Descriptive statistics for St Louis Federal Reserve data	61
5.11	Descriptive statistics for out-of-sample RMSE, for training window = 6 months, and testing window = 6 months	62
5.12	Descriptive statistics for out-of-sample RMSE, for training window = 36 months, and testing window = 36 months	62

Colophon

This thesis was typeset with \LaTeX 2_ε. It uses the *Clean Thesis* style developed by Ricardo Langner. The design of the *Clean Thesis* style is inspired by user guide documents from Apple Inc.

Download the *Clean Thesis* style at <http://cleanthesis.der-ric.de/>.

Declaration

You can put your declaration here, to declare that you have completed your work solely and only with the help of the references you mentioned.

City, August 26, 2015

Ricardo Langner

