

GSET: Programming - Summer 2022

Lab 4: Scalars, 1-D Matrices, and Plotting

Overview :

Previously you used *Scalar* variables, where each variable stored only a single value. As the complexity of the problems we attempt to solve increases it becomes useful to store multiple values under the same variable name. In MATLAB this is called a *matrix*, and **MATLAB** was specifically designed to work with *matrices*.

Initialize : You can set several or all, of the values in a matrix on a single line. This is optional. Notice the elements are separated by commas.

```
clear variables
my_numbers=[5,10,15,20,25];
```

Assign : You often set each value in a matrix individually. The assignment operator works just as it does with scalars.

```
clear all
my_numbers(1)=5;
my_numbers(2)=10;
my_numbers(3)=15;
my_numbers(4)=20;
```

You do not have to set them in order. The final order of the values is dependent on the indices you used during assignment.

```
clear all
my_numbers(3)=15;
my_numbers(1)=5;
my_numbers(2)=10;
my_numbers(4)=20;
```

Access : You often need to get a value previously stored in an element of a matrix. To begin, we will only access 1 element of the matrix at a time.


```
x=my_numbers(3);
y=x-my_numbers(4);
z=y-my_numbers(1);
```

View : There are several ways to look at the data in you matrix. You can see your whole matrix by simply typing the name in the command window. You can also see a graphical version of you matrix with the *plot()* function.

```
plot(my_numbers)
plot(my_numbers,your_numbers)
```

Assignment :

1. Find the *lab4_data.txt* file on ilearn. Download this file and open it in MATLAB or other text editor. You should see six columns separated by commas. For this assignment we will be using the fourth and fifth columns.
2. Initialize two separate arrays of data. One with the *East* data and one with the *North* data. This data represents the locations of several cities in Tennessee in units of meters. This can be hardcoded.
3. Plot each individual point with a different marker type. Put a star on Cookeville.
4. Draw a *Black Solid Line* between Cookeville and Carthage. Calculate the distance of this line and print this in this command window.
5. Draw a *Red Dashed Line* between Cookeville and Nashville. Calculate the distance of this line and print this in this command window.
6. Draw a *Blue Dotted Line* from Livingston to Cookeville to Sparta. Calculate the distance of this line and print this in this command window.
7. Put a title and axis labels on the figure. BONUS: Label all city names on the figure using the *text* function.



- **Bonus:** Does the image appear correctly to scale? Check both axes.
- **Bonus:** Add file input to your program and have your program read the data from the file each time it runs