

# ME3023 Lecture - Chapter 4

## Probability and Statistics

Theory and Design for Mechanical Measurements

5th ed. by Richard Figliola and Donald Beasley

Tristan Hill - Tennessee Technological University - Fall 2019

- 4.2 - Statistical Measurement Theory

- Probability Density Functions

- \* Remember we were discussing histograms and PDFs...
    - \* The frequency with which the measured variable assumes a particular value or interval of values is described by its **probability density function**.
    - \* If a **central tendency** exists we should be able to see this in the **probability density function**.
    - \* As binsize of the **histogram** of the data set goes to zero this becomes the **probability density function**.

## - 4.2 - Describing the Behavior of a Population

The true variance is:


$$\sigma^2 = \int_{-\infty}^{\infty} (x - x')^2 p(x) dx$$

For discrete data this becomes:





$$\sigma^2 = \lim_{N \rightarrow \infty} \frac{1}{N} \sum_{i=1}^N (x_i - x')^2$$

The square root of the **variance** is the **standard deviation**.

$$\sigma = \sqrt{\sigma^2}$$



**Table 4.2** Standard Statistical Distributions and Relations Common to Measurements

Distribution	Applications	Density Function	Shape
Normal	Most physical properties that are continuous or regular in time or space with variations due to random error	$p(x) = \frac{1}{\sigma(2\pi)^{1/2}} \exp \left[ -\frac{1}{2} \frac{(x - x')^2}{\sigma^2} \right]$	
Log normal	Failure or durability projections; events whose outcomes tend to be skewed toward the extremity of the distribution	$p(x) = \frac{1}{\pi\sigma(2\pi)^{1/2}} \exp \left[ -\frac{1}{2} \ln \frac{(x - x')^2}{\sigma^2} \right]$	
Rectangular	Processes in which a likely outcome falls in the range between minimum value $a$ and maximum value $b$ occurring with equal probability	$p(x) = \frac{1}{b-a} \text{ where } a \leq x \leq b, \text{ otherwise } p(x) = 0$	
Triangular	Process in which the likely outcome $x$ falls between known lower bound $a$ and upper bound $b$ , with a peak value or mode $c$ ; used when population information is sparse	$p(x) = \frac{2(x-a)}{(b-a)(c-a)} \text{ for } a \leq x \leq c$ $= \frac{2(b-x)}{(b-a)(b-c)} \text{ for } c < x \leq b$	

(Continued)

**Table 4.3** Probability Values for Normal Error Function: One-Sided Integral Solutions for  $p(z_1) = \frac{1}{(2\pi)^{1/2}} \int_0^{z_1} e^{-\beta^2/2} d\beta$

$z_1 = \frac{x_1 - x'}{\sigma}$	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1809	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2794	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4229	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4758	0.4761	0.4767
2.0	0.4772	0.4778	0.4803	0.4788	0.4793	0.4799	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.49865	0.4987	0.4987	0.4988	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990