

successful (4624) logins

RDP Brute Force Successful Logins

Time	Event
2025-05-28T14:01:02+0530	<p>05/28/2025 02:01:02 PM</p> <p>LogName=Security EventCode=4624 EventType=0 ComputerName=DESKTOP-F049LOK SourceName=Microsoft Windows security auditing. Type=Information RecordNumber=738060 Keywords=Audit Success TaskCategory=Logon OpCode=Info Message=An account was successfully logged on.</p> <p>Subject: Security ID:S-1-0-0 Account Name:- Account Domain:- Logon ID:0x0</p> <p>Logon Information: Logon Type:3 Restricted Admin Mode:- Virtual Account:No Elevated Token:No</p> <p>Impersonation Level:Impersonation</p> <p>New Logon: Security ID:S-1-5-21-743153983-3650556082-3479164291-1002 Account Name:testuser Account Domain:DESKTOP-F049LOK Logon ID:0xE79E13 Linked Logon ID:0x0 Network Account Name:- Network Account Domain:- Logon GUID:{00000000-0000-0000-0000-000000000000}</p> <p>Process Information: Process ID:0x0 Process Name:-</p> <p>Network Information: Workstation Name:kali Source Network Address:192.168.246.131 Source Port:0</p> <p>Detailed Authentication Information: Logon Process:NtLmSsp Authentication Package:NTLM Transited Services:- Package Name (NTLM only):NTLM V2 Key Length:128</p> <p>This event is generated when a logon session is created. It is generated on the computer that was accessed.</p> <p>The subject fields indicate the account on the local system which requested the logon. This is most commonly a service such as the Server service, or a local process such as Winlogon.exe or Services.exe.</p> <p>The logon type field indicates the kind of logon that occurred. The most common types are 2 (interactive) and 3 (network).</p> <p>The New Logon fields indicate the account for whom the new logon was created, i.e. the account that was logged on.</p> <p>The network fields indicate where a remote logon request originated. Workstation name is not always available and may be left blank in some cases.</p> <p>The impersonation level field indicates the extent to which a process in the logon session can impersonate.</p> <p>The authentication information fields provide detailed information about this specific logon request.</p> <ul style="list-style-type: none">- Logon GUID is a unique identifier that can be used to correlate this event with a KDC event.- Transited services indicate which intermediate services have participated in this logon request.- Package name indicates which sub-protocol was used among the NTLM protocols.- Key length indicates the length of the generated session key. This will be 0 if no session key was requested.

Time	Event
2025-05-28T13:45:32+0530	<p>05/28/2025 01:45:32 PM</p> <p>LogName=Security EventCode=4624 EventType=0 ComputerName=DESKTOP-F049LOK SourceName=Microsoft Windows security auditing. Type=Information RecordNumber=737167 Keywords=Audit Success TaskCategory=Logon OpCode=Info Message=An account was successfully logged on.</p> <p>Subject: Security ID:S-1-0-0 Account Name:- Account Domain:- Logon ID:0x0</p> <p>Logon Information: Logon Type:3 Restricted Admin Mode:- Virtual Account:No Elevated Token:No</p> <p>Impersonation Level:Impersonation</p> <p>New Logon: Security ID:S-1-5-21-743153983-3650556082-3479164291-1002 Account Name:testuser Account Domain:DESKTOP-F049LOK Logon ID:0xE04898 Linked Logon ID:0x0 Network Account Name:- Network Account Domain:- Logon GUID:{00000000-0000-0000-0000-000000000000}</p> <p>Process Information: Process ID:0x0 Process Name:-</p> <p>Network Information: Workstation Name:kali Source Network Address:192.168.246.131 Source Port:0</p> <p>Detailed Authentication Information: Logon Process:NtLmSsp Authentication Package:NTLM Transited Services:- Package Name (NTLM only):NTLM V2 Key Length:128</p> <p>This event is generated when a logon session is created. It is generated on the computer that was accessed.</p> <p>The subject fields indicate the account on the local system which requested the logon. This is most commonly a service such as the Server service, or a local process such as Winlogon.exe or Services.exe.</p> <p>The logon type field indicates the kind of logon that occurred. The most common types are 2 (interactive) and 3 (network).</p> <p>The New Logon fields indicate the account for whom the new logon was created, i.e. the account that was logged on.</p> <p>The network fields indicate where a remote logon request originated. Workstation name is not always available and may be left blank in some cases.</p> <p>The impersonation level field indicates the extent to which a process in the logon session can impersonate.</p> <p>The authentication information fields provide detailed information about this specific logon request.</p> <ul style="list-style-type: none"> - Logon GUID is a unique identifier that can be used to correlate this event with a KDC event. - Transited services indicate which intermediate services have participated in this logon request. - Package name indicates which sub-protocol was used among the NTLM protocols. - Key length indicates the length of the generated session key. This will be 0 if no session key was requested.