

Paper Title

FirstName LASTNAME

Example University

`firstname.lastname@example.edu`

Abstract. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Keywords: First keyword · Second keyword · Third keyword

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy

pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et nunc vulputate metus eu enim. Vestibulum pellentesque felis eu massa. TODO!

The remainder of the paper starts with a presentation of related work (Sect. 2). It is followed by a presentation of hints on L^AT_EX (Sect. 3). Finally, a conclusion is drawn and outlook on future work is made (Sect. 4).

2 Related Work

Winery [2] is a graphical modeling tool. The whole idea of TOSCA is explained by Binz et al. [1].

3 LaTeX Hints

This section contains hints on writing LaTeX. It focuses on minimal examples, which can be directly adapted to the content

3.1 Handling of paragraphs

One sentence per line. This rule is important for the usage of version control systems. A new line is generated with a blank line. As you would do in Word: New paragraphs are generated by pressing enter. In LaTeX, this does not lead to a new paragraph as LaTeX joins subsequent lines. In case you want a new paragraph, just press enter twice! This leads to an empty line. In word, there is the functionality to press shift and enter. This leads to a hard line break. The text starts at the beginning of a new line. In LaTeX, you can do that by using two backslashes (`\\`).

This is rarely used.

Please do *not* use two backslashes for new paragraphs. For instance, this sentence belongs to the same paragraph, whereas the last one started a new one. A long motivation for that is provided at <http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3>.

Corresponding L^AT_EX code of sections/01-content.tex

```

65 One sentence per line.
66 This rule is important for the usage of version control systems.
67 A new line is generated with a blank line.
68 As you would do in Word:
69 New paragraphs are generated by pressing enter.
70 In LaTeX, this does not lead to a new paragraph as LaTeX joins
    subsequent lines.
71 In case you want a new paragraph, just press enter twice!
72 This leads to an empty line.
73 In word, there is the functionality to press shift and enter.
74 This leads to a hard line break.
75 The text starts at the beginning of a new line.
76 In LaTeX, you can do that by using two backslashes
    (\textbackslash\textbackslash).
77 \\
78 This is rarely used.
79
80 Please do \textit{not} use two backslashes for new paragraphs.
81 For instance, this sentence belongs to the same paragraph,
    whereas the last one started a new one.
82 A long motivation for that is provided at
    \url{http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3}.

```

3.2 Notes separated from the text

The package mindflow enables writing down notes and annotations in a way so that they are separated from the main text.

This is a small note.

Corresponding L^AT_EX code of sections/01-content.tex

```

90 \begin{mindflow}
91 This is a small note.
92 \end{mindflow}

```

3.3 Handling TODOs

Markierter Text.

Corresponding L^AT_EX code of sections/01-content.tex

```

98 \textmarker{Markierter Text.}

```

Bei `\textmarker` wird nur die Textfarbe geändert, da dies auch bei einigen Worten gut funktioniert.

Markierter Text.

Corresponding L^AT_EX code of sections/01-content.tex

```
104 \textcomment{Markierter Text.}{Kommentar dazu.}
```

Manuelle Markierung für Text, der seit der letzten Version geändert wurde.

Corresponding L^AT_EX code of sections/01-content.tex

```
108 \modified{Manuelle Markierung für Text, der seit der letzten
      Version geändert wurde.}
```

Das ist ein Text. Geänderter Text.

Corresponding L^AT_EX code of sections/01-content.tex

```
112 Das ist ein Text.
113 \change{FL1: Text angepasst}{Geänderter Text}.
```

Hier nur ein Kommentar.

Corresponding L^AT_EX code of sections/01-content.tex

```
117 Hier nur ein Kommentar\sidecomment{Kommentar}.
```

TODO!

Corresponding L^AT_EX code of sections/01-content.tex

```
121 \todo{Hier muss noch kräftig Text produziert werden}
```

3.4 Hyphenation

L^AT_EX automatically hyphenates words. When using microtype, there should be fewer hyphenations than in other settings. It might be necessary to tweak the hyphenations nevertheless. Here are some hints:

In case you write “application-specific”, then the word will only be hyphenated at the dash. You can also write `applica\allowbreak{}tion-specific` (result: application-specific), but this is much more effort.

You can now write words containing hyphens which are hyphenated at other places in the word. For instance, `application=specific` gets application=specific. This is enabled by an additional configuration of the babel package.

Corresponding L^AT_EX code of sections/01-content.tex

```

132 In case you write \enquote{application-specific}, then the word
    will only be hyphenated at the dash.
133 You can also write \verb!applica\allowbreak{}tion-specific!
    (result: applica\allowbreak{}tion-specific), but this is
    much more effort.
134
135 You can now write words containing hyphens which are hyphenated
    at other places in the word.
136 For instance, \verb!application"=specific! gets
    application"=specific.
137 This is enabled by an additional configuration of the babel
    package.

```

3.5 Typesetting Units

Numbers can be written plain text (such as 100), by using the siunitx package as follows: 100 $\frac{\text{km}}{\text{h}}$, or by using plain L^AT_EX (and math mode): 100 $\frac{km}{h}$.

Corresponding L^AT_EX code of sections/01-content.tex

```

143 Numbers can be written plain text (such as 100), by using the
    \href{https://ctan.org/pkg/siunitx}{siunitx} package as
    follows:
144 \SI{100}{\km\per\hour},
145 or by using plain \LaTeX{} (and math mode):
146 $100 \frac{\mathit{km}}{h}$.

```

5 % of 10 kg

Corresponding L^AT_EX code of sections/01-content.tex

```

150 \SI{5}{\percent} of \SI{10}{kg}

```

Numbers are automatically grouped: 123 456.

Corresponding L^AT_EX code of sections/01-content.tex

```

154 Numbers are automatically grouped: \num{123456}.

```

3.6 Surrounding Text by Quotes

Please use the “enquote command” to quote something. Quoting with “quote” or “quote” also works.

Corresponding L^AT_EX code of sections/01-content.tex

```
160 Please use the \enquote{enquote command} to quote something.
161 Quoting with "\enquote" or "\enquote" also works.
```

3.7 Cleveref examples

Cleveref demonstration: Cref at beginning of sentence, cref in all other cases.




Fig. 1. Example figure for cref demo

Heading1	Heading2
One	Two
Thee	Four

Table 1. Example table for cref demo

Figure 1 shows a simple fact, although Fig. 1 could also show something else.
 Table 1 shows a simple fact, although Table 1 could also show something else.
 Section 3.7 shows a simple fact, although Sect. 3.7 could also show something else.

Corresponding L^AT_EX code of sections/01-content.tex

```
192 \Cref{fig:ex:cref} shows a simple fact, although  
    \cref{fig:ex:cref} could also show something else.  
193  
194 \Cref{tab:ex:cref} shows a simple fact, although  
    \cref{tab:ex:cref} could also show something else.  
195  
196 \Cref{sec:ex:cref} shows a simple fact, although  
    \cref{sec:ex:cref} could also show something else.
```

3.8 Figures

Figure 2 shows something interesting.



Fig. 2. Simple Figure. Based on Scharrer [3].

Corresponding L^AT_EX code of sections/01-content.tex

```
202 \Cref{fig:label} shows something interesting.
203
204 \begin{figure}
205   \centering
206   \includegraphics[width=.8\linewidth]{example-image-golden}
207   \caption[Simple Figure]{
208     Simple Figure.
209     Based on \citet{mwe}.
210   }
211   \label{fig:label}
212 \end{figure}
```

One can also have pictures floating inside text:

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.




Fig. 3. A floating figure

Corresponding L^AT_EX code of sections/01-content.tex

```

219 \begin{floatingfigure}{.33\linewidth}
220   \includegraphics[width=.29\linewidth]{example-image-a}
221   \caption{A floating figure}
222 \end{floatingfigure}
223 \lipsum[2]

```

3.9 Sub Figures

An example of two sub figures is shown in Fig. 4.




Fig. 4. Example figure with two sub figures.

Corresponding L^AT_EX code of sections/01-content.tex

```

231 \begin{figure}[!b]
232   \centering
233   \subfloat[Case
      I]{\includegraphics[width=.4\linewidth]{example-image-a}%
234     \label{fig:first_case}}
235   \hfil
236   \subfloat[Case
      II]{\includegraphics[width=.4\linewidth]{example-image-b}%
237     \label{fig:second_case}}
238   \caption{Example figure with two sub figures.}
239   \label{fig:two_sub_figures}
240 \end{figure}

```

3.10 Tables**Table 2.** Simple Table

Heading1	Heading2
One	Two
Thee	Four

Corresponding L^AT_EX code of sections/01-content.tex

```

246 \begin{table}
247   \caption{Simple Table}
248   \label{tab:simple}
249   \centering
250   \begin{tabular}{ll}
251     \toprule
252     Heading1 & Heading2 \\
253     \midrule
254     One      & Two      \\
255     Thee     & Four     \\
256     \bottomrule
257   \end{tabular}
258 \end{table}

```

Table 3. Table with diagonal line

Diag Column Head I	Diag Column Head II	Second	Third
		foo	bar

Corresponding L^AT_EX code of sections/01-content.tex

```
262 % Source: https://tex.stackexchange.com/a/468994/9075
263 \begin{table}
264   \caption{Table with diagonal line}
265   \label{tab:diag}
266   \begin{center}
267     \begin{tabular}{|l|c|c|}
268       \hline
269       \diagbox[width=10em]{Diag \Column Head I}{Diag
270         Column\Head II} & Second & Third \\\
271       & foo & bar \\\
272       \hline
273     \end{tabular}
274   \end{center}
275 \end{table}
```

3.11 Source Code

Listing 1.1 shows source code written in XML. Line 2 contains a comment.

```
1 <listing name="example">
2   <!-- comment -->
3   <content>not interesting</content>
4 </listing>
```

Listing 1.1. Example XML Listing

```

1 <listing name="example">
2   Floating
3 </listing>

```

Listing 1.2. Example XML listing – placed as floating figure

```

1 {
2   key: "value"
3 }

```

Listing 1.3. Example JSON listing – placed as floating figure

Corresponding L^AT_EX code of sections/01-content.tex

```

282 \Cref{lst:XML} shows source code written in XML.
283 \Cref{line:comment} contains a comment.
284
285 \begin{lstlisting}[
286   language=XML,
287   caption={Example XML Listing},
288   label={lst:XML}]
289 <listing name="example">
290   <!-- comment --> (* \label{line:comment} *)
291   <content>not interesting</content>
292 </listing>
293 \end{lstlisting}

```

One can also add `float` as parameter to have the listing floating. Listing 1.2 shows the floating listing.

Corresponding L^AT_EX code of sections/01-content.tex

```

300 \begin{lstlisting}[
301   % one can adjust spacing here if required
302   % aboveskip=2.5\baselineskip,
303   % belowskip=-.8\baselineskip,
304   float,
305   language=XML,
306   caption={Example XML listing -- placed as floating figure},
307   label={lst:flXML}]
308 <listing name="example">
309   Floating
310 </listing>
311 \end{lstlisting}

```

One can also typeset JSON as shown in Listing 1.3.

```

1 public class Hello {
2     public static void main (String[] args) {
3         System.out.println("Hello World!");
4     }
5 }

```

Listing 1.4. Example Java listing

Corresponding L^AT_EX code of sections/01-content.tex

```

317 \begin{lstlisting}[
318     float,
319     language=json,
320     caption={Example JSON listing -- placed as floating figure},
321     label={lst:json}]
322 {
323     key: "value"
324 }
325 \end{lstlisting}

```

Java is also possible as shown in Listing 1.4.

Corresponding L^AT_EX code of sections/01-content.tex

```

331 \begin{lstlisting}[
332     caption={Example Java listing},
333     label=lst:java,
334     language=Java,
335     float]
336 public class Hello {
337     public static void main (String[] args) {
338         System.out.println("Hello World!");
339     }
340 }
341 \end{lstlisting}

```

3.12 Itemization

One can list items as follows:

- Item One
- Item Two

Corresponding L^AT_EX code of sections/01-content.tex

```

349 \begin{itemize}
350   \item Item One
351   \item Item Two
352 \end{itemize}

```

One can enumerate items as follows:

1. Item One
2. Item Two

Corresponding L^AT_EX code of sections/01-content.tex

```

359 \begin{enumerate}
360   \item Item One
361   \item Item Two
362 \end{enumerate}

```

With paralist, one can even have all items typeset after each other and have them clean in the TeX document:

1. All these items... 2. ...appear in one line 3. This is enabled by the paralist package.

Corresponding L^AT_EX code of sections/01-content.tex

```

369 \begin{inparaenum}
370   \item All these items...
371   \item ...appear in one line
372   \item This is enabled by the paralist package.
373 \end{inparaenum}

```

3.13 Other Features

The words “workflow” and “dwarflike” can be copied from the PDF and pasted to a text file.

Corresponding L^AT_EX code of sections/01-content.tex

```

379 The words \enquote{workflow} and \enquote{dwarflike} can be
    copied from the PDF and pasted to a text file.

```

The symbol for powerset is now correct: $\mathcal{P}$ and not a Weierstrass p ($\wp$).
 $\mathcal{P}(1, 2, 3)$

Corresponding L^AT_EX code of sections/01-content.tex

```

383 The symbol for powerset is now correct:  $\mathcal{P}$  and not a
      Weierstrass p ( $\wp$ ).
384
385  $\mathcal{P}(\{1,2,3\})$ 

```

Brackets work as designed: `<test>` One can also input backticks in verbatim text: ``test``.

Corresponding L^AT_EX code of sections/01-content.tex

```

389 Brackets work as designed:
390 <test>
391 One can also input backticks in verbatim text: \verb|`test`|.

```

4 Conclusion and Outlook

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Acknowledgments Identification of funding sources and other support, and thanks to individuals and groups that assisted in the research and the preparation of the work should be included in an acknowledgment section, which is placed just before the reference section in your document [4].

References

1. Binz, T., Breiter, G., Leymann, F., Spatzier, T.: Portable Cloud Services Using TOSCA. *IEEE Internet Computing* **16**(03), 80–85 (May 2012), ISSN 1089-7801, <https://doi.org/10.1109/mic.2012.43>
2. Kopp, O., et al.: Winery – A Modeling Tool for TOSCA-based Cloud Applications. In: *Proceedings of 11th International Conference on Service-Oriented Computing (ICSOC'13)*, LNCS, vol. 8274, pp. 700–704, Springer Berlin Heidelberg (2013), https://doi.org/10.1007/978-3-642-45005-1_64
3. Scharrer, M.: The `mwe` Package (2017), URL <http://texdoc.net/mwe>
4. Veytsman, B.: Latex class for the association for computing machinery – acknowledgement information (Aug 2021), URL <https://github.com/borisveytsman/acmart/blob/1704c8bf7eee92a1515ff755f5118b6a22bb1f8e/samples/samples.dtx#L709>

All links were last followed on October 5, 2020.