L Codent L Créent Séance 2

C. Hinard M. Miallier T. Prévost

ENSTA Bretagne

Collège Croas Ar'Pennoc

10 mai 2022

Plan

- Rappels
 - Opérations

2 Second section



Plan

- Rappels
 - Opérations

Second section



$$\bullet$$
 5 + 2 \Longrightarrow 7



$$\bullet$$
 5 + 2 \Longrightarrow 7

$$\bullet$$
 5 + 2 \Longrightarrow 7



$$\bullet$$
 5 + 2 \Longrightarrow 7

$$\bullet$$
 5 + 2 \Longrightarrow 7



$$\bullet$$
 5 + 2 \Longrightarrow 7

• 5 / 2
$$\Longrightarrow$$

$$\bullet$$
 5 + 2 \Longrightarrow 7

$$\bullet$$
 5 - 2 \Longrightarrow 3

$$\bullet$$
 5 / 2 \Longrightarrow 2.5

• 5 % 2 ⇒

 \bullet 5 % 2 \Longrightarrow 7

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2
- 5 < 2 ⇒</p>

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2
- 5 < 2 \Longrightarrow True

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2
- 5 < 2 \Longrightarrow True
- 5 > 2 ⇒

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2
- 5 < 2 \Longrightarrow True
- 5 > 2 \Longrightarrow False

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 \Longrightarrow 2
- 5 < 2 \Longrightarrow True
- 5 > 2 \Longrightarrow False
- 5 <= 2 ⇒⇒</p>

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 \Longrightarrow 2
- 5 < 2 \Longrightarrow True
- 5 > 2 \Longrightarrow False
- 5 <= 2 ⇒ True

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2
- 5 < 2 \Longrightarrow True
- 5 > 2 \Longrightarrow False
- 5 <= $2 \Longrightarrow True$
- 5 >= 2 ⇒⇒

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2
- \bullet 5 < 2 \Longrightarrow True
- 5 > 2 \Longrightarrow False
- 5 <= $2 \Longrightarrow True$
- 5 \Rightarrow False

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 \Longrightarrow 2
- 5 < 2 ⇒ True
- 5 > 2 \Longrightarrow False
- 5 <= 2 ⇒ True
- 5 >= $2 \Longrightarrow False$
- 5 == 2 ⇒

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2
- 5 < 2 ⇒ True
- 5 > 2 \Longrightarrow False
- 5 <= 2 ⇒ True
- 5 >= $2 \Longrightarrow False$
- 5 == $2 \Longrightarrow False$

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 ⇒ 2
- 5 < 2 \Longrightarrow True
- 5 > 2 \Longrightarrow False
- 5 <= 2 ⇒ True
- 5 \Rightarrow False
- 5 == $2 \Longrightarrow False$
- 5 != 2 ⇒

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 \Longrightarrow 2
- 5 < 2 ⇒ True
- 5 > 2 \Longrightarrow False
- 5 <= 2 ⇒ True
- 5 \Rightarrow False
- 5 == $2 \Longrightarrow False$
- 5 != $2 \Longrightarrow True$

- \bullet 5 % 2 \Longrightarrow 7
- 5 ** 2 ⇒ 25
- 5 // 2 \Longrightarrow 2
- 5 < 2 ⇒ True
- 5 > 2 \Longrightarrow False
- 5 <= 2 ⇒ True
- 5 \Rightarrow False
- 5 == $2 \Longrightarrow False$
- 5 != $2 \Longrightarrow True$

In this slide

In this slide the text will be partially visible

In this slide the text will be partially visible And finally everything will be there

Plan

- Rappels
 - Opérations

2 Second section



Sample frame title

In this slide, some important text will be highlighted because it's important. Please, don't abuse it.

Remark

Sample text

Important theorem

Sample text in red box

Examples

Sample text in green box. The title of the block is "Examples".

Two-column slide

This is a text in first column.

$$E = mc^2$$

- First item
- Second item

This text will be in the second column and on a second tought this is a nice looking layout in some cases.