

- named graph, 30
- named graphs, 35
- namespace, 18, 33, 103, 248
- necessary condition, 116
- New York Times, 188
- nonmonotonic rule, 134
- nonmonotonic rule system, 158
- object, 27
- object properties, 104
- On-To-Knowledge, 212
- ontology, 10
- ontology alignment, 206
- Ontology Alignment Evaluation Initiative, 207
- ontology development process, 194
- ontology expressivity, 94
- ontology integration, 206
- ontology mapping, 206
- Open Directory, 199
- open world assumption, 78, 122
- OpenCalais, 190
- OWL functional syntax, 101
- OWL imports, 103
- OWL Lite, 97
- OWL Manchester syntax, 102
- OWL Working Group, 91
- OWL xml syntax, 101
- OWL2, 91
- OWL2 DL, 98
- OWL2 EL, 124
- OWL2 Full, 97
- OWL2 keys, 120
- OWL2 profile, 123
- OWL2 QL, 124
- OWL2 RL, 124
- owl:equivalentClass, 111
- owl:sameAs, 122
- owl:SymmetricProperty, 106
- path expression, 251
- predicate, 138
- predicate logic, 131
- Prefix.cc, 201
- priority, 159
- Product Ontology, 178
- proof layer, 18
- proof system, 132
- property, 26, 41
- property chains, 109
- property hierarchy, 44
- provenance, 224
- punning, 112
- qualified name, 33
- range, 41, 108