

Table of Contents

1. Implementing an Intersect 1
2. Implementing a Minus 2

MySQL implements the Union query but not the Intersect operation nor the Minus operation directly. You can use subqueries to implement these.

1. Implementing an Intersect

The Intersect operator returns rows which are in both of the select result sets.

Suppose we want to return HW items purchased both in Nov and in Dec of any year

This would be the INTERSECT Query (THIS DOES NOT WORK IN MYSQL)

```
Select prod_id, catg_id, prod_name
From prd_products
Join oe_order_details using (prod_id)
Join oe_order_headers using (ord_id)
Where catg_id = 'HW'
and extract(month from ord_date) = 11
INTERSECT
Select prod_id, catg_id, prod_name
From prd_products
Join oe_order_details using (prod_id)
Join oe_order_headers using (ord_id)
Where catg_id = 'HW'
and extract(month from ord_date) = 12
;
```

Demo 01: Implementing an intersection

```
Select prod_id, catg_id, prod_name
From a_prd.products
V prod_id in (
  Select prod_id
  From a_oe.order_details
  Join a_oe.order_headers using (ord_id)
  Where catg_id = 'HW'
  and extract(month from ord_date) = 11 )
and prod_id in (
  Select prod_id
  From a_oe.order_details
  Join a_oe.order_headers using (ord_id)
  Where catg_id = 'HW'
  and extract(month from ord_date) = 12 )
;
```

```
+-----+-----+-----+
| prod_id | catg_id | prod_name |
+-----+-----+-----+
|    1080 | HW      | Cornpopper |
|    1100 | HW      | Blender    |
|    1110 | HW      | Pancake griddle |
+-----+-----+-----+
```

2. Implementing a Minus

The Minus operator returns rows which are in one of the select result sets but not the other. The Minus operator is not commutative.

This shows HW items that were purchased in Nov but not in Dec. But MySQL does not support the MINUS syntax. (THIS DOES NOT WORK IN MYSQL)

```
Select prod_id, catg_id, prod_name
From a_prd.products
Join a_oe.order_details using (prod_id)
Join a_oe.order_headers using (ord_id)
Where catg_id = 'HW'
and extract(month from ord_date) = 11
MINUS
Select prod_id, catg_id, prod_name
From a_prd.products
Join a_oe.order_details using (prod_id)
Join a_oe.order_headers using (ord_id)
Where catg_id = 'HW'
and extract(month from ord_date) = 12
;
```

Demo 02: Implementing a Minus: This shows HW items that were purchased in Nov but not in Dec

```
Select prod_id, catg_id, prod_name
From a_prd.products
Where prod_id in (
    Select prod_id
    From a_oe.order_details
    Join a_oe.order_headers using (ord_id)
    Where catg_id = 'HW'
    and extract(month from ord_date) = 11 )
and prod_id NOT in (
    Select prod_id
    From a_oe.order_details
    Join a_oe.order_headers using (ord_id)
    Where catg_id = 'HW'
    and extract(month from ord_date) = 12 )
;
```

prod_id	catg_id	prod_name
1000	HW	Hand Mixer
1070	HW	Iron
1071	HW	Iron

Demo 03: This shows HW items that were purchased in Dec but not in Nov

```
Select prod_id, catg_id, prod_name
From a_prd.products
where prod_id NOT in (
    Select prod_id
    From a_oe.order_details
    Join a_oe.order_headers using (ord_id)
    Where catg_id = 'HW'
```

```
        and extract(month from ord_date) = 11 )
and prod_id in (
    Select prod_id
    From a_oe.order_details
    Join a_oe.order_headers using (ord_id)
    Where catg_id = 'HW'
    and extract(month from ord_date) = 12 )
;
+-----+-----+-----+
| prod_id | catg_id | prod_name |
+-----+-----+-----+
|    1090 | HW      | Gas grill |
+-----+-----+-----+
```