

# Contents

<b>List of Figures</b>	<b>3</b>
<b>List of Tables</b>	<b>3</b>
<b>1 Background and Literature Review</b>	<b>4</b>
1.1 Survey of methods for changing and matching skin colour in Photoshop . . . . .	4
<b>2 Methods</b>	<b>6</b>
2.1 Simple brightness addition / subtraction . . . . .	7
2.2 Proportional adjustment relative to average color . . . . .	9
2.3 Proportional brightening with dark spot correction . . . . .	11
<b>References</b>	<b>12</b>
<b>A Photoshop techniques for changing skintone from select online video tutorials</b>	<b>13</b>
A.1 Changing skin colour from dark to light [1] . . . . .	13
A.2 Matching the skintones of face and body [2] . . . . .	14
A.3 Matching the skintones of portraits of different people [3] . . . . .	15
<b>B Complete results for simple brightening</b>	<b>16</b>
<b>C Complete results for proportional brightness adjustment</b>	<b>19</b>
<b>D Complete results for proportional adjustment with darkspot correction, <math>\alpha = 10</math></b>	<b>22</b>

E Complete results for proportional adjustment with darkspot correction, $\alpha = 5$	25
F Complete results for proportional adjustment with darkspot correction, $\alpha = 3$	28

## List of Figures

1	Different hand images used for testing . . . . .	6
2	Comparison of algorithm 1 and 2 results for transforming a dark hand (Figure 1a) to a light hand (Figure 1c). . . . .	10

## List of Tables

3	Screen captures from Photoshop tutorial for changing skin colour from dark to light. . . . .	13
4	Screen captures from Photoshop tutorial for matching the skintones of face and body. . . . .	14
5	Screen captures from Photoshop tutorial for matching the skintones of portraits of different people. . . . .	15
6	Test results of simple addition / subtraction brightening function. . . . .	16
7	Test results of brightening proportionally based on distance of color to the average. . . . .	19
8	Test results of proportional brightening with correction for dark spots . . . . .	22
9	Test results of proportional brightening with correction for dark spots . . . . .	25
10	Test results of proportional brightening with correction for dark spots, alpha = 3 . . . . .	28

# **1 Background and Literature Review**

## **1.1 Survey of methods for changing and matching skin colour in Photoshop**

The are a wide range of online video tutorials available for adjusting human skin tone in individual images using Photoshop. The purposes of these videos include giving the subject of an image the appearance of a tan, matching the skin tone of the subject to a desired skin tone on another individual, or matching the skin tone of a subject's face to the rest of the subject's body, which is often a slightly different colour [4] [3] [2]. We surveyed a range of these videos and summarize the techniques of the most relevant videos with reasonably realistic results. See Appendix A for a more detailed description of three of these Photoshop processes.

### **Summary of Photoshop techniques**

Levels and curves are frequently used for small brightness adjustments [1] [2] [3]. For large brightness adjustments, one technique was found (see Appendix A.1), where the skin area is brightened in a conversion to black and white, and then the luminosity blend mode is used to place the colour back into the image. Sometimes highlights and shadows are adjusted separately; curves or the “blend if” function (which blends in an effect only if the original pixel is above a certain threshold of brightness) can be used to achieve this effect [4].

There are many different methods to match colour, and the colour can be adjusted separately from the brightness or simultaneously - often one would affect the other [2] [3]. Methods for matching colour include matching the ratios of cyan, magenta and yellow by making adjustments with the selective colour tool, or using curves or levels on individual colour channels. Adjustments are made either by eye or to numerically match a target color [5] [2] [3]. Often to reduce the vividness of the colour adjustments the saturation must be slightly decreased [1] [2].

After all other effects are applied, the opacity of the overall effect is often reduced from 100% for a more natural appearance [1] [2].

## **Limitations of Photoshop techniques**

These Photoshop techniques are generally meant to be tailored to each specific image that a human is adjusting. There are many junctures where the specific numerical amount of an adjustment often have to be judged by eye. While Photoshop has a method for automating processes using actions, the processes are meant for increasing ease of use by artists who can make additional adjustments and are familiar with the tool, rather than in commercial applications where the process is entirely automated [6].

Another limitation is that Photoshop operates at a higher level of abstraction than image processing software making use of libraries such as OpenCV. Image processing code has much more control over processes that can be applied to images, and the regions on the image that processes are applied to.

Finally, some Photoshop effects may be proprietary and are of course limited to the platforms that Photoshop supports, while a program developed with a platform such as OpenCV can be made open source and adapted to uses on a variety of different platforms.

## 2 Methods

To accomplish the objective of recolouring the skintone of a hand to a target colour, we wrote algorithms in C++ in Eclipse on OS X using OpenCV libraries. Eclipse is used to compile each iteration of the algorithm into an debug-mode executable program named Recolor. For ease of testing, as the algorithm is modified, we add more functionality to the Recolor program and retain the ability to use previous versions of the algorithm. We use a custom Python script to run new versions of Recolor from the terminal to test it. All of the relevant code and its versions are hosted on a git repository at <https://github.com/tiantianhan/recolor>

Recolor takes as input a hand image as well as a mask instructing it where to find the average skin colour of the hand, and a desired target skin colour. (Other flags and inputs are also used for testing purposes, see Appendix B for a full description of the usage.) Recolor then outputs the processed image where the skintone is adjusted to the target colour.

We iterated from simple to more complex algorithms, at each step testing the algorithm and evaluating the results. We tested progressive iterations on a set of hand images with varying skintones. The images are shown in Figure 1.




Figure 1: Different hand images used for testing

For each test, we called the Recolor program to transform the image of one hand to have the skintone of the hand in another image, then visually compared the processed image to the image of the target hand. We performed the process on all possible combinations of our test images, paying particular attention to the extreme cases, transforming from Figure 1a to Figure 1d and vice versa, as well as cases that start with a hand with midtone skin such as in Figure 1b (as this is the most likely use case for applications that change a model’s hand to match a range of skintones). We evaluated the resulting

images subjectively, based on whether the processed hand looks believably like a hand naturally of that skintone, and noted any flaws that we then attempted to correct with the next iteration of the algorithm.

In the following subsections we summarize the results of each algorithm and our evaluation of the results.

## 2.1 Simple brightness addition / subtraction

### Algorithm

To begin, we performed a simple addition of a value to each of the *rgb* channels of the hand, such that the average colour of the hand in the processed image is equal to the average color of the hand in the target image. The algorithm is shown in Equation 1.

$$r' = r + \delta_r \quad (1)$$

Where

$$\delta_r = \bar{r}_t - \bar{r}$$


With the same equation applying for the *g* and *b* channels.

### Results

The complete results are shown in Table 6 in Appendix B, a portion is shown here for convenience.

Portion of test results of simple addition / subtraction brightening function from Table 6 in the Appendix B

No.	Original	Target	Results
-----	----------	--------	---------



## Evaluation

Images of darker skintones and smaller changes between the original skintone and target colour to begin with (Row 6.4) tend to have better results than images with large changes, especially towards lighter colours. This is likely because large changes force bright points in the original image to be truncated at white, and also causes dark regions on the image, such as shadows and grooves, to become significantly brighter and less close to true black, giving the image a “high-key” look (Row 6.2 and 6.5).

In addition, we noted that at this stage the transformation from a dark coloured hand to a very pale hand, or even from a midtoned hand to a pale hand and vice versa is especially unconvincing. (Row 6.6, also see 6.3 and

6.10)

## 2.2 Proportional adjustment relative to average color

### Algorithm

To correct for the effect of the bright spots in the image being over bright and the high-key appearance resulting from all the shadows being brightened, we used an algorithm that maps the black and white points of the image to the same value, and adjusts the colors in between to match the target average colour. The algorithm is shown in Equation 2.

$$r' = \begin{cases} \left(\frac{\bar{r}_t}{\bar{r}}\right)r, & \text{for } r \leq \bar{r} \\ 255 - \left(\frac{255 - \bar{r}_t}{255 - \bar{r}}\right)(255 - r), & \text{for } r > \bar{r} \end{cases} \quad (2)$$


With the same equation applying for the  $g$  and  $b$  channels.

### Results

The complete results are shown in Table 7 in Appendix C, a portion is shown here for convenience.


Portion of test results of adjusting proportionally based on distance of color to the average from Table 7 in the Appendix C

No.	Original	Target	Results
7.2			



## Evaluation

This method improved the appearance of cases with over-bright spots or “high-key” appearance issues, as Figure 2 shows:



(a) Simple brightening algorithm result

(b) Proportional adjustment algorithm result

Figure 2: Comparison of algorithm 1 and 2 results for transforming a dark hand (Figure 1a) to a light hand (Figure 1c).

We noted however, that this method noticeably does not correct for, and even exacerbates slightly relative to algorithm 1, the dark spots at the joints and creases of a hand of darker skintone when it is transformed to a lighter skintone (Row 7.5).

### 2.3 Proportional brightening with dark spot correction

#### Algorithm

We attempted to correct the dark spot issue by significantly reducing the absolute difference between dark pixels and the average colour, ensuring that the dark spots would instead have colours close to the average. We perform this correction on the output of the proportional adjustment algorithm.

$$r'' = \begin{cases} \bar{r}' - \frac{(\bar{r}' - r')}{\alpha}, & \text{for } r' < \bar{r}' \\ r', & \text{for } r' \geq \bar{r}' \end{cases} \quad (3)$$

Where  $\alpha$  is a constant,  $\alpha > 1$ . The same equation applies for the  $g$  and  $b$  channels.

#### Results

See Table 8 in Appendix D, E and F for full results for a range of values for  $\alpha$ .

#### Evaluation

$\checkmark$  there are improvements for dark spots for brown to light hand as expected  
 $\checkmark$  particularly for large alpha, there is no true black in image, so same “high-key” effect, possibly can get rid of with another curve or piecewise func instead of straight line?  
 $\checkmark$  algorithm not meant to be used on light hand to dark hand - in fact an opposite effect should be used


## References

- [1] J. Shaver. (2014) How to change a person's skin color from dark to light in photoshop. [Online]. Available: <http://www.designpanoply.com/blog/how-to-change-a-persons-skin-color-from-dark-to-light-in-photoshop>
- [2] Phlearn. (2014) How to match skin tones in photoshop. [Online]. Available: <https://www.youtube.com/watch?v=5-DE49Muc0g>
- [3] PiXimperfect. (2017) How to match skin tone in photoshop cc 2017. [Online]. Available: <https://www.youtube.com/watch?v=zEeknlHydfE>
- [4] Phlearn. (2016) How to get a tan in photoshop. [Online]. Available: <https://www.youtube.com/watch?v=Har8CSjei2k>
- [5] M. Woloszynowicz. (2014) How to accurately match skin tones using selective color in photoshop. [Online]. Available: <https://www.youtube.com/watch?v=IOYFhumpmv8>
- [6] ——. (2014) How to easily correct colors and match tones in photoshop. [Online]. Available: <http://www.vibrantshot.com/how-to-easily-correct-colors-and-match-tones-in-photoshop/>

## A Photoshop techniques for changing skin-tone from select online video tutorials

### A.1 Changing skin colour from dark to light [1]

Table 3: Screen captures from Photoshop tutorial for changing skin colour from dark to light.





## A.2 Matching the skintones of face and body [2]

Table 4: Screen captures from Photoshop tutorial for matching the skintones of face and body.



### A.3 Matching the skintones of portraits of different people [3]


Table 5: Screen captures from Photoshop tutorial for matching the skintones of portraits of different people.


No.	Original	Target	Result
5.1			
5.2			

## B Complete results for simple brightening

Table 6: Test results of simple addition / subtraction brightening function.

No.	Original	Target	Results
6.1			
6.2			
6.3			
6.4			
6.5			






## C Complete results for proportional brightness adjustment

Table 7: Test results of brightening proportionally based on distance of color to the average.

No.	Original	Target	Results
7.1			
7.2			
7.3			
7.4			
7.5			




7.12



## D Complete results for proportional adjustment with darkspot correction, $\alpha = 10$

Table 8: Test results of proportional brightening with correction for dark spots

No.	Original	Target	Results
8.1			
8.2			
8.3			
8.4			
8.5			




8.12



## E Complete results for proportional adjustment with darkspot correction, $\alpha = 5$

Table 9: Test results of proportional brightening with correction for dark spots

No.	Original	Target	Results
9.1			
9.2			
9.3			
9.4			
9.5			




9.12



## F Complete results for proportional adjustment with darkspot correction, $\alpha = 3$

Table 10: Test results of proportional brightening with correction for dark spots, alpha = 3

No.	Original	Target	Results
10.1			
10.2			
10.3			
10.4			
10.5			



10.12

