

ING



```
fun String.by(author: String): Talk = Talk(this, author)
fun Talk.from(startTime: Double): Talk = apply { this.startTime = startTime.hours }
fun Talk.to(endTime: Double): Talk = apply { this.endTime = endTime.hours }
```

```
infix fun String.by(author: String): Talk = Talk(this, author)
infix fun Talk.from(startTime: Double): Talk = apply { this.startTime = startTime.hours }
infix fun Talk.to(endTime: Double): Talk = apply { this.endTime = endTime.hours }
```

```
val kotlinTalks = kotlinMeetup("Kotlin Talks") {  
    +"Kotlin, a language to rule DSLs".by("Tiberiu Tofan").from(18.30).to(19.15)  
    +"Kotlin for backend".by("Cosmin Stefan").from(19.20).to(20.05)  
    +"Effects in the wild, an introduction to fun.."by("Gabriel Bornea").from(20.10).to(20.55)  
}
```

```
val kotlinTalks = kotlinMeetup("Kotlin Talks") {  
    +("Kotlin, a language to rule DSLs" by "Tiberiu Tofan" from 18.30 to 19.15)  
    +("Kotlin for backend" by "Cosmin Stefan" from 19.20 to 20.05)  
    +("Effects in the wild, an introduction to fun.." by "Gabriel Bornea" from 20.10 to 20.55)  
}
```









X



U















```
fun kotlinMeetup(title: String, init: KotlinMeetupBuilder.() → Unit): KotlinMeetup
```

```
fun talk(title: String, init: Talk.() → Unit): Talk
```

INFLEXIONS

```
fun kotlinMeetup(title: String, init: KotlinMeetupBuilder.() → Unit): KotlinMeetup
fun talk(title: String, init: Talk.() → Unit): Talk
```

INFIX FUNCTIONS

```
infix fun String.by(author: String): Talk = Talk(this, author)
infix fun Talk.from(startTime: Double): Talk = apply { this.startTime = startTime.hours }
infix fun Talk.to(endTime: Double): Talk = apply { this.endTime = endTime.hours }
```

```
val kotlinTalks = kotlinMeetup("Kotlin Talks") {
    +("Kotlin, a language to rule DSLs" by "Tiberiu Tofan" from 18.30 to 19.15)
    +("Kotlin for backend" by "Cosmin Stefan" from 19.20 to 20.05)
    +("Effects in the wild, an introduction to fun..." by "Gabriel Bornea" from 20.10 to 20.55)
}
```



```
fun kotlinMeetup(title: String, init: KotlinMeetupBuilder.() → Unit): KotlinMeetup
fun talk(title: String, init: Talk.() → Unit): Talk
```

INFIX FUNCTIONS

```
infix fun String.by(author: String): Talk = Talk(this, author)
infix fun Talk.from(startTime: Double): Talk = apply { this.startTime = startTime.hours }
infix fun Talk.to(endTime: Double): Talk = apply { this.endTime = endTime.hours }
```

```
val kotlinTalks = kotlinMeetup("Kotlin Talks") {
    +("Kotlin, a language to rule DSLs" by "Tiberiu Tofan" from 18.30 to 19.15)
    +("Kotlin for backend" by "Cosmin Stefan" from 19.20 to 20.05)
    +("Effects in the wild, an introduction to fun..." by "Gabriel Bornea" from 20.10 to 20.55)
}
```