

Here are some lines of latex code that go at the top of the file. Other useful info can be added here.


- random seed: 779
- WMCFG grammar file used for sampling: chinesepromotion.Noun-Vt-de.global.chart
- md5sum for this grammar file: efd4e50b94f566f054eaf10bf0e3d4fb
- timestamp for generating this sample: 2012-07-29 22:59:28

Surface strings


1. 0.346774737315 “Noun Vt de Noun Vt Noun”
2. 0.265033432601 “Noun Vt de Noun Vi”
3. 0.165506124628 “Noun Vt de Vt Noun”
4. 0.126493229196 “Noun Vt de Vi”
5. 0.038650708921 “Noun Vt de Noun Vt Noun de Noun”
6. 0.0184469292577 “Noun Vt de Vt Noun de Noun”
7. 0.0076358678587 “Noun Vt de Noun Vt Vt Noun de Noun”
8. 0.00663407690435 “Noun Vt de Noun Vt”
9. 0.00403992530902 “Noun Vt de Noun Vt Noun Vt de Noun”
10. 0.00316626397707 “Noun Vt de Vt”
11. 0.00196081545014 “Noun Vt de Noun Vt Vt Noun de”
12. 0.00192814617021 “Noun Vt de Noun Vt Noun Vt de”
13. 0.00137948669089 “Noun Vt de Noun Vt Vt de Noun”
14. 0.000218547947863 “Noun Vt de Noun Vt Vt Noun de Noun de”
15. 3.03758519608e-5 “Noun Vt de Noun Vt Vt Vt de Noun de Noun”
16. 3.21663962193e-6 “Noun Vt de Noun Vt Vt Vt de Noun de Noun”

X-bar structures


1. 0.346774737315




2. 0.265033432601




3. 0.165506124628




4. 0.126493229196




5. 0.038650708921




6. 0.0184469292577




7. 0.0076358678587




8. 0.00663407690435




9. 0.00403992530902





11. 0.00196081545014





13. 0.00137948669089





16. $3.21663962193\text{e-}6$

