

Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 867
- WMCFG grammar file used for sampling: chinesepronominal.Vt-Noun-de.global.chart
- md5sum for this grammar file: 14cec191d0520efa05c7bff0647e0e6b
- timestamp for generating this sample: 2012-07-29 22:59:47


Surface strings

1. 0.339723821624 “Vt Noun de Noun”
2. 0.187749220517 “Vt Noun de Noun Vt Noun”
3. 0.162668512433 “Vt Noun de Noun Vi”
4. 0.120778679361 “Vt Noun de Vt Noun”
5. 0.0470717698732 “Vt Noun de Vi”
6. 0.0212374342507 “Vt Noun de Noun Vt Noun de Noun”
7. 0.0212374342507 “Vt Noun de Noun de Noun Vt Noun”
8. 0.0184004057537 “Vt Noun de Noun de Noun Vi”
9. 0.0142045152591 “Vt Noun de Noun Vt”
10. 0.0136619968634 “Vt Noun de Vt Noun de Noun”
11. 0.0136619968634 “Vt Noun de Noun de Vt Noun”
12. 0.00913773484244 “Vt Noun de Vt”
13. 0.00532456867195 “Vt Noun de Noun de Vi”
14. 0.00506538138364 “Vt Noun de Noun Vt Vt Noun de Noun”
15. 0.00265211029222 “Vt Noun de Noun Vt Noun Vt Noun de Noun”


16. 0.00240229286871 “Vt Noun de Noun de Noun Vt Noun de Noun”
17. 0.00170609698262 “Vt Noun de Vt Noun Vt Noun de Noun”
18. 0.000572975503141 “Vt Noun de Noun Vt Vt Noun de Noun de Noun”

X-bar structures


1. 0.339723821624




2. 0.187749220517




3. 0.162668512433




4. 0.120778679361




5. 0.0470717698732




6. 0.0212374342507




7. 0.0212374342507




8. 0.0184004057537




9. 0.0142045152591




10. 0.0136619968634




11. 0.0136619968634




13. 0.00532456867195



15. 0.00265211029222



16. 0.00240229286871



17. 0.00170609698262

