Here are some lines of latex code that go at the top of the file. Other useful info can be added here.

- random seed: 788
- WMCFG grammar file used for sampling: chinesepronominal.Noun-Vt-de.global.chart
- md5sum for this grammar file: 7aecbe64000457b04a27ffd59f2add9d
- timestamp for generating this sample: 2012-07-29 22:59:53

Surface strings

1. 0.316514000674 “Noun Vt de Noun Vt Noun”
2. 0.274232092746 “Noun Vt de Noun Vi”
3. 0.203612792082 “Noun Vt de Vt Noun”
4. 0.0793551853923 “Noun Vt de Vi”
5. 0.0358027866121 “Noun Vt de Noun Vt Noun de Noun”
6. 0.023946453359 “Noun Vt de Noun Vt”
7. 0.0230318574561 “Noun Vt de Vt Noun de Noun”
8. 0.015404703168 “Noun Vt de Vt”
9. 0.00853939165373 “Noun Vt de Noun Vt Vt Noun de Noun”
10. 0.00549337272157 “Noun Vt de Vt Vt Noun de Noun”
11. 0.00287619613025 “Noun Vt de Vt Noun Vt Noun de Noun”
12. 0.000396153430103 “Noun Vt de Noun Vt Vi de Noun”
13. 0.000275464246895 “Noun Vt de Noun Vt Vt Noun de”
14. 0.000230388575736 “Noun Vt de Noun Vt Vt Vt Noun de Noun de Noun”

X-bar structures

1. 0.316514000674



---

2. 0.274232092746



---

3. 0.203612792082



---

4. 0.0793551853923



---

5. 0.0358027866121



---

6. 0.023946453359



---

7. 0.0230318574561



---

8. 0.015404703168



---

9. 0.00853939165373



---

10. 0.00549337272157



---

11. 0.00287619613025



---

12. 0.000396153430103



---

13. 0.000275464246895



---

14. 0.000230388575736


CP
C'
C
TP
NP(10)
T'
FP
NP
T
vP
CRelP(2)
F'
N'
NP
v'
CRel'
F
CRelP
N
t(10)
v
VP
CRel
TRelP
de
t(2)
Noun
V
v
NP(9)
V'
NP(1)
TRel'
Vt
FP
NP
V
NP
N'
TRel
vRelP
CRelP(8)
F'
N'
t
t(9)
N
NP
vRel'
CRel'
F
CRelP
N
Noun
t(1)
vRel
VP
CRel
TRelP
de
t(8)
Noun
V
vRel
N-nullP(0)
V'
N-nullP(7)
TRel'
Vt
N-null'
V
N-nullP
N-null'
TRel
vRelP
N-null
t
t(0)
N-null
N-nullP
vRel'
t(7)
vRel
VP
V
vRel
NP(6)
V'
Vt
FP
NP
V
NP
CRelP(5)
F'
N'
t
t(6)
CRel'
F
CRelP
N
CRel
TRelP
de
t(5)
Noun
N-nullP(4)
TRel'
N-null'
TRel
vRelP
N-null
N-nullP
vRel'
t(4)
vRel
VP
V
vRel
NP(3)
V'
Vt
N'
V
NP
N
t
t(3)
Noun