



TOPIC 9: FLUID MECHANICS

1. Two blocks of different sizes and masses float in a tray of water. Each block is half submerged, as shown in the figure. Water has a density of 1000 kg/m^3 . What can be concluded about the densities of the two blocks?



- (A) The two blocks have different densities, both of which are less than 1000 kg/m^3 .
(B) The two blocks have the same density of 500 kg/m^3 .
(C) The two blocks have the same density, but the density cannot be determined with the information given.
(D) The larger block has a greater density than the smaller block, but the densities of the blocks cannot be determined with the information given.

2. The figure shows four cylinders of various diameters filled to different heights with water. A hole in the side of each cylinder is plugged by a cork. All cylinders are open at the top. The corks are removed. Which of the following is the correct ranking of the velocity of the water (v) as it exits each cylinder?




- (A) $v_A > v_D > v_C > v_B$
(B) $v_A = v_D > v_C > v_B$
(C) $v_B > v_C > v_A = v_D$
(D) $v_C > v_A = v_B = v_D$


3. A 1 cm diameter pipe leads to a showerhead with twenty 1 mm diameter exit holes. The velocity of the water in the pipe is v . What is the velocity of the water exiting the holes?
- (A) $0.05v$
(B) $0.5v$
(C) $5v$
(D) $100v$

Questions 4 and 5

Four differently shaped sealed containers are completely filled with alcohol, as shown below. Containers A and B are cylindrical. Containers C and D are truncated conical shapes. The top and bottom diameters of the containers are shown.




4. Which of the following is the correct ranking of the pressure (P) at the bottom of the containers?
- (A) $P_A = P_B = P_C = P_D$
(B) $P_A = P_D > P_C = P_B$
(C) $P_A > P_D > P_C > P_B$
(D) $P_D > P_A > P_C > P_B$
5. The force on the bottom of container A due to the fluid inside the container is F . What is the force on the bottom of container B due to the fluid inside?
- (A) F
(B) $F/4$
(C) $F/8$
(D) $F/16$
6. Two cylinders filled with a fluid are connected by a pipe so that fluid can pass between the cylinders, as shown in the figure. The cylinder on the right has 4 times the diameter of the cylinder on the left. Both cylinders are fitted with a movable piston and a platform on top. A person stands on the left platform. Which of the following lists the correct number of people that need to stand on the right platform so neither platform moves. Assume that the platform and piston have negligible mass and that all the people have the same mass.




- (A) 16 people
(B) 4 people
(C) 1 person
(D) It is impossible to balance the system because you need $1/16$ of a person on the right side.

7. A mass m is suspended in a fluid of density ρ by a string, as shown in the figure below. The tension in the string is T . Which of the following is an appropriate equation for the buoyancy force? Select two answers.




- (A) $F_b = mg$
 (B) $F_b = mg - T$
 (C) $F_c = a_2\rho gh_1$
 (D) $F_d = a\rho g(h_1 - h_2)$

8. Three wooden blocks of different masses and sizes float in a container of water, as shown in the figure. Each of the masses has a weight on top. Which of the following correctly ranks the buoyancy force on the wooden blocks?




- (A) $A > B = C$
 (B) $A = B > C$
 (C) $B > A = C$
 (D) $B > A > C$

9. Two blocks of the same dimensions are floating in a container of water, as shown in the figure. Which of the following is a correct statement about the two blocks?



- (A) The net force on both blocks is the same.
 (B) The buoyancy force exerted on both blocks is the same.
 (C) The density of both blocks is the same.
 (D) The pressure exerted on the bottom of each block is the same.

10. The figure shows four cubes of the same volume at rest in a container of water. Cube C is partially submerged. Cubes A , B , and D are fully submerged, with B resting on the bottom of the container. Which of the following correctly ranks the densities (ρ) of the cubes? Assume the water to be incompressible.




- (A) $\rho_C > \rho_D > \rho_A > \rho_B$
 (B) $\rho_B > \rho_A > \rho_D > \rho_C$
 (C) $\rho_B > \rho_A = \rho_D > \rho_C$
 (D) $\rho_B > \rho_A = \rho_D = \rho_C$

11. A beaker of water sits on a balance. A metal block with a mass of 70 g is held suspended in the water by a spring scale in position 1, as shown. In this position, the reading on the balance is 1260 g, and the spring scale reads 120 g. When the block is lifted from the water to position 2, what are the readings on the balance and spring scale?




	Balance reading	Spring scale reading
(A)	1190 g	120 g
(B)	1190 g	190 g
(C)	1260 g	120 g
(D)	1330 g	120 g

12. Blood cells pass through an artery that has a buildup of plaque along both walls, as shown in the figure. Which of the following correctly describes the behavior of the blood cells as they move from the right side of the figure through the area of plaque? Assume the blood cells can change volume.




- (A) The blood cells increase in speed and expand in volume.
 (B) The blood cells increase in speed and decrease in volume.
 (C) The blood cells decrease in speed and expand in volume.
 (D) The blood cells decrease in speed and decrease in volume.

13. Firefighters use a hose with a 2 cm exit nozzle connected to a hydrant with an 8 cm diameter opening to attack a fire on the second floor of a building 6 m above the hydrant, as shown in the figure. What pressure must be supplied at the hydrant to produce an exit velocity of 15 m/s? (The density of water is 1000 kg/m³, and the exit pressure is 1 × 10⁵ Pa.)




- (A) 1.7×10^5 Pa
 (B) 2.0×10^5 Pa
 (C) 2.6×10^5 Pa
 (D) 3.2×10^5 Pa




Note: Figure not drawn to scale.

14. A large rectangular raft (density 650 kg/m^3) is floating on a lake. The surface area of the top of the raft is 8.2 m^2 and its volume is 1.80 m^3 . The density of the lake water is 1000 kg/m^3 .
- (a) Calculate the height h of the portion of the raft that is above the surrounding water.
 - (b) Calculate the magnitude of the buoyant force on the raft and state its direction.
 - (c) If the average mass of a person is 75 kg , calculate the maximum number of people that can be on the raft without the top of the raft sinking below the surface of the water. (Assume that the people are evenly distributed on the raft.)



15. A glass U-tube with a uniform diameter of 0.850 cm is used to determine the density of an oil. As shown in the figure above, a 24.5 cm column of water balances a 27.2 cm column of the oil so that interfaces *A* and *B* of the mercury with the other liquids are at the same height. The density of water is $1.00 \times 10^3 \text{ kg/m}^3$.
- Calculate the density of the oil.
 - Calculate the absolute pressure at *B*, the interface between the water and the mercury.




A new tube, identical to the U-tube except for a cone shape on the left, as shown above, is filled with the same volume of mercury that was in the U-tube. The mercury is at the same height on both sides of the new tube as it was in the U-tube, as shown by the dashed line. The same volumes of oil and water that were in the U-tube are now poured into the new tube, on the left and right respectively.

- (c) Indicate the new position of *B* relative to *A*. Justify your answer.

____ Above *A* ____ Below *A* ____ At the same height as *A*

- (d) A small piece of wood with density less than that of the oil is placed so that it floats in the left side of the tube. Indicate whether the pressure at the bottom of the tube increases, decreases, or remains the same.

____ Increases ____ Decreases ____ Remains the same




16. A cube of mass m and side length L is completely submerged in a tank of water and is attached to the bottom of the tank by a string, as shown above. The tension in the string is 0.25 times the weight of the cube. The density of water is 1000 kg/m^3 .

- (a) On the dot below that represents the cube, draw and label the forces (not components) that act on the cube while it is attached to the string. Each force must be represented by a distinct arrow starting on, and pointing away from, the dot.



- (b) Calculate the density of the cube.
- (c) The string is now cut. Calculate the magnitude of the acceleration of the cube immediately after the string is cut. If you need to draw anything other than what you have shown in part (a) to assist in your solution, use the space below. Do NOT add anything to the figure in part (a).
- (d) Indicate whether the magnitude of the buoyant force on the cube increases, decreases, or remains the same while the cube is rising, but before it reaches the surface. Justify your answer.

____ Increases ____ Decreases ____ Remains the same



17. A 1.0 cm radius hose with a 0.50 cm radius exit nozzle is being used to fill a 1000 ml beaker with oil (1000 ml=0.0010 m³). The velocity of the oil in the hose is $v = 0.40$ m/s as shown in the figure. The density of the oil is 960 kg/m³, and the atmospheric pressure is 1.01×10^5 Pa.
- The nozzle attached to the end of the hose has a smaller radius than the hose. If the nozzle is removed from the hose, will the beaker be filled faster? Justify your answer with conservation laws.
 - Calculate the exit velocity of the oil from the nozzle.
 - How long will it take to fill the beaker?
 - Point A is shown in the figure. How does the pressure in the fluid at point A compare to the pressure in the fluid at the exit nozzle? Justify your claim.
 - The hose is now used to fill a 200 ml graduated cylinder with oil to the same height as the height of the oil in the 1000 ml beaker. Compare the net force from the oil on the bottom of the 200 ml cylinder and the 1000 ml. Explain your answer.

18. A diver descends from a salvage ship to the ocean floor at a depth of 35 m below the surface. The density of ocean water is $1.025 \times 10^3 \text{ kg/m}^3$.

- (a) Calculate the gauge pressure on the diver on the ocean floor.
- (b) Calculate the absolute pressure on the diver on the ocean floor.

The diver finds a rectangular aluminum plate having dimensions $1.0 \text{ m} \times 2.0 \text{ m} \times 0.03 \text{ m}$. A hoisting cable is lowered from the ship and the diver connects it to the plate. The density of aluminum is $2.7 \times 10^3 \text{ kg/m}^3$. Ignore the effects of viscosity.

- (c) Calculate the tension in the cable if it lifts the plate upward at a slow, constant velocity.
- (d) Will the tension in the hoisting cable increase, decrease, or remain the same if the plate accelerates upward at 0.05 m/s^2 ? Explain your reasoning.

19. A large pan is filled to the top with oil of density ρ_o . A plastic cup of mass m_C , containing a sample of known mass m_S , is placed in the oil so that the cup and sample float, as shown above. The oil that overflows from the pan is collected, and its volume is measured. The procedure is repeated with a variety of samples of different mass, and the pan is refilled each time.
- (a) On the dot below that represents the cup-sample system, draw and label the forces (not components) that act on the system when it is floating on the surface of the oil.




- (b) Derive an expression for the overflow volume V_O (the volume of oil that overflows due to the floating system) in terms of ρ_0 , m_S , m_C , and fundamental constants. If you need to draw anything other than what you have shown in part (a) to assist in your solution, use the space below. Do NOT add anything to the figure in part (a).

Assume that the following data are obtained for the overflow volume V_O for several sample masses m_S .

Sample mass m_S (kg)	0.020	0.030	0.040	0.050	0.060	0.070
Overflow volume V_O (m ³)	29×10^{-6}	38×10^{-6}	54×10^{-6}	62×10^{-6}	76×10^{-6}	84×10^{-6}

(c) Graph the data on the axes below, plotting the overflow volume as a function of sample mass. Place numbers and units on both axes. Draw a straight line that best represents the data.



- (d) Use the slope of the best-fit line to calculate the density of the oil.
- (e) What is the physical significance of the intercept of your line with the vertical axis?