Pitch arsenals

Tim White

2025-01-13

```
library(tidyverse)
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr
          1.1.4
                      v readr
                                  2.1.5
## v forcats 1.0.0
                      v stringr 1.5.1
## v ggplot2 3.5.1
                     v tibble 3.2.1
                                 1.3.1
## v lubridate 1.9.3
                      v tidyr
## v purrr
             1.0.2
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                   masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
library(baseballr)
```

Obtain pitch arsenal data


```
usage <- usage %>%
  rename(name = 'last_name, first_name',
```

```
fourseam_p = 'n_ff', sinker_p = 'n_si',
         cutter_p = 'n_fc', slider_p = 'n_sl',
         changeup_p = 'n_ch', curve_p = 'n_cu',
         splitter_p = 'n_fs', knuckle_p = 'n_kn',
         sweeper_p = 'n_st', slurve_p = 'n_sv') %>%
  mutate(name = as.factor(name), pitcher = as.factor(pitcher)) %>%
  mutate_all(function(col) {replace_na(col, 0)}) %>%
  select(-year)
spin <- spin %>%
  rename(name = 'last_name, first_name',
        fourseam_spin = 'ff_avg_spin', sinker_spin = 'si_avg_spin',
         cutter_spin = 'fc_avg_spin', slider_spin = 'sl_avg_spin',
         changeup_spin = 'ch_avg_spin', curve_spin = 'cu_avg_spin',
         splitter_spin = 'fs_avg_spin', knuckle_spin = 'kn_avg_spin',
         sweeper_spin = 'st_avg_spin', slurve_spin = 'sv_avg_spin') %>%
  mutate(name = as.factor(name), pitcher = as.factor(pitcher)) %>%
  mutate_all(function(col) {replace_na(col, 0)}) %>%
  select(-year)
# Merge speed and usage
arsenals <- speed %>% select(-name) %>%
              inner_join(usage, by = "pitcher") %>% select(-name) %>%
              inner_join(spin, by = "pitcher") %>%
              select(-pitcher) %>% select(name, everything())
# Add column for number of pitches in arsenal
arsenals <- arsenals %>%
              rowwise() %>%
              # include the pitch type as long as it was thrown at least 1% of the time
              mutate(num = sum(across(fourseam_p:slurve_p, function(col) {sum(col >= 1)}))) %>%
              ungroup()
# Reformat names
arsenals <- arsenals %>% mutate(name = str_replace(name, "(.*),\\s*(.*)", "\\2 \\1"))
# Add column for team names
teams <- fg_pitcher_leaders(startseason = "2024", endseason = "2024") %>%
          mutate(team_name = as.factor(ifelse(team_name == "- - -", "MUL", team_name))) %>%
          select(name = PlayerName, team = team_name) %>%
         mutate(name = ifelse(name == "Logan Allen" & team == "CLE", "Logan T. Allen", name))
arsenals <- arsenals %>%
              mutate(name = ifelse(name == "Logan Allen" & num == 4, "Logan T. Allen", name))
# Add column for pitch mix
arsenals <- teams %>%
              right_join(arsenals, by = "name") %>%
              mutate(pitchmix = "") %>%
              # include the pitch type as long as it was thrown at least 1% of the time
              mutate(pitchmix = ifelse(fourseam_p > 1, paste0(pitchmix, "FF-"), pitchmix)) %>%
              mutate(pitchmix = ifelse(sinker p > 1, paste0(pitchmix, "SI-"), pitchmix)) %>%
              mutate(pitchmix = ifelse(cutter_p > 1, paste0(pitchmix, "FC-"), pitchmix)) %>%
```

```
mutate(pitchmix = ifelse(slider_p > 1, paste0(pitchmix, "SL-"), pitchmix)) %>%
mutate(pitchmix = ifelse(changeup_p > 1, paste0(pitchmix, "CH-"), pitchmix)) %>%
mutate(pitchmix = ifelse(curve_p > 1, paste0(pitchmix, "CU-"), pitchmix)) %>%
mutate(pitchmix = ifelse(splitter_p > 1, paste0(pitchmix, "FS-"), pitchmix)) %>%
mutate(pitchmix = ifelse(sweeper_p > 1, paste0(pitchmix, "ST-"), pitchmix)) %>%
mutate(pitchmix = as.factor(str_remove(pitchmix, "-$")))
```

January 11th


MLB pitchers' arsenal sizes, 2024



```
ggsave("../figures/jan11_1.png", plot = jan11_1, height = 4, width = 6)
jan11_2 <- arsenals %>%
            filter(team != "MUL") %>%
            ggplot(aes(x = as.factor(num))) +
              geom_bar(fill = "lemonchiffon2", col = "lemonchiffon4") +
              facet_wrap(~team) +
              theme_bw() +
              scale x discrete(labels = c("2", "3", "4", "5", "6", "7", "8", "9")) +
              labs(x = "Number of pitch types", y = "Number of pitchers",
                   title = "MLB pitchers' arsenal sizes by team, 2024",
                   subtitle = "Pitchers who played for multiple teams in 2024 are excluded") +
              theme(axis.title = element_text(face = "bold"),
                    title = element_text(face = "bold"),
                    plot.subtitle = element_text(face = "italic"),
                    strip.background = element_rect(fill = "slategray4", color = "gray10"),
                    strip.text = element_text(face = "bold", color = "white"))
jan11_2
```

MLB pitchers' arsenal sizes by team, 2024

Pitchers who played for multiple teams in 2024 are excluded



```
ggsave("../figures/jan11_2.png", plot = jan11_2, height = 6, width = 6)

arsenals %>%
  filter(team != "MUL") %>%
  group_by(team) %>%
```


```
summarize(twopitches = sum(num == 2)) %>%
 arrange(desc(twopitches))
## # A tibble: 30 x 2
   team twopitches
             <int>
##
     <fct>
## 1 MIL
## 2 NYY
                  3
## 3 SFG
## 4 TOR
                   3
## 5 CLE
                   2
## 6 COL
                   2
## 7 MIA
                   2
## 8 NYM
                   2
## 9 TBR
## 10 ARI
## # i 20 more rows
arsenals %>%
 filter(team != "MUL") %>%
 group_by(team) %>%
 summarize(variance = var(num)) %>%
 arrange(desc(variance))
```

```
## # A tibble: 30 x 2
##
   team variance
##
     <fct> <dbl>
## 1 TOR
            2.43
            2.26
## 2 NYM
            1.94
## 3 CHC
## 4 WSN
            1.67
## 5 MIL
            1.66
## 6 COL
            1.63
## 7 NYY
            1.58
## 8 SDP
            1.54
## 9 KCR
             1.53
## 10 ATL
              1.5
## # i 20 more rows
```

January 12th

```
jan12 <- arsenals %>%
          count(pitchmix) %>%
          top_n(10, n) %>%
          ggplot(aes(x = fct_reorder(pitchmix, desc(n)), y = n)) +
            geom_col(fill = "honeydew3", col = "honeydew4") +
            theme_bw() +
            theme(axis.text.x = element_text(angle = 45, hjust = 1, vjust = 1)) +
            labs(x = "Pitch mix", y = "Number of pitchers",
                 title = "Most common pitch mixes among MLB pitchers in 2024") +
            theme(axis.title = element_text(face = "bold"),
                  title = element_text(face = "bold"))
jan12
```

Most common pitch mixes among MLB pitchers in 2024



Pitch mix

```
ggsave("../figures/jan12.png", plot = jan12, height = 4, width = 6)
```

```
arsenals %>%
 filter(team != "MUL") %>%
  count(team, pitchmix) %>%
  arrange(desc(n)) %>%
 head(10)
```

-- MLB Player Pitching Leaders data from FanGraphs.com ----- baseballr 1.6.0 --

i Data updated: 2025-01-13 22:08:44 EST

## # A tibble: 10 x 3				
##		team	pitchmix	n
##		<fct></fct>	<fct></fct>	<int></int>
##	1	MIN	FF-SI-SL-CH	6
##	2	COL	${\tt FF-SI-SL-CH-CU}$	5
##	3	DET	FF-SI-SL-CH	5
##	4	LAA	FF-SL-CH-CU	5
##	5	ATL	FF-SI-SL-CH	4
##	6	CHW	FF-SL-CH-CU	4
##	7	COL	FF-SL-CH-CU	4
##	8	HOU	FF-SL-CH-CU	4
##	9	KCR	FF-SI-SL-CH-CU	4
##	10	LAA	FF-SI-SL-CH	4