

Table H-3. Summary of whole-colony count sums for colony complexes of common murre (*Uria aalge californica*) in central California, 1979–1995, used for all regressions. Codes: ND, no data available; NC, all or a portion of available data are not comparable; ID, incomplete data.

Colony Complex ^a	Year												
	1979	1980	1981	1982	1985	1986	1987	1988	1989	1990	1993	1994	1995
Point Reyes	11,095	13,423	16,474	26,337	9,242 ^b	9,360	12,046	10,955	9,501	11,807	15,380	15,381	17,811
Points Resistance–Double	6,960 ^b	13,353	9,541	11,697 ^b	5,633 ^b	3,755 ^b	4,713	5,899	4,897	6,833	7,069	7,954	7,604
North Farallon	ND	31,428	29,100	30,914	18,597	12,780	16,505	13,398	15,428	14,621	19,428	23,332	23,069
South Farallon	ND	52,527	49,975	61,510	31,738	31,101	24,679	25,325	23,066	40,926	34,724	40,268	40,385
Devil's Slide	1,400	1,750	1,418 ^b	1,530	ND	93	128	0	0	1	0	5	0
Castle–Hurricane ^c	NC	3,675	2,698 ^b	2,121	ND	ID(735)	1,264	1,047	1,093	1,261	1,461	1,935	1,816
Sum Regression Total ^d	NC/ID	116,156	109,206	134,109	ID	57,824	59,335	56,624	53,985	75,449	78,062	88,875	90,685

^a Complexes are defined in Appendixes C and D. The Devil's Slide complex includes one active colony at Devil's Slide Rock and Mainland and one extirpated colony at San Pedro Rock.

^b Although data were incomplete (Appendix C), the whole-complex counts are accepted as reasonably complete.

^c ID count in 1986 was excluded from Poisson regressions for this complex.

^d In 1986, the Castle–Hurricane ID count was included in the sum regression total which was treated as reasonably complete.

Table H-4. Summary of whole-colony count sums for colonies and colony complexes of common murre (*Uria aalge californica*) in Washington, 1979–1995, used in all regressions. Codes: ND, no data collected.

Colony or Complex ^a	Year																
	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
Northern Washington																	
Tatoosh ^b	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	750	480
Carroll–Jagged	0	0	155	0	0	0	657	125	800	450	450	250	525	250	120	340	1,620
Quillayute Needles	2,035	3,190	300	1,755	1,230	620	185	850	3,900	2,650	1,900	2,420	1,450	2,160	30	1,735	3,595
Other ^c	2,250	3,435	850	2,810	200	800	2,100	600	75	300	250	700	825	525	0	110	5
Sum Regression Total ^d	4,285	6,625	1,305	4,565	1,430	1,420	2,942	1,575	4,775	3,400	2,600	3,370	2,800	2,935	150	2,185	5,220
Southern Washington																	
Willoughby–Split	14,450	6,190	12,150	15,720	850	0	100	40	450	85	275	15	225	0	0	0	0
Point Grenville	12,785	9,420	4,900	8,655	910	1,050	350	1,615	5,500	705	1,050	975	450	550	380	610	35
Sum Regression Total	27,235	15,610	17,050	24,375	1,760	1,050	450	1,655	5,950	790	1,325	990	675	550	380	610	35
Washington																	
(Sum Regression total ^d)	31,520	22,235	18,355	28,940	3,190	2,470	3,392	3,230	10,725	4,190	3,925	4,360	3,475	3,485	530	2,795	5,255

^a Colonies and complexes are defined in Appendixes F and G.

^b For the Tatoosh complex, standardized U.S. Fish and Wildlife Service aerial survey data were not available prior to 1994 (Appendixes F and G). This colony complex was not analyzed by regression.

^c Includes murre attending Destruction Island, Middle Rock, North Rock, Colony No. 426, Colony No. 419, Rounded Island, White Rock, and Colony No. 140.

^d Northern Washington and Washington totals excluded the Tatoosh complex.